

## How do I...

#### ...get tested?

- TIME IT RIGHT. Get tested 5–7 days after possible exposure or as soon as you have symptoms.
- **GET THE RIGHT TEST.** A PCR test (not a rapid antigen test) will be the most accurate.
- UNDERSTAND YOUR RESULTS. The test is just a snapshot in time. A negative result during the virus's possible incubation period isn't definitive evidence that you are not infected.

#### ...self-monitor?

- **BE ALERT** for symptoms, especially changes in your sense of smell or taste, cough, fever, or shortness of breath.
- TAKE YOUR TEMPERATURE every morning and night, and write it down.
- **GET TESTED** if you have <u>any</u> symptoms of COVID-19.
- DON'T seek medical treatment without calling first!

#### ...self-quarantine?

- STAY HOME for 14 days.
- AVOID CONTACT with other people.
- DON'T SHARE household items.

### ...protect myself and others?

- STAY HOME as much as possible.
- PHYSICALLY DISTANCE yourself from other people try to stay at least 6 feet away.
- WEAR A MASK in public or when you can't maintain physical distance between yourself and others.
- AVOID CROWDS of people.
- AVOID CLOSED SPACES. Outdoor activities are safest, but if you're going to be inside, aim for a relatively large, well-ventilated space. And don't stay long!
- DON'T TOUCH your face.
- WASH YOUR HANDS frequently.
- **DISINFECT** frequently touched surfaces regularly.

 $Above \ chart\ \&\ information\ adapted\ from\ https://medical.mit.edu/sites/default/files/COVID-19\_flow\_chart\_2.pdf$ 

# What if I have symptoms?

If you are experiencing symptoms of COVID-19, **notify** your manager and stay home. Contact your medical professional for guidance. Schedule yourself for a COVID-19 test. SMRLD Executive Director will contact you with further instructions.

Any of the above scenarios require SMRLD staff to take sick (or other) leave for a period of not less than 10 days after potential exposure.

SMRLD staff must produce a negative test result before returning to work.