EFILED IN OFFICE
CLERK OF STATE COURT
COBB COUNTY, GEORGIA
20-A-1645
AUG 17, 2021 02:25 PM
Robin C. Bishop
Robin C. Bishop, Clerk of State Court
Cobb County, Georgia

EXHIBIT A

Secretary of State
Corporations Division
315 West Tower
#2 Martin Luther King, Jr. Dr.
Atlanta, Georgia 30334-1530

CONTROL NUMBER: 0556515
EFFECTIVE DATE: 08/22/2005
JURISDICTION : DELAWARE
REFERENCE : 0091
PRINT DATE : 08/22/2005
FORM NUMBER : 350

PATTIE HARDY
C T CORPORATION SYSTEM
1201 PEACHTREE STREET, NE
ATLANTA, GA 30361

CERTIFICATE OF AUTHORITY TO TRANSACT BUSINESS

I, Cathy Cox, the Secretary of State of the State of Georgia, do hereby certify under the seal of my office that

STERIGENICS U.S., LLC
A FOREIGN LIMITED LIABILITY COMPANY

has been organized under the laws of the jurisdiction stated above and has filed an application meeting the requirements of Georgia law to transact business as a foreign limited liability company in this state.

WHEREFORE, by the authority vested in me as Secretary of State, the above named limited liability company is hereby granted, on the effective date stated above, this certificate of authority to transact business in the State of Georgia as provided by Title 14 of the Official Code of Georgia Annotated.

WITNESS my hand and official seal in the City of Atlanta and the State of Georgia on the date set forth above.

Cathy Cox
Secretary of State

CATHY COX
Secretary of State

OFFICE OF SECRETARY OF STATE
CORPORATIONS DIVISION
315 West Tower, #2 Martin Luther King, Jr. Drive
Atlanta, Georgia 30334-1530
(404) 656-2817
Registered agent, officer, entity status information via the Internet
http://www.georgiacorporations.org

WARREN RARY
Director

ENRICO M. ROBINSON
Assistant Director

APPLICATION FOR CERTIFICATE OF AUTHORITY FOR FOREIGN LIMITED LIABILITY COMPANY #500-

831705234139 4

DO NOT WRITE IN SHADED AREA - SOS USE ONLY

DOCKET # _____ PENDING # _____ CONTROL # 0556515

DOCKET CODE _____ DATE FILED _____ AMOUNT RECEIVED _____ CHECK/ RECEIPT # _____

TYPE CODE _____ EXAMINER _____ JURISDICTION CODE _____

NOTICE TO APPLICANT: PRINT PLAINLY OR TYPE REMAINDER OF THIS FORM

1. Sterigenics U.S., LLC
Limited Liability Company Name — Name Reservation Number (Optional)

January 1, 2005
Date Business Commenced (Or Proposed) in Georgia (NOTE: If the date provided here is more than 30 days prior to the date the application is received by the Secretary of State, a $500 penalty must be paid; penalty is statutory and cannot be waived by Secretary of State.)

2. Corey H. Grauer — 630-928-1747
Name of filing person (certificate will be mailed to this person, at address below) — Telephone Number

Sterigenics / 2015 Spring Rd., Ste #650 | Oak Brook | IL | 60523
Address | City | State | Zip Code

3. Delaware | May 29, 1997 | Perpetual
Jurisdiction (Home state/country) | Date of Organization in home state | Period of Duration

4. 2015 Spring Rd., Ste #650 | Oak Brook | IL | 60523
Address of Principal Place of Business | City | State | Zip Code

5. C T Corporation System
Name of Registered Agent in Georgia

1201 Peachtree Street, N.E.
Registered Office Street Address in Georgia (Post office box or mail drop not acceptable for registered office address)

Atlanta | Fulton | GA | 30361
City | County | State | Zip Code

6. David E. Meyer - 2015 Spring Rd., Ste #650 | Oak Brook | IL | 60523
Manager's Name & Address (Person w/responsibility for maintaining records) | City | State | Zip Code

7. 2015 Spring Road, Suite 650 | Oak Brook | IL | 60523
Address Where Limited Liability Company Records Are Maintained | City | State | Zip Code

8. **NOTICE: Mail or deliver an original and one copy of this form and the filing fee of $225.00 to the Secretary of State at the above address. Filing fees are NON-refundable.**

This application is signed by a person duly authorized to sign such instruments by the laws of the jurisdiction under which the foreign limited liability company is organized. The foreign limited liability company undertakes to keep its records at the address shown in #7 above until its registration in Georgia is canceled or withdrawn. The foreign limited liability company, in accordance with Title 14 of the Official Code of Georgia Annotated, appoints the Secretary of State as agent for service of process if no agent has been appointed in Georgia or, if appointed, the agent's authority has been revoked or the agent cannot be found or served by the exercise of reasonable diligence.

G H. M
Authorized Signature

8/18/05
Date

Request certificates and obtain entity information via the Internet: http://www.georgiacorporations.org

FORM 241

GA036 - 12/23/04 C T System Online

2005 AUG 23 P 2:22 SECRETARY OF STATE CORPORATIONS DIVISION

Additional Managers:

William R. Nelson	2015 Spring Rd., Ste #650	Oak Brook, IL	60523
Frederick Ruegsegger	2015 Spring Rd., Ste #650	Oak Brook, IL	60523
Corey H. Grauer	2015 Spring Rd., Ste #650	Oak Brook, IL	60523
Kathy Hoffman	2015 Spring Rd., Ste #650	Oak Brook, IL	60523

Delaware

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY "STERIGENICS U.S., LLC" IS DULY FORMED UNDER THE LAWS OF THE STATE OF DELAWARE AND IS IN GOOD STANDING AND HAS A LEGAL EXISTENCE SO FAR AS THE RECORDS OF THIS OFFICE SHOW, AS OF THE NINETEENTH DAY OF AUGUST, A.D. 2005.

AND I DO HEREBY FURTHER CERTIFY THAT THE ANNUAL TAXES HAVE BEEN PAID TO DATE.



Harriet Smith Windsor

Harriet Smith Windsor, Secretary of State

2754117 8300

050685886

AUTHENTICATION: 4103325

DATE: 08-19-05

EXHIBIT B

Get Document | Search Documents | Portfolio | Alerts | Company Directory | Search Templates | Forms | Intelligent Search
Enter your 10-digit ticker symbol or CUSIP to see if you have access to this document.
Get Real-Time Quotes, Charts, Financials, Insider Transactions, Company Reports and more.
Ticker Lookup | Help | Search Tips | Hide Boilerplate
Get Section | Previous Section | Next Section | Table of Contents | Search Within | Search Results | New Search | Clean View | Save | Link | Add to Portfolio | Edit Portfolio | Email | Print | Help

(a) The Company, acting through the Board, shall, if required for the Merger under the DGCL:

(i) duly call, give notice of, convene and hold a meeting of its stockholders (the "Stockholders' Meeting"), to be held as soon as practicable after the Tender Offer Purchase Time for the purpose of considering and taking action upon this Agreement;

(ii) except as otherwise permitted under Section 5.3, include in the Proxy Statement (A) the recommendation of the Board that stockholders of the Company vote in favor of the approval and adoption of this Agreement, the Merger and the other transactions contemplated hereby, and (B) a statement that the Board believes that the consideration to be received by the stockholders of the Company pursuant to the Merger is fair to such stockholders;

(iii) except as otherwise permitted under Section 5.3, use reasonable efforts (A) to obtain and furnish the information required to be included by it in the Disclosure Statements and, after consultation with Parent and providing Parent with a reasonable opportunity to review and comment upon the Proxy Statement, cause the Proxy Statement and the Disclosure Statements to be mailed to its stockholders at the earliest practicable time, following the Tender Offer Purchase Time, and (B) to obtain the necessary approvals by its stockholders of this Agreement and the transactions contemplated hereby. At such meeting, Parent, GP and Acquisition will, and will cause their affiliates to, vote all Shares owned by them in favor of approval and adoption of this Agreement, the Merger and the transactions contemplated hereby.

28

SECTION 5.3. Other Potential Acquirers.

(a) From and after the date of this Agreement until the earlier of the Effective Time or termination of this Agreement pursuant to its terms, the Company and its subsidiaries shall not, and will instruct their respective directors, officers, employees, representatives, investment bankers, agents and affiliates not to, directly or indirectly, (i) solicit or encourage submission of, any inquiries, proposals or offers by any person, entity or group (other than Parent and its affiliates, agents and representatives), or (ii) participate in any discussions or negotiations, or disclose any non-public information concerning the Company or any of its subsidiaries to, or afford any access to the properties, books or records of the Company or any of its subsidiaries to, or otherwise assist or facilitate, or enter into or resolve to enter into any agreement or understanding with, any person, entity or group (other than Parent and its affiliates, agents and representatives), in connection with any Acquisition Proposal with respect to the Company. For the purposes of this Agreement, "Acquisition Proposal" means any proposal or offer (whether or not in writing) for, or any indication of interest in, (A) any merger, consolidation, share exchange, recapitalization, liquidation, dissolution, joint venture, business combination or similar transaction (or series of transactions) involving the Company or any subsidiary of the Company pursuant to which any person (or the stockholders of any person) would own, directly or indirectly, 15% or more of the then outstanding shares of capital stock of the entity (except for acquisitions for passive investment purposes only in circumstances where the person or group qualifies for and files a Schedule 13G with respect thereto); (ii) the adoption by the entity of a plan of liquidation or the declaration or payment of an extraordinary dividend; (iii) the repurchase by the entity of more than 20% of its outstanding shares of voting stock; (iv) the acquisition by the entity of direct or indirect ownership of a business where annual revenue, net income or assets is greater than 20% of the entity; or (v) any public announcement of a proposal, plan or intention to do any of the foregoing or any agreement to engage in any of the foregoing. The Company will, and will cause its subsidiaries and their respective directors, officers, employees, representatives and agents, to immediately cease any and all existing activities, discussions or negotiations with any parties conducted heretofore with respect to any of the foregoing. The Company will (i) notify Parent as promptly as practicable (but in no event later than 24 hours after receipt) of any Acquisition Proposal or any request for information relating to the Company or any of its subsidiaries by any person, entity or group that has made or indicates that it is considering making an Acquisition Proposal, (ii) provide such notice to Parent orally and in writing and identify the person making, and all material terms of, any such Acquisition Proposal or request for information, and (iii) provide to Parent as promptly as practicable (but in no event later than 24 hours after Parent's receipt of a copy of such Superior Proposal (or a description of the terms and conditions thereof, if not in writing).

(c) Notwithstanding anything to the contrary herein, the Company will not provide any nonpublic information to a third party unless: (x) the Company provides such nonpublic information pursuant to a nondisclosure agreement with terms regarding the protection of confidential information at least as restrictive as such terms in the Confidentiality Agreement (as defined below), and (y) such nonpublic information has been previously delivered to Parent.

SECTION 5.4 [INTENTIONALLY OMITTED.]

SECTION 5.5 Actions. From the date of this Agreement until the Closing Time, upon reasonable prior notice, the Company shall (and shall cause each of its subsidiaries to) give the Parent and its representatives (including lenders to and financing sources for such party) full access to the officers, employees, agents, books, records, contracts, commitments, properties, offices and other facilities of it and its subsidiaries, and shall furnish promptly to the Parent and its representatives such financial and operating data and other information concerning the business, operations, properties, contracts, records and personnel of the Company and its subsidiaries as the Parent may from time to time reasonably request. Parent and Acquisition shall use reasonable efforts to minimize any disruption to the business of the Company and its subsidiaries which may result from the access to properties and employees and for data and information hereunder. All information obtained by the Parent pursuant to this

Section 5.5 shall be held confidential in accordance with the provisions of the Non-Disclosure Agreement between Parent and the Company dated May 17, 1999 (the "Confidentiality Agreement"). No representations and warranties or conditions to the consummation of the Merger contained herein or in any certificate or instrument delivered in connection herewith shall be deemed waived or otherwise affected by any investigation made by the parties or their representatives.

SECTION 5.6. Further Actions.

(a) Each of the parties hereto shall use its best efforts to take, or cause to be taken, all actions, and to do, or cause to be done, all things necessary, proper or advisable under

30

applicable laws and regulations, and consult and fully cooperate with and provide reasonable assistance to each other party hereto and their respective representatives in order, to consummate and make effective the transactions contemplated by this Agreement as promptly as practicable hereafter, including, without limitation, (i) using their reasonable efforts to obtain all authorizations, consents, orders and approvals of all governmental authorities and all other third parties, or permits of Governmental Entities or other persons or entities as are necessary for the consummation of the Merger and the other transactions contemplated hereby (including, without limitation, pursuant to the HSR Act, the Securities Act, the Exchange Act, Blue Sky Laws, Delaware law and other applicable laws and regulations in effect in the United States, Belgium or any other jurisdiction), and (ii) taking such actions reasonably requested by the other party hereto to effectuate the purposes of this Agreement and to consummate the Merger. Parent and Acquisition shall not commence any litigation against the Company or its subsidiaries other than as specified in Article 8 of this Agreement for the purpose of objecting to or failing to act in order to avoid the entry of, or to have vacated or reversed, any decree, order, judgment or decision (whether temporary, preliminary or permanent) that would restrain, prevent or delay the Closing or which would impose any material limitation on the ability of the Company or Parent, or any of their respective subsidiaries, effectively to exercise full rights of ownership of the Shares, including, without limitation, the ability of Acquisition to acquire or hold or to exercise any rights of ownership of the Shares, or effectively to manage or control the Company or any of its subsidiaries, in each case following the Effective Time, or to dispose of or hold separate all or any portion of the business or assets or any of the capital stock of the Company or any of its subsidiaries, provided, however, that in no event shall any party hereto take, or be required to take, any action that could reasonably be expected to have a Material Adverse Effect on the Company or that individually or in the aggregate could reasonably be expected to have a Parent Material Effect.

SECTION 5.7. HSR Matters. Each party hereto shall make an appropriate filing of a Notification and Report Form pursuant to the HSR Act with respect to the transactions contemplated hereby as promptly as practicable after the date hereof. Each such filing shall request early termination of the waiting periods imposed by the HSR Act with respect to the transactions contemplated hereby. Each party hereto shall make any further filings pursuant to the HSR Act without the entry by a court of competent jurisdiction of an order enjoining the consummation of the transactions contemplated hereby at as early as practicable. Each party shall furnish all information required to be furnished by such party in connection with such filings. In addition, each party shall promptly inform the other party upon receipt of any material communication from the Federal Trade Commission or any other governmental agency or authority or members of their respective staffs with respect to this Agreement or the transactions contemplated hereby.

SECTION 5.8. Public Announcements. Parent, Acquisition and the Company, as the case may be, will consult with one another before issuing any press release or otherwise making any public statements with respect to the transactions contemplated by this Agreement, including, without limitation, the Merger, and shall not issue any such press release or make any such public statement prior to such consultation except to the extent that such consultation may be prohibited

31

by applicable law or such a disclosure or release is required by obligations pursuant to any listing agreement with the Brussels Stock Exchange or Nasdaq as determined by Parent or the Company, as the case may be.

SECTION 5.9. Employee Benefit Matters; Company Stock Options. The Company shall, or shall cause one of its subsidiaries to, take such action effective as of the Effective Time with respect to any Company Employee Plan as Parent shall reasonably request, including termination of any such plan. The Company shall

(a) cooperate with Parent and Acquisition in obtaining waivers, in form and substance reasonably satisfactory to Parent and Acquisition, of all terms of the Company Option Plans and all terms of outstanding Company Stock Options, which terms could prevent, restrict or impair the ability of Parent, Acquisition and the Company to effectuate fully the provisions of Section 2.10, and (b) use reasonable efforts to cause its Compensation Committee to interpret the Company Option Plan, to the extent possible, so as to enable the Company, Parent and Acquisition to effectuate fully the provisions of Section 2.10.

SECTION 5.10. Notification of Certain Matters. The Company shall give prompt notice to Parent and Parent shall give prompt notice to the Company of (a) any occurrence or noncurrence of any event the occurrence or noncurrence of which would be likely to cause (A) any representation or warranty contained in this Agreement to be untrue or inaccurate in any material respect at or prior to the Effective Time or (B) any covenant, condition or agreement contained in this Agreement not to be complied with or satisfied in all material respects and (ii) any material failure of the Company, Parent, GP or Acquisition, as the case may be, to comply with or satisfy any covenant, condition or agreement to be complied with or satisfied by it hereunder; provided, however, that the delivery of any notice pursuant to this Section 5.10 shall not cure such breach or non-compliance or limit or otherwise affect the remedies available hereunder to the party receiving such notice.

SECTION 5.11. Guarantee of Performance. Parent hereby guarantees the performance by Acquisition and GP of their obligations under this Agreement.

SECTION 5.12 Indemnification; Directors' and Officers' Insurance.

(a) Parent and Acquisition agree that all rights to indemnification for acts or omissions occurring prior to the Effective Time now existing in favor of the current or former directors or officers (the "Indemnified Parties") of the Company and its subsidiaries as provided in their respective certificates of incorporation or bylaws (or similar organizational documents) or existing indemnification contracts shall survive the Merger and shall continue in full force and effect in accordance with their terms.

(b) For six years from the Effective Time, Parent shall cause to be maintained in effect the Company's current directors' and officers' liability insurance or insurance policies with substantially equivalent coverage covering those persons who are currently covered by the Company's directors' and officers' liability insurance policy (a copy of which has been heretofore delivered to Parent).

(c) This Section 5.12 shall survive the consummation of the Merger at the Effective Time, is intended to benefit the Company, Parent, the Acquisition and the Indemnified Parties, and shall be binding on all successors and assigns of Parent and the Acquisition.

SECTION 5.13 State Takeover Laws. Notwithstanding any other provision of this Agreement, in no event shall the Section 203 Approval be withdrawn, revoked or modified by the Board. If

32

any state takeover statute other than Section 203 of the DGCL becomes or is deemed to become applicable to the Offer, the acquisition of the Shares pursuant to the Offer or the Stockholders Agreement or the Merger, the Company shall take all action necessary to render such statute inapplicable to all of the foregoing.

SECTION 5.14 Employee Benefits. Following the Effective Time, the Surviving Corporation will provide the persons employed by the Company immediately prior to the Effective Time, for so long as such persons remain employed by the Surviving Corporation with benefits (other than stock options) in the aggregate which are substantially comparable to those provided to such persons by the Company immediately prior to the Effective Time.

ARTICLE 6

DISSENTING SHARES; EXCHANGE OF SHARES

SECTION 6.1 Dissenting Shares. Notwithstanding anything in this Agreement to the contrary, in the event that dissenters' rights are available in connection with the Merger pursuant to Section 262 of the DGCL, Shares that are issued and outstanding immediately prior to the Effective Time and that are held by stockholders who did not vote in favor of the Merger and who comply with all of the relevant provisions of Section 262 of the DGCL (the "Dissenting Shares") shall not be converted into or be exchangeable for the right to receive the Cash Merger Consideration, but instead shall be converted into the right to receive such consideration as may be determined to be due to such holders pursuant to Section 262 of the DGCL, unless and until such holders fail to perfect or withdraw or otherwise lose their right to appraisal and payment under the DGCL. If any such holder shall have failed to perfect or shall have effectively withdrawn or lost such right, such holder's Shares shall thereupon be deemed to have been converted into and to have become exchangeable for the right to receive, as of the Effective Time, the Cash Merger Consideration without any interest thereon. The Company shall give Parent (i) prompt notice of any written demands for appraisal of Shares received by the Company and (ii) the opportunity to participate in all negotiations and proceedings with respect to any such demands. The Company will not, without the prior written consent of Parent, voluntarily make any payment with respect to, or settle or offer to settle, any such demands.

ARTICLE 7

CONDITIONS TO THE OFFER

SECTION 7.1. Conditions to the Offer. (a) Notwithstanding any other provisions of the Offer, Acquisition shall not be required to accept for payment or, subject to any applicable rules and regulations of the SEC, including Rule 14e-1(c) under the Exchange Act (relating to Acquisition's obligation to pay for or return tendered Shares promptly after termination of the Offer), pay for, and may delay the acceptance for payment of or, subject to the restrictions referred to above, the payment for, any tendered Shares, and may amend the Offer consistent with the terms of this Agreement, including extending the deadline for tendering Shares, or terminate the Offer, if any of the following events shall occur:

33

(i) from the date of this Agreement until the Tender Offer Purchase Time, there shall have occurred any change, event, occurrence or circumstance which, individually or in the aggregate, has a Material Change (as defined below) on the Company (except for changes, events, occurrences or circumstances relating to the economy in general or the industry in which the Company operates which do not have a disproportionate effect on the Company), provided, however, that (x) the commencement of any litigation against the Company or its subsidiaries after the date of this Agreement which is related to this Agreement or the transactions contemplated hereby or any adverse change, event or effect that is proximately caused by such litigation that is initiated or threatened after the date of this Agreement against the Company or any of its subsidiaries and (y) any adverse change resulting from any action taken by the Company that was approved by Parent shall not

Section 7.1(a)(i) of this Agreement shall not be a Material Change; and provided further, however, that if the Offer is consummated after July 31, 1999 the following shall not be taken into account in determining whether there has been or would be a Material Change with respect to the Company to the extent such events occur subsequent to July 31, 1999:

(a) a reduction of up to 25% of the (i) average monthly consolidated revenue and net profit of the Company compared to the average monthly consolidated revenue and net profit of the Company during the 12 months immediately preceding the date of this Agreement or (ii) the net worth of the Company compared to the December 31, 1998 net worth;

(b) any change in the assets of the Company in connection with obtaining required regulatory approvals; or

(c) any voluntary termination after the date of this Agreement of officers or other key employees of the Company;

(ii) from the date of this Agreement until the Tender Offer Purchase Time, any Governmental Entity or court of competent jurisdiction shall have enacted, issued, promulgated, enforced or entered any statute, rule, regulation, executive order, decree, injunction or other order (and if temporary or preliminary, not vacated within five (5) business days of its entry), which with respect to HSR Act approval which shall be governed by Section 7.1(a)(xiii), which is in effect at the Tender Offer Purchase Time and which (1) makes the acceptance for payment of, or the payment for, some or all of the Shares illegal or otherwise prohibits or restricts consummation of the Offer, the Merger or any of the other transactions contemplated hereby, (2) imposes material limitations on the ability of Parent, GP or Acquisition to acquire or hold or to exercise any rights of ownership of the Shares, or effectively to manage or control the Company and its business, assets and properties or (3) would result in a Material Change to the Company; provided, however, that the parties shall use reasonable efforts (subject to the proviso in Section 5.6(b)) to cause any such decree, judgment or other order to be vacated or lifted as soon as is practicable;

(iii) the representations and warranties of the Company set forth in this Agreement shall not (A) have been true and correct in one or more material respects on the date hereof or (B) (except with respect to the representations and

34

warranties set forth in Sections 3.8, 3.9, 3.14, 3.15, 3.22, 3.13(c), (d), (e), (f), (g) and (h) and 3.16(a), (b)(i), (ii), (iv), (v) and (vi)) be true and correct in one or more material respects as of the scheduled expiration date (as such date may be extended) of the Offer as though made on and as of such date or the Company shall have breached or failed in any respect to perform or comply with any material obligation, agreement or covenant required by this Agreement to be performed or complied with by it (including without limitation the provisions of Section 5.3) except, in each case with respect to clause B, (1) for changes specifically permitted by the Agreement and (2)(x) for those representations and warranties that address matters only as of a particular date which are true and correct as of such date or (y) where the failure of representations and warranties (without regard to materiality qualifications therein contained) to be true and correct, or the performance or compliance with such obligations, agreements, or covenants, would not, individually or in the aggregate, result in a Material Change to the Company;

(iv) from the date of this Agreement until the Tender Offer Purchase Time, this Agreement shall have been terminated in accordance with its terms;

(v) from the date of this Agreement until the Tender Offer Purchase Time the Board of Directors of the Company or any committee thereof shall have (1) withdrawn or modified (including without limitation, by amendment of the Company's Schedule 14D-9) in a manner adverse to Parent or Acquisition its approval or recommendation of the Offer, this Agreement or the transactions contemplated hereby or (2) approved or recommended any Acquisition Proposal or any agreement with respect to any Acquisition Proposal;

(vi) from the date of this Agreement until the Tender Offer Purchase Time, any of the consents, approvals, authorizations, orders or permits required to be obtained by the Company, Parent, GP or Acquisition, or their respective subsidiaries in connection with the Offer or the Merger from, or filings or registrations required to be made by any of the same prior to the Tender Offer Purchase Time with, any Governmental Entity in connection with the execution, delivery and performance of this Agreement (including without limitation the termination or expiration of any applicable waiting period or the receipt of any required clearance under the HSR Act) shall not have been obtained or made (other than those made or obtained prior to the date hereof), which (A) make the acceptance for payment of, or the payment for the Shares illegal or otherwise prohibits or restricts the consummation of the Offer or the Merger or (B) have a Parent Material Adverse Effect or result in a Material Change to the Company or (C) impose material limitations on the ability of Parent, GP or Acquisition effectively to manage or control the Company;

35

(vii) from the date of this Agreement until the Tender Offer Purchase Time, in the case of HSR Act approval, any Governmental Entity or court of competent jurisdiction shall have entered a final, non-appealable order enjoining the consummation of the Merger;

(viii) from the date of this Agreement until the Tender Offer Purchase Time, there shall have occurred (A) the declaration of a banking moratorium or any suspension of payments in respect of banks in the United States or in Belgium or (B) the commencement of a war or armed hostilities involving the United States or Belgium and resulting in a Material Change to the Company or having a Parent Material Adverse Effect or materially adversely affecting (or materially delaying) the consummation of the Offer;

(ix) the conditions set forth in Section 7.1(a) are for the sole benefit of Parent, GP and Acquisition and may be asserted by Parent regardless of any circumstances giving rise to any condition and may be waived by Parent, in whole or in part, at any time and from time to time, in the sole discretion of Parent. The failure by Parent or any affiliate of Parent, Purchaser or the Company, except that the confidentiality provisions of Section 5.5, the first sentence of Section 5.13, and Sections 9.2 and 9.3 shall survive the termination of this Agreement. The foregoing

36

shall not relieve any party for liability for damages actually incurred as a result of any breach of this Agreement.

SECTION 9.3. Fees and Expenses.

(a) Except as otherwise provided in this Agreement and whether or not the transactions contemplated by the Offer and this Agreement are consummated, all costs and expenses incurred in connection with the transactions contemplated by the Offer and this Agreement shall be paid by the party incurring such expenses.

(b) The Company shall pay to Parent, an amount equal to $7,500,000 (the "Break-Up Fee"), if any of the following shall occur:

(i) if the Board of Directors of the Company or any committee thereof shall have approved, or recommended that stockholders of the Company accept or approve, an Acquisition Proposal by a third party, or shall have resolved to do any of the foregoing;

(ii) if the Board of Directors of the Company or any committee thereof shall have withdrawn or modified its approval of, or recommendation that the stockholders of the Company accept or approve (as the case may be), the Offer, this Agreement and the Merger, or shall have resolved to do any of the foregoing; or

37

(iii) if the Company shall have failed to include in the Schedule 14D-9 the recommendation of the Board of Directors of the Company that the stockholders of the Company accept the Offer;

(iv) prior to the purchase of the Shares pursuant to the Offer, if the Company is in material breach of any of its covenants or obligations under this Agreement, or any representation or warranty of the Company contained in this Agreement shall have been incorrect, in any material respect, when made;

(v) prior to the purchase of Shares pursuant to the Offer, in the event that the conditions to the Offer set forth in Section 7.1 shall not be satisfied, provided, that Parent may not terminate this Agreement due to a breach under this clause (v) after

(vi) after purchase of the Shares pursuant to the Offer, if the Company is in violation or breach of Section 1.3.

(c) by the Company:

(i) if the Offer shall not have been commenced in accordance with Section 1.1, or Parent or Acquisition shall have failed to purchase validly tendered Shares in violation of the terms of the Offer within ten business days after the expiration of the Offer; provided, however, that the Company shall not be entitled to terminate this Agreement pursuant to this Section 9.1(d)(i) if it is in material breach of its representations and warranties, covenants or other obligations under this Agreement;

(ii) if the Board of Directors of the Company has resolved to, and in fact does, recommend to the Company's Stockholders that they accept a Superior Proposal, provided that all the provisions of Section 5.3 have been fully complied with and the Break-up Fee has been paid to Parent in accordance with Section 9.3(b);

(iii) prior to the purchase of Shares pursuant to the Offer, if Parent or Acquisition is in material breach of any of its covenants or obligations under this Agreement, or any representation or warranty of Parent or Purchaser contained in this Agreement shall have been incorrect, in any material respect, when made; or

(iv) at any time after March 31, 2000 if the Offer has not been consummated due to a failure to obtain clearance under the HSR Act; provided, however, that the Company shall not be entitled to terminate this Agreement pursuant to this Section 9.1(d)(iv) if it is in material breach of its representations and warranties, covenants or other obligations under this Agreement.

SECTION 9.2. Procedure and Effect of Termination. In the event of the termination of this Agreement by the Company or Parent or both of them pursuant to Section 9.1, the terminating party shall provide written notice of such termination to the other party and this Agreement shall forthwith become void and there shall be no liability on the part of Parent, Purchaser or the Company, except that the confidentiality provisions of Section 5.5, the first sentence of Section 5.13, and Sections 9.2 and 9.3 shall survive the termination of this Agreement. The foregoing

38

shall not relieve any party for liability for damages actually incurred as a result of any breach of this Agreement.

SECTION 9.3. Fees and Expenses.

(a) Except as otherwise provided in this Agreement and whether or not the transactions contemplated by the Offer and this Agreement are consummated, all costs and expenses incurred in connection with the transactions contemplated by the Offer and this Agreement shall be paid by the party incurring such expenses.

(b) The Company shall pay to Parent, an amount equal to $7,500,000 (the "Break-Up Fee"), if any of the following shall occur:

(i) if the Board of Directors of the Company or any committee thereof shall have approved, or recommended that stockholders of the Company accept or approve, an Acquisition Proposal by a third party, or shall have resolved to do any of the foregoing;

(ii) if the Board of Directors of the Company or any committee thereof shall have withdrawn or modified its approval of, or recommendation that the stockholders of the Company accept or approve (as the case may be), the Offer, this Agreement and the Merger, or shall have resolved to do any of the foregoing; or

(iii) if the Company shall have failed to include in the Schedule 14D-9 the recommendation of the Board of Directors of the Company that the stockholders of the Company accept the Offer.

Such Break-up Fee shall be payable within 30 days of such event.

(b) Parent shall pay to the Company the sum of $8,000,000 if the Offer has not been consummated, and (i) Parent terminates this Agreement during the period from December 31, 1999 through February 15, 2000 due to a failure to obtain clearance under the HSR Act and (ii) Parent shall have refused to consent to any divestiture by the Company required for clearance under the HSR Act.

(c) Parent shall pay to the Company the sum of $15,000,000 if the Company terminates the Agreement pursuant to Section 9.1(d)(iv) and Parent shall have refused to consent to any divestiture by the Company required for clearance under the HSR Act.

SECTION 9.4. Amendment. This Agreement may be amended by each of the parties by action taken by or on behalf of their respective Boards of Directors at any time prior to the Effective Time; provided, however, that (i) such amendment shall be in writing signed by all of the parties, (ii) any such waiver, amendment or supplement by the Company shall be effective as against the Company only if approved by a majority of the Continuing Directors and (iii) after adoption of this Agreement and the Merger by the stockholders of the Company, no amendment

39

may be made without the further approval of the stockholders of the Company which reduces the Merger Consideration or changes the form thereof or changes any other terms and conditions of this Agreement if the changes, alone or in the aggregate, would materially adversely affect the stockholders of the Company.

SECTION 9.5. Waiver. At any time prior to the Effective Time, whether before or after the Company's Stockholders Meeting, any party hereto, by action taken by its Board of Directors, may (i) extend the time for the performance of any of the obligations or other acts of any other party hereto or (ii) subject to the provisions of Section 9.4, waive compliance with any of the agreements of any other party or with any conditions to its own obligations. Any agreement on the part of a party hereto to any such extension or waiver shall be valid only if set forth in an instrument in writing signed on behalf of such party by a duly authorized officer of such party. Notwithstanding the above, any waiver given shall not apply to any subsequent failure of compliance with agreements of the other party or conditions to its own obligations.

SECTION 10.3. Validity. If any provision of this Agreement or the application thereof to any person or circumstance is held invalid or unenforceable the remainder of this Agreement and the application of such provision to other persons or circumstances shall not be affected thereby and to such end the provisions of this Agreement are agreed to be severable.

SECTION 10.4. Notices. All notices, requests, claims, demands and other communications hereunder shall be in writing and shall be given (and shall be deemed to have been duly given upon receipt) by delivery in person, by facsimile or by registered or certified mail (postage prepaid, return receipt requested) to each other party as follows:

If to Parent, GP or Acquisition: ION BEAM APPLICATIONS S.A. Chemin du Cyclotron, 3 B-1348 Louvain-la-Neuve Belgium Telecopier: 011-32-10-47-5810 Attention: Pierre Mottet

40

with a copy to: Dorsey & Whitney LLP
250 Park Avenue
New York, New York 10177
Telecopier: ( )
Attention: Ramon P. Marks, Esq.
Kevin T. Collins, Esq.

If to the Company: STERIGENICS INTERNATIONAL, INC.

4020 Clipper Court
Fremont, California 94538
Telecopier:
Attention: James F. Clouser, President
and Chief Executive Officer

with a copy to: Gunderson Dettmer Stough Villeneuve Franklin & Hachigian, LLP
155 Constitution Drive
Menlo Park, California 94025
Telecopier: (650) 321-2800
Attention: Carla S. Newell, Esq.
Jay K. Hachigian, Esq.

or to such other address as the person to whom notice is given may have previously furnished to the others in writing in the manner set forth above.

SECTION 10.5. Governing Law. This Agreement shall be governed by and construed in accordance with the laws of the State of Delaware without regard to the principles of conflicts of law thereof. Each of the parties hereto irrevocably consents to the exclusive jurisdiction of any state or federal court within Delaware, in connection with any matter based upon or arising out of this Agreement or the matters contemplated herein, other than issues involving the corporate governance of any of the parties hereto, agrees that process may be served upon them in any manner authorized by the laws of the State of Delaware for such persons and waives and covenants not to assert or plead any objection which they might otherwise have to such jurisdiction and such process.

SECTION 10.6. Descriptive Headings. The descriptive headings herein are inserted for convenience of reference only and are not intended to be part of or to affect the meaning or interpretation of this Agreement.

SECTION 10.7. Parties in Interest. This Agreement shall be binding upon and inure solely to the benefit of each party hereto and its successors and assigns and nothing in this Agreement express or implied is intended to or shall confer upon any other person any rights, benefits or remedies of any nature whatsoever under or by reason of this Agreement.

SECTION 10.8. Certain Definitions. For the purposes of this Agreement the term:

(a) "affiliate" means a person that, directly or indirectly, through one or more intermediaries controls, is controlled by or is under common control with the first-mentioned person;

(b) "business day" means any day other than a day on which there is no trading on Nasdaq;

41

(c) "stock" means common stock, preferred stock, partnership interests, limited liability company interests or other ownership interests entitling the holder thereof to vote with respect to matters involving the issuer thereof;

(d) "person" means an individual, corporation, partnership, limited liability company, association, trust, unincorporated organization or other legal entity; and

(e) "subsidiary" or "subsidiaries" of the Company, Parent, the Surviving Corporation or any other person means any corporation, partnership, limited liability company, association, trust, unincorporated association or other legal entity of which the Company, Parent, the Surviving Corporation or any such other person, as the case may be, (either alone or through or together with any other subsidiary) owns, directly or indirectly, 50% or more of the capital stock the holders of which are generally entitled to vote for the election of the board of directors or other governing body of such corporation or other legal entity.

SECTION 10.9. Personal Liability. This Agreement shall not create or be deemed to create or permit any personal liability or obligation on the part of any direct or indirect stockholder of the Company or Parent or any officer, director, employee, agent, representative or investor of any party hereto.

SECTION 10.10. Specific Performance. The parties hereby acknowledge and agree that the failure of any party to perform its agreement and covenants hereunder, including its failure to take all actions as are necessary on its part to the consummation of the Merger, will cause irreparable injury to the other parties, for which damages, even if available, will not be an adequate remedy. Accordingly, each party hereby consents to the issuance of injunctive relief by any court of competent jurisdiction to compel performance of such party's obligations and to the granting by any court of the remedy of specific performance of its obligations hereunder; provided, however, that if a party hereto is entitled to receive the Termination Fee pursuant to Section 9.3 it shall not also be entitled to specific performance to compel the consummation of the Merger.

SECTION 10.11. Counterparts. This Agreement may be executed in one or more counterparts, each of which shall be deemed to be an original but all of which shall constitute one and the same agreement.

42

IN WITNESS WHEREOF, each of the parties has caused this Agreement to be duly executed on its behalf as of the day and year first above written.

ION BEAM APPLICATIONS S.A.

By: /s/ PIERRE MOTTET
Name: Pierre Mottet
Title: Chief Executive Officer

ION BEAM APPLICATIONS G.P.
ION BEAM APPLICATIONS S.A.
Its General Partner

By: /s/ PIERRE MOTTET
Name: Pierre Mottet
Title:

IBA ACQUISITION CORP.

By: /s/ PIERRE MOTTET
Name: Pierre Mottet
Title:

STERIGENICS INTERNATIONAL, INC.

By: /s/ JAMES F. CLOUSER
Name: James F. Clouser
Title: Chief Executive Officer

© 2020 EDGAR Online, a division of Donnelley Financial LLC. All rights reserved • Solutions for Corporations • Terms of Use • Privacy Statement
EDGAR® is a federally registered trademark of the U.S. Securities and Exchange Commission. EDGAROnline is not affiliated with or approved by the U.S. Securities and Exchange Commission.

EXHIBIT C

NEWS Case 1:22-cv-00334-JMC Document 83-2 Filed 07/22/22 Page 1 of 3 PageID #: 1

Recent News

November 7, 2017

Sterigenics International LLC Changes Name to Sotera Health LLC

Leverages the strength of Nelson Labs, Nordion and Sterigenics to deliver on its mission of Safeguarding Global Health™

CLEVELAND, OH, Nov. 7, 2017 – Sterigenics International LLC (the "Company") announced today that it has changed its parent company name to Sotera Health LLC. Its three operating companies – Nelson Labs™, Nordion® and Sterigenics® – will continue to maintain their current names. The new parent company name signals a more integrated and holistic customer value proposition as it combines the offerings of three best-in-class companies to better serve customers with a more comprehensive offering of mission-critical services.

The name Sotera was inspired by the Greek goddess of safety, Soteria, and reflects the Company's unwavering commitment to global health. As the global leader in mission-critical services to ensure the safety of healthcare, Sotera Health has 62 facilities in 13 countries and provides rigorous lab services, comprehensive sterilization solutions and a reliable global supply of radioisotopes to the medical device, pharmaceutical, tissue, and food industries. The company touches the lives of more than 180 million people around the world each year and serves over 6,000 global customers, including 75% of the top 100 medical device manufacturers.

"Safeguarding Global Health™ is the cornerstone of our new brand and guides us in what we do each and every day," said Michael B. Petras Jr., CEO of Sotera Health. "It speaks to the breadth of our business and our ability to partner with our customers across their entire product-development lifecycle."

The new brand was developed after an extensive process of in-depth engagement with customers, suppliers, employees and Company leadership. The companies and services under the Sotera Health umbrella are:

- Nelson Labs is the industry-leading provider of global lab testing and expert consulting services. Nelson Labs performs over 400 rigorous microbiological and analytical laboratory tests across the medical device, pharmaceutical and tissue industries. The company is regarded as a best-in-class partner with a strong track record of collaborating with customers to solve complex issues. Most recently, the company announced the acquisition of Toxikon Europe, which, in combination with Nelson Labs, will create the leading global extractables and leachables lab testing platform.
- Nordion is the leading global provider of mission-critical radioisotopes used for the prevention, diagnosis, and treatment of disease. Nordion ensures the reliable supply of Cobalt-60, the primary input to the gamma sterilization process, to the leaders in healthcare, including sister company Sterigenics.
- Sterigenics is the leading global provider of comprehensive sterilization solutions that eliminate potential health threats, using the most advanced and reliable medical sterilization techniques available. Sterigenics has deep expertise across Gamma, Ethylene Oxide (EO), Electron Beam (E-beam) and X-ray sterilization.

"Our new brand underscores the customers' recognition of our more expansive partnership as they innovate in an ever-changing and increasingly regulated healthcare world," added Petras. "We look forward to providing them with the same best-in-class service, quality, and expertise in a more integrated service offering."

About Sotera Health:

Sotera Health LLC, along with its business entities, is the world's leading, fully integrated protector of global health. With over 500 years of combined scientific expertise, the company ensures the safety of healthcare by providing mission-critical services to the medical device, pharmaceutical, tissue, and food industries. Sotera Health operates more than 62 facilities in 13 countries. The company has over 2,800 employees globally and touches the lives of more than 180 million people around the world each year. Sotera Health serves more than 6,000 customers worldwide including 75 of the top 100 medical device manufacturers.

Sotera Health goes to market through its three best-in-class companies – Nelson Labs™, Nordion® and Sterigenics® – with the mission of ensuring the safety of healthcare each and every day. Nelson Labs, along with recently acquired Toxikon Europe, offers microbiological and analytical testing and consultancy to assist customers in developing and maintaining sterilization solutions in medical devices, tissue/implantable products, and the pharmaceutical and biologics fields. Nordion is the world's largest provider of Cobalt-60 used in the gamma sterilization process as well as medical isotopes used in the diagnosis and treatment of various diseases and cancers. Sterigenics provides comprehensive contract sterilization and ionization solutions for the medical device, pharmaceutical, food safety and high-performance materials industries.

Sotera Health LLC is owned by private equity firms Warburg Pincus and GTCR. Learn more about **Sotera Health** at soterahealth.com, about **Nelson Labs** at nelsonlabs.com, about **Nordion** at nordion.com and about **Sterigenics** at sterigenics.com.

CONTACT:
Amy McGahan
Dix & Eaton
216-241-3027
amcgahan@dix-eaton.com

Previous Post Next Post

Previous Press Releases

August 3, 2020
Sotera Health's Sterigenics Announces Acquisition of Iotron Industries

READ MORE

March 18, 2020
Nelson Labs Earthquake & COVID-19 Continuity Plan — Update

READ MORE

March 4, 2020
COVID-19 Continuity Plan

READ MORE

VIEW ALL PRESS RELEASES

EXHIBIT D1

DATE	DOCUMENT ID	DESCRIPTION	FILING	EXPED	PENALTY	CERT	COPY
12/05/2016	201633502232	REGISTRATION OF FOREIGN FOR PROFIT LLC (LFP)	99.00	0.00	0.00	0.00	0.00

Receipt

This is not a bill. Please do not remit payment.

STERIGENICS INTERNATIONAL LLC
2015 SPRING ROAD
SUITE 650
OAK BROOK, IL 60523

STATE OF OHIO
CERTIFICATE

Ohio Secretary of State, Jon Husted

3964415

It is hereby certified that the Secretary of State of Ohio has custody of the business records for

STERIGENICS INTERNATIONAL LLC

and, that said business records show the filing and recording of:

Document(s)	Document No(s):
REGISTRATION OF FOREIGN FOR PROFIT LLC **Effective Date: 11/30/2016**	**201633502232**

United States of America
State of Ohio
Office of the Secretary of State

Witness my hand and the seal of the Secretary of State at Columbus, Ohio this 5th day of December, A.D. 2016.

Jon Husted

Ohio Secretary of State

Form 533B Prescribed by:

JON HUSTED
OHIO SECRETARY OF STATE

Toll Free: (877) SOS-FILE (877-767-3453)
Central Ohio: (614) 466-3910

www.OhioSecretaryofState.gov
busserv@OhioSecretaryofState.gov

File online or for more information: *www.OHBusinessCentral.com*

Mail this form to one of the following:

Regular Filing (non expedite)
P.O. Box 670
Columbus, OH 43216

Expedite Filing **(Two business day processing time. Requires an additional $100.00)**
P.O. Box 1390
Columbus, OH 43216

Registration of a Foreign Limited Liability Company

Filing Fee: $99

Form Must Be Typed

CHECK ONLY ONE (1) BOX

(1) ☒ Registration of a Foreign For-Profit Limited Liability Company
(106-LFA)
ORC 1705

Jurisdiction of Formation: DE (State) USA (Country)

Date of Formation: 3/18/2004

(2) ☐ Registration of a Foreign Nonprofit Limited Liability Company
(106-LFA)
ORC 1705

Jurisdiction of Formation: ____ (State) ____ (Country)

Date of Formation: ____

Name of Limited Liability Company in its jurisdiction of formation

STERIGENICS INTERNATIONAL LLC

Name under which the foreign limited liability company desires to transact business in Ohio (if different from its name in its jurisdiction of formation) is:

Name must include one of the following words or abbreviations: "limited liability company," "limited," "LLC," "L.L.C.," "ltd.," or "ltd"

The address to which interested persons may direct requests for copies of the limited liability company's operating agreement, bylaws, or other charter documents of the company is:

STERIGENICS INTERNATIONAL LLC
Name

2015 SPRING ROAD, SUITE 650
Mailing Address

OAK BROOK	IL	USA	60523
City	State	Country	ZIP Code

The limited liability company hereby appoints the following as its agent upon whom process against the limited liability company may be served in the state of Ohio. The name and complete address of the agent is

CORPORATION SERVICE COMPANY

Name

50 WEST BROAD STREET, SUITE 1330

Mailing Address

COLUMBUS	OH	43215
City	State	ZIP Code

The limited liability company irrevocably consents to service of process on the agent listed above as long as the authority of the agent continues, and to service of process upon the Ohio Secretary of State if:

a. an agent is not appointed, or
b. an agent is appointed but the authority of that agent has been revoked, or
c. the agent cannot be found or served after the exercise of reasonable diligence.

By signing and submitting this form to the Ohio Secretary of State, the undersigned hereby certifies that he or she has the requisite authority to execute this document.

Required
Must be signed by an authorized representative.

If authorized representative is an individual, then they must sign in the "signature" box and print their name in the "Print Name" box.

If authorized representative is a business entity, not an individual, then please print the business name in the "signature" box, an authorized representative of the business entity must sign in the "By" box and print their name in the "Print Name" box.

MATTHEW KLABEN
Signature

By (if applicable)

Print Name

Signature

By (if applicable)

Print Name

Signature

By (if applicable)

Print Name

EXHIBIT D2

DATE	DOCUMENT ID	DESCRIPTION	FILING	EXPED	CERT	COPY
11/08/2017	201731201374	FOREIGN LLC - REGISTRATION CORRECTION (LFC)	50.00	300.00	0.00	0.00

Receipt

This is not a bill. Please do not remit payment.

CORPORATION SERVICE COMPANY
MONIQUE WEAVER
50 W. BROAD STREET
COLUMBUS, OH 43215

STATE OF OHIO
CERTIFICATE

Ohio Secretary of State, Jon Husted

3964415

It is hereby certified that the Secretary of State of Ohio has custody of the business records for

SOTERA HEALTH LLC

and, that said business records show the filing and recording of:

Document(s)	Document No(s):
FOREIGN LLC - REGISTRATION CORRECTION	**201731201374**

Effective Date: 11/08/2017

United States of America
State of Ohio
Office of the Secretary of State

Witness my hand and the seal of the Secretary of State at Columbus, Ohio this 8th day of November, A.D. 2017.

Jon Husted

Ohio Secretary of State

Form 543B Prescribed by:

JON HUSTED
Ohio Secretary of State

Toll Free: (877) SOS-FILE (877-767-3453)
Central Ohio: (614) 466-3910
www.OhioSecretaryofState.gov
busserv@OhioSecretaryofState.gov
File online or for more information: www.OhBusinessCentral.com

Mail this form to one of the following:

Regular Filing (non expedite)
P.O. Box 1329
Columbus, OH 43216

Expedite Filing (Two business day processing time. Requires an additional $100.00)
P.O. Box 1390
Columbus, OH 43216

For screen readers, follow instructions located at this path.

Foreign Limited Liability Company
Certificate of Correction
Filing Fee: $50
(135-LFC)
Form Must Be Typed

The undersigned authorized representative of:

Sterigenics International LLC
Name of limited liability company in jurisdiction of formation

Name of limited liability company in Ohio, if different than above

3964415
Ohio Registration Number

Delaware
Jurisdiction of Formation

2017 MAY -8 PM 2:07
CLERK
CERTIFICATE DEPARTMENT

Only complete sections that apply. (sections to be corrected)

Sotera Health LLC
Name of limited liability company in jurisdiction of formation

Name of limited liability company in Ohio

Sotera Health LLC
Name of limited liability company in Ohio must include one of the following words or abbreviations: "limited liability company," "limited," "LLC," "L.L.C.," "ltd." or "ltd"

The address to which interested persons may direct requests for copies of any operating agreement, or any bylaws, or other charter documents of the company is:

Mailing Address

City

State

ZIP Code

Complete the information in this section if the limited liability company wants to correct the statutory agent information.

The limited liability company hereby appoints the following as its agent upon whom process against the limited liability company may be served in the state of Ohio. The name and complete address of the agent is

Name of Statutory Agent

Mailing Address

City | OH (State) | ZIP Code

The limited liability company irrevocably consents to service of process on the agent listed above as long as the authority of the agent continues, and to service of process upon the Ohio Secretary of State if:

a. an agent is not appointed, or
b. an agent is appointed but the authority of that agent has been revoked, or
c. the agent cannot be found or served after the exercise of reasonable diligence.

By signing and submitting this form to the Ohio Secretary of State, the undersigned hereby certifies that he or she has the requisite authority to execute this document.

Required

Must be signed by an authorized representative.

If authorized representative is an individual, then they must sign in the "signature" box and print their name in the "Print Name" box.

If authorized representative is a business entity, not an individual, then please print the business name in the "signature" box, an authorized representative of the business entity must sign in the "By" box and print their name in the "Print Name" box.

Signature

By (if applicable)

Matthew J. Klaben, Senior Vice President, General Counsel and Secretary

Print Name

Signature

By (if applicable)

Print Name

EXHIBIT D3

Frank LaRose
Ohio Secretary of State

Fri Oct 04 2019

Entity#:	3964415
Filing Type:	FOREIGN LIMITED LIABILITY COMPANY
Original Filing Date:	11/30/2016
Location:	--
Business Name:	SOTERA HEALTH LLC
Status:	Active
Exp. Date:	-

Agent/Registrant Information

CORPORATION SERVICE COMPANY
50 WEST BROAD STREET, SUITE 1330
COLUMBUS OH 43215
11/30/2016
Active

Filings

Filing Type	Date of Filing	Document ID
REG. OF FOR. PROFIT LIM. LIAB. CO.	11/30/2016	201633502232
CORRECT REGISTRATION/FOREIGN LIMITED LIABILITY CO	11/08/2017	201731201374

Prior Business Names

Prior Business Name	Effective Date
STERIGENICS INTERNATIONAL LLC	11/08/2017

Frank LaRose
Ohio Secretary of State

Fri Oct 04 2019

UNITED STATES OF AMERICA
STATE OF OHIO
OFFICE OF SECRETARY OF STATE

I, Frank LaRose, Secretary of State of the State of Ohio, do hereby certify that this is a list of all records approved on this business entity and in the custody of the Secretary of State.

Witness my hand and the seal of the Secretary of State at Columbus, Ohio this 4th of October, A.D. 2019

Ohio Secretary of State

EXHIBIT D4

IN THE UNITED STATES DISTRICT COURT
FOR THE NORTHERN DISTRICT OF GEORGIA
ATLANTA DIVISION

STERIGENICS U.S., LLC, Plaintiff, v. ROGER PHELPS, Chair of the Cobb County Board of Tax Assessors, in his Individual Capacity; JOHN DEMAREST, Cobb County Board of Tax Assessors, in his Individual Capacity; CAROLYN TURNER, Cobb County Board of Tax Assessors, in her Individual Capacity; DANIEL POST, Cobb County Board of Tax Assessors, in his Individual Capacity; and THEA POWELL, Cobb County Board of Tax Assessors, in her Individual Capacity, Defendants.	)	Civil Action No.

COMPLAINT FOR DECLARATORY JUDGMENT

Plaintiff Sterigenics U.S., LLC ("Sterigenics") files this Complaint for Declaratory Judgment against Defendants Roger Phelps, John Demarest, Carolyn Turner, Daniel Post, and Thea Powell in their individual capacities (collectively, "Defendants") for their unlawful acts under the color of their offices as members of

the Cobb County Board of Tax Assessors that are causing Sterigenics reputational and imminent economic harm. In support of its claims, Sterigenics shows the Court as follows:

INTRODUCTION

1. Under the color of their offices as members of the Cobb County Board of Tax Assessors (the "BTA"), Defendants unlawfully cut the "Fair Market Values" of more than 5,000 residential properties within a two-mile radius of Sterigenics' Cobb County facility by ten percent in the BTA's 2020 annual tax assessments. Defendants publicly blame Sterigenics' facility for this purported devaluation, telling residents the devaluation was because of an "Epd-identified environmental issue" created by Sterigenics' facility. Defendants took this action despite the Georgia Environmental Protection Division's (the "EPD") confirmation that the facility is in full compliance with all air regulations and despite the state-of-the art emissions controls enhancements Sterigenics voluntarily installed at the facility. And Defendants did so just days after this Court, in another action, entered an order enjoining the unlawful efforts of County officials to close the facility in response to political pressure the County has received from an activist group based on unfounded environmental claims the County has no authority to regulate.

2. Defendants, who are political appointees of the Cobb County Board of

Commissioners, targeted Sterigenics with this devaluation of the more than 5,000 properties at issue arbitrarily and *admittedly* without supporting data showing a reduction in properties' values. Such a devaluation is unlawful under Georgia's laws that control property tax valuations. And it violates Georgia law's prohibition against arbitrary and unreasonable property valuations by the BTA.

3. As a result of Defendants' unlawful devaluation of these properties, Sterigenics faces public scorn and an imminent, publicly-announced class action lawsuit on behalf of thousands of residents asserting Defendants' unlawful devaluation of their properties as the basis for their claims. Defendants' unlawful action therefore has caused Sterigenics substantial reputational damage, and will cause Sterigenics to suffer substantial economic harm from the imminent class action in which Sterigenics will have to face substantial unfounded liability and pay substantial sums in attorneys' fees and litigation expenses to defend itself.

4. Sterigenics therefore files this Complaint to declare Defendants' arbitrary devaluation of these properties in the 2020 assessment unlawful and void.

PARTIES, JURISDICTION, AND VENUE

5. Sterigenics, formerly known as Griffith Laboratories and Griffith Micro Science, Inc., is a medical product sterilization company whose facilities are registered with and regulated by the U.S. Food and Drug Administration ("FDA").

6. Sterigenics operates a medical product sterilization facility in Cobb County at a location presently identified by the address 2971 Olympic Industrial Drive, SE, Suite 116, Atlanta, Georgia (the "Facility").

7. Sterigenics is a Delaware limited liability company whose sole member is Sotera Health LLC. Sotera Health LLC is a Delaware limited liability company whose sole member is Sotera Health Holdings, LLC. Sotera Health Holdings, LLC is a Delaware limited liability company whose sole member is Sotera Health Topco, Inc. Sotera Health Topco, Inc. is a Delaware corporation with its headquarters and principal place of business in Broadview Heights, Ohio. Consequently, Sterigenics is a citizen of Delaware and Ohio for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

8. Defendant Roger Phelps is the Chair and a member of the BTA. He is a resident of Cobb County and a citizen of Georgia for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

9. Defendant John Demarest is the Vice Chair and a member of the BTA. He is a resident of Cobb County and a citizen of Georgia for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

10. Defendant Carolyn Turner is a member of the BTA. She is a resident of Cobb County and a citizen of Georgia for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

11. Defendant Daniel Post is a member of the BTA. He is a resident of Cobb County and a citizen of Georgia for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

12. Defendant Thea Powell is a member of the BTA. She is a resident of Cobb County and a citizen of Georgia for the purposes of diversity jurisdiction under 28 U.S.C. § 1332.

13. Defendants, in their individual capacities, are proper parties to this case because of their official acts that are unauthorized by law and in violation of Sterigenics' rights, as set forth in this Complaint. *Lathrop v. Deal*, 301 Ga. 408 (2017).

14. This Court has jurisdiction over this matter pursuant to 28 U.S.C. § 1332(a) because the parties are citizens of different states and the amount in controversy exceeds $75,000, exclusive of interest and costs.

15. Defendants' unlawful action will cause Sterigenics more than $75,000 in losses, including but not limited to the potential unfounded liability Sterigenics faces in, and the substantial legal fees and expenses it would have to incur to defend

itself against, the imminent class action lawsuit property owners intend to file on behalf of more than 5,000 residential property owners against Sterigenics to recover alleged property value losses based on Defendants' unlawful action, as well as the substantial reputational harm Defendants' unlawful action is causing Sterigenics.

16. Sterigenics has standing to bring this action because it is suffering substantial reputational and imminent financial harm caused by Defendants' arbitrary and unlawful devaluation of more than 5,000 properties in tax assessment notices that Defendants publicly blame on Sterigenics' facility. That unlawful action has caused Sterigenics to face public scorn, as well as potential unfounded liability and substantial legal fees and expenses in an imminent unfounded class action lawsuit on behalf of thousands of property owners to recover for alleged lost property values based on Defendants' across-the-board devaluation of their properties. Declaring Defendants' arbitrary devaluation of these properties unlawful and void under Georgia law will redress those reputational and financial harms by eliminating the unfounded basis for the reputational harm and the imminent lawsuit the homeowners intend to file.

17. The Court has personal jurisdiction over Defendants because they are citizens of Georgia, and because the events giving rise to the claims in this Complaint occurred in Georgia.

18. Venue is proper in this Court pursuant to 28 U.S.C. § 1391, because Defendants are citizens and residents of Georgia and this Judicial District, and the events giving rise to the claims in this Complaint occurred in Cobb County within this Judicial District.

FACTS

I. Sterigenics Has Sterilized Critical Medical Products at the Facility for Almost 50 Years.

19. Sterigenics' Facility is one of only five FDA-registered medical product sterilization facilities in Georgia.

20. The Facility performs essential sterilizations of medical products that are critical to patient care.

21. Sterigenics has used ethylene oxide ("EO") in gas form to sterilize products at the Facility since the early 1970s.

22. Sterigenics' use of EO to sterilize medical products is mandated by specifically-defined sterilization processes for each product.

23. In late 2019, the FDA recognized, "there are no readily available processes or facilities that can serve as viable alternatives to those that use ethylene oxide to sterilize these devices. In short: this method is critical to our health care system and to the continued availability of safe, effective and high-quality medical devices."

24. Sterigenics has operated the Facility as a medical products sterilization facility using EO with the County's knowing and repeated approvals for decades.

25. The Facility is located in an area that the County's zoning ordinance has designated as a "Heavy Industrial" district, which the County "established to provide locations for heavy industrial uses such as . . . heavy manufacturing, chemical manufacturing and storage . . . ." Sec. 134-231(1), Cobb County Ord.

26. In 1994, the County Planning Commission and the Board of Commissioners unanimously approved and granted Sterigenics a Special Land Use Permit to use the Facility "for the purpose of a Sterilization Facility" and "subject to the Air Quality Permit issued by the State of Georgia, Department of Natural Resources, Environmental Protection Division."

27. The Facility is located in an industrial area that includes other longstanding industrial uses, such as the adjacent 358-acre Plant McDonough-Atkinson natural gas-fired power plant, the Cobb County Sutton Wastewater Treatment Facility, and the Atlanta R.M. Clayton Wastewater Treatment Facility.

II. The Facility Operates in Compliance with Environmental Regulations and Has State-of-the-Art Emissions Controls.

28. Environmental air quality matters related to Sterigenics' use of EO at the Facility are regulated by the EPD. O.C.G.A. §§ 12-9-3(12) and 12-9-4.

29. Sterigenics' Facility operates in compliance with environmental regulatory requirements, and the state-of-the-art EO emissions controls in place at the Facility consistently outperform those requirements.

30. The Facility is subject to an Air Quality Permit for EO issued by the EPD. Its current Air Quality Permit, No. 7389-067-0093-S-05-0, was issued on May 27, 2014 (the "Air Quality Permit").

31. On August 7, 2019, Sterigenics entered into a Consent Order with the EPD (the "EPD Consent Order").

32. The Consent Order stated:

> The [EPD] requested updated information from [Sterigenics] in order to conduct a modeling analysis to better characterize the ethylene oxide concentrations in areas surrounding the facility. In June 2019 the [EPD] completed its modeling analysis of emissions from the Facility, which indicate that risk from ethylene oxide concentrations in residential areas near the Facility does not exceed 100-in-1 million (1 in 10,000), which the US EPA uses in regulations as a general guide for determining the maximum acceptable lifetime cancer risk.

33. The Consent Order further stated, "[T]o the extent that the Division can ascertain, Respondent is operating the Facility in compliance with the Permit and all applicable Federal and State air regulations[.]"

34. Despite its compliance with the Air Quality Permit and all federal and state air regulations, Sterigenics voluntarily made certain enhancements to its

emissions control system at the Facility to further reduce EO emissions pursuant to its voluntary agreement in the Consent Order (the "EPD System Enhancements").

35. The EPD System Enhancements provide the Facility with the best available technology to further reduce EO emissions at the Facility beyond their already safe levels. With the EPD System Enhancements, the Facility's emissions controls system is state-of-the-art among all other sterilization facilities in the United States and captures more than 99.99% of EO emissions, including indoor fugitive emissions.

36. In an April 1, 2020 letter posted on the EPD's public website, the EPD stated that on March 24, 2020, "the EPD staff observed that the new pollution control equipment has been installed and is operational."

37. On May 12, 2020, the EPD terminated the Consent Order, noting Sterigenics' "full and complete performance of each condition" of the Consent Order.

III. The Court Enjoined County Officials' Unlawful Efforts to Close the Facility.

38. Since September of 2019, County officials have been trying to close the Facility for political purposes based on unfounded environmental matters the County has no authority to regulate.

39. In September and October 2019, County officials manufactured a sham

basis to close the Facility on an unfounded "certificate of occupancy" issue. They took that unlawful action as an improper pretext to close the Facility because of unfounded political pressure the County has received from local activists regarding unfounded environmental claims related to the Facility's use of EO.

40. Sterigenics was forced to sue the County officials to reopen the Facility after they refused to allow the Facility to resume its essential medical product sterilization operations for months. Case No. 1:20-cv-01382-WMR, Dkt. 1.

41. After Sterigenics filed that lawsuit, this Court entered an April 8, 2020 order enjoining the County officials' closure of the Facility pending a final judgment in the case, which allowed the Facility to resume its essential operations to sterilize critically-needed medical products. *Id.* at Dkt. 16.

IV. Defendants Arbitrarily Devalue All Residential Properties Within Two Miles of the Facility.

42. After the Court issued its April 8 Order, Defendants (all political appointees of the County Board of Commissioners) targeted Sterigenics in a different way, this time cutting all residential property values within a two-mile radius of its Facility by ten percent, claiming that Sterigenics was the reason for the devaluation. **Exhibit A** at 2.

43. Specifically, on April 15, 2020, Defendants voted to impose this across-the-board devaluation because of a purported "environmental air quality concern surrounding the Sterigenics plant." *Id.*

44. Defendants took this action as members of the BTA arbitrarily, unreasonably, and without supporting data reflecting that the fair market values of the properties had actually decreased, much less because of Sterigenics' Facility. *See, e.g., id.*

45. As stated in the minutes of the BTA's April 15, 2020 meeting:

> The BTA recognizes that there is an environmental air quality concern surrounding the Sterigenics plant. To date, there has been limited sales/listing activity occurring within a 2-mile radius of the plant. *The lack of data makes it difficult to determine the extent of this issue and its impact on property values in this area*. However, the BTA *feels* it is appropriate to reduce residential property values across-the-board by 10% within this study area for tax year 2020 to account for the issue. This entire area will be reviewed again for tax year 2021 to determine if sufficient sales data exists to warrant further adjustments at that time.
>
> Motion made by Assessor Post and seconded by Vice Chair to adjust all EPD designated areas, within a 2-mile radius by 10%, including New Construction properties and excluding all properties with nominal values.
>
> The Board also made a unanimous vote to include reason code "EPD Identified Environmental Issue" on all 2020 notices in the EPD designated areas.

Id. (emphasis added).

46. In late May 2020, more than 5,000 homeowners within a two-mile radius of the Facility began receiving notices from the BTA stating that their properties had been "adjusted to reflect current market value" because of an "Epd-identified environmental issue." A sample of such a notice is attached as **Exhibit B.**

V. Property Owners Intend to File a Class Action Lawsuit Against Sterigenics Based on Defendants' Devaluation of Their Properties.

47. Defendants' arbitrary and unfounded ten percent devaluation of more than 5,000 residential properties within a two-mile radius of Sterigenics' Facility for County tax assessments is causing Sterigenics substantial reputational harm.

48. After sending the tax assessment notices to the landowners within a two-mile radius of Sterigenics' Facility, the BTA told landowners that Defendants' devaluation of their properties was because of their proximity to the Facility.

49. On July 8, 2020, the Marietta Daily Journal ran an article titled, "Property values near Sterigenics plant drop 10%; more than 5,000 homes affected." **Exhibit C**. The article reported, "The decision for an across-the-board devaluation was made in a unanimous vote by the county Board of Tax Assessors, and affects just under 6,000 properties within a 2-mile radius of the Sterigenics plant, said Stephen White, the board's director and chief appraiser. . . ." *Id.*

50. On August 5, 2020, WXIA "11Alive" aired a story titled, "Class action

lawsuit being prepared against Sterigenics."[1] The story reported:

> Andrew Kurt and his wife are among those filing suit against that facility . . . . Kurt told 11Alive they moved into the Park at Vinings subdivision in 2013. Then, two months ago they received a notice from the Cobb County Tax assessor's [sic] office that the tax assessed value of their home had dropped 10% due to a Georgia Environmental Protection Division 'Identified Environmental Issue.'
>
> 'It's jarring because our home value is the biggest value we have in terms of materialiy. [sic] So, that's huge,' Kurt said.
>
> 'If you call them [the BTA], they tell you indeed it's because of the Sterigenics plant,' he added.
>
> 11Alive did call the Cobb County Tax Assessor's Office and they said, in their opinion, yes, having a plant that uses ethylene oxide to sterilize medical equipment did devalue nearby homes. . . .
>
> But the Kurts are not alone. The tax assessor's office told 11Alive more than 5,000 homeowners received a similar letter with the same devaluation notice - sent to everyone living within a two-mile radius of the Sterigenics plant.
>
> . . . .
>
> So, now Kurt and others have joined a class action lawsuit

[1] https://www.11alive.com/video/news/local/class-action-lawsuit-being-prepared-against-sterigenics/85-20493f01-8df7-4411-b201-7eb8c5eb7991; Homeowners near facility emitting toxic gas fight back after home values fall over 'environmental issue,'" WXIA (Aug. 5, 2020), https://www.msn.com/en-us/news/us/homeowners-near-facility-emitting-toxic-gas-fight-back-after-home-values-fall-over-environmental-issue/ar-BB17CigR (**Exhibit D**).

> against Sterigenics, calling it their last hope at health and full value of their home.
>
> The goal, 'absolutely recoup our value that's obvious,' Kurt said. 'But also to have Sterigenics close down permanently.'

51. Defendants' unlawful actions have therefore caused Sterigenics to suffer substantial reputational harm and face imminent economic harm from having to defend itself against an imminent class action lawsuit the property owners intend to file based on Defendants' unlawful ten percent devaluation of more than 5,000 properties in the BTA's 2020 tax assessments.

COUNT I – Declaratory Judgment

52. Sterigenics re-alleges and incorporates paragraphs 1 through 51 of this Complaint.

53. Defendants' ten percent devaluation of more than 5,000 residential properties within a two-mile radius of Sterigenics' Facility for tax assessment purposes was arbitrary, unreasonable, and unlawful under Georgia's tax laws.

54. Georgia law requires the BTA to assess taxes on the individual fair market value of each taxable property. O.C.G.A. §§ 48-5-6, 48-5-7(a).

55. Georgia law requires the BTA to "see that all taxable property within the county is assessed and returned at its fair market value and that fair market values as between the individual taxpayers are fairly and justly equalized so that each

taxpayer shall pay as nearly as possible only such taxpayer's proportionate share of taxes." O.C.G.A. § 48-5-306(a); Ga. Comp. R. & Regs. 560-11-10-.01(3) ("[T]he assessment placed on each parcel of property shall be the assessment established by the county board of tax assessors as provided in Code section 48-5-306.").

56. Fair market value is defined as "the amount a knowledgeable buyer would pay for the property and a willing seller would accept for the property at an arm's length, bona fide sale." O.C.G.A. § 48-5-2.

57. Pursuant to O.C.G.A. § 48-5-269.1, the Georgia Department of Revenue ("DOR") has adopted specific appraisal procedures for determining a property's fair market value in an Appraisal Procedures Manual codified at Ga. Comp. R. & Regs. 560-11-269.09 (the "Appraisal Regulations"). Ga. Comp. R. & Regs. 560-11-269.01(1); *id.* 560-11-269.09.

58. To determine each taxable property's individual fair market value, the BTA's appraisal staff is required by law to abide by the Appraisal Regulations when determining a property's fair market value for tax assessment purposes. Ga. Comp. R. & Regs. 560-11-10-.01(1) and (3); *id.* 560-11-10-.09(1) ("The appraisal staff shall follow the provisions of this Rule when performing their appraisals of real property."); *see also* O.C.G.A. § 48-5-269.1 ("The manual adopted by the commissioner pursuant to this Code section shall be utilized by county property

appraisal staff in the appraisal of tangible real and personal property for ad valorem tax purposes.").

59. The Appraisal Regulations require the BTA's appraisal staff to determine the fair market value of a property's land and improvements (*i.e.*, a house) separately to determine the property's total fair market value. *Id.* at 560-11-10-.09(3)(a).

60. To determine the fair market value of a property's land, the Appraisal Regulations require the use of specific appraisal methodologies: the "sales comparison" methodology or "income methodology," giving preference to the sales comparison approach. *Id.* at 560-11-10-.09(3).

61. To determine the fair market value of a property's improvements, the Appraisal Regulations require the use of specific methodologies: the "direct sales comparison approach," the "cost approach" or the "income approach." *Id.* at 560-11-10-.09 (4).

62. The DOR regulations state, "The county board of tax assessors may not adopt local procedures that are in conflict with Georgia law or the procedures required by this manual." Ga. Comp. R. & Regs. 560-11-10-.01(3).

63. In addition, Georgia law expressly precludes arbitrary and unreasonable valuations of properties for tax purposes by the BTA.

64. Defendants' ten percent devaluation of all residential properties within a two-mile radius of the Sterigenics' Facility violates Georgia law because it does not assess each property at its fair market value and does not fairly and justly equalize fair market values as between the individual taxpayers in the County.

65. Defendants' ten percent devaluation of all residential properties within a two-mile radius of the Sterigenics' Facility also violates Georgia law because it does not represent a determination of each property's fair market value in accordance with any of the required appraisal methodologies set forth in the Appraisal Regulations.

66. Defendants' ten percent devaluation of all residential properties within a two-mile radius of the Sterigenics' Facility also violates Georgia law because it was an arbitrary and unreasonable determination of each property's value.

67. As the minutes of the BTA's April 15, 2020 meeting reflect, Defendants had no data supporting their ten percent devaluation of the properties at issue:

> To date, there has been limited sales/listing activity occurring within a 2-mile radius of the plant. *The lack of data makes it difficult to determine the extent of this issue and its impact on property values in this area.* However, the BTA *feels* it is appropriate to reduce residential property values across-the-board by 10% within this study area for tax year 2020 to account for the issue.

Exhibit A (emphasis added).

68. Georgia law does not allow the BTA to apply a uniform across-the-board reduction of numerous properties' valuations for tax assessment purposes.

69. Defendants' unlawful action to reduce the tax assessment values of properties within a two-mile radius of its Facility is causing Sterigenics substantial reputational harm. Thousands of homeowners now incorrectly believe that Sterigenics' Facility has caused their home value to decrease by ten percent.

70. Defendants' unlawful action to reduce the tax assessment values of properties within a two-mile radius of its Facility is also causing Sterigenics to face imminent and substantial financial harm. Residents within a two-mile radius of Sterigenics' Facility are preparing a class action lawsuit against Sterigenics on behalf of more than 5,000 landowners to recover alleged property value losses based on Defendants' unlawful determination that the Facility has devalued their properties. Sterigenics faces potential unfounded liability and incurring substantial legal fees and expenses in such a class action because of Defendants' unlawful action.

71. An actual and substantial continuing controversy exists between Sterigenics and Defendants who have adverse legal interests concerning the legality of Defendants' determination that Sterigenics' Facility has devalued more than 5,000 residential properties within a two-mile radius of the Facility by ten percent.

72. Because of Defendants' unlawful action, Sterigenics will continue to suffer injuries in the future if Defendants' determination that Sterigenics' Facility has devalued more than 5,000 residential properties within a two-mile radius of the Facility by ten percent is not declared unlawful and void.

73. Pursuant to the Uniform Declaratory Judgment Act, 28 U.S.C. §§ 2201 and 2202 and Federal Rule of Civil Procedure 57, Sterigenics is entitled to a judgment declaring that Defendants' devaluation of all residential properties within a two-mile radius of the Facility by ten percent is unlawful and void.

PRAYER FOR RELIEF

WHEREFORE, Sterigenics respectfully requests the following:

a. That process issue according to law;

b. That the Court declare that Defendants' devaluation of all residential properties within a two-mile radius of the Facility by ten percent is unlawful and void.

c. That the Court award Sterigenics its attorneys' fees and costs incurred in this case; and

d. Any other relief this Court should deem just and appropriate.

[Signature block on following page]

Respectfully submitted this 14th day of August, 2020.

ALSTON & BIRD LLP

/s/ Clay Massey
W. Clay Massey
Georgia Bar No. 476133
Daniel F. Diffley
Georgia Bar No. 221703
Thomas P. Grantham
Georgia Bar No. 116523
Sara M. Warren
Georgia Bar No. 966948
1201 West Peachtree Street
Atlanta, GA 30309
Telephone: (404) 881-7000
Facsimile: (404) 881-7777
clay.massey@alston.com
dan.diffley@alston.com
thomas.grantham@alston.com
sara.warren@alston.com

Attorneys for Plaintiff Sterigenics U.S., LLC

EXHIBIT E

Case 1:22-cv-00128-JJM-PAS Document 84-40 Filed 03/22/22 Page 45 of 53

Company Overview

We are over 1,600 engineers, scientists, safety specialists, and solution providers focused on eliminating threats to the health of humanity. We have global breadth and more than 90 years deep expertise across Gamma, Ethylene Oxide (EO), Electron beam (E-Beam), and X-ray sterilization. Our operations span 47 facilities in 13 countries to ensure we are the "point of safe" for our customers.

Safeguarding Global Health™ – with every product we sterilize

We are a business unit of Sotera Health, along with Nordion® and Nelson Labs™. Together, we are the world's leading, fully integrated protector of global health and touch the lives of more than 180 million people around the world each year. Sotera Health is a portfolio company of Warburg Pincus and GTCR.

On November 7, 2017, Sterigenics International LLC changed its parent company name to Sotera Health LLC. Its three companies – Nelson Labs™, Nordion®, and Sterigenics® – maintain their current names and leverage the strength of the business units to deliver on its mission of Safeguarding Global Health™.

Shanghai, Chi

- Read the full press release

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

Case 1:22-cv-00128-JJM-PAS Document 84-40 Filed 03/22/22 Page 46 of 539

Why Choose Sterigenics?

Sterigenics is the leading global provider of comprehensive sterilization solutions and expert consulting services. We offer:

Safety and quality
Best-in-class, in-house expertise across engineering, regulatory, and EH&S to ensure consistent quality and reliability to provide you with the confidence you want.

Global integrated network
Our operations span 47 facilities in 13 countries, providing the flexibility and redundancy to meet all of your contract sterilization needs.

Industry-leading experts
We are over 1,600 engineers, scientists, safety specialists, and solution providers with more than 90 years of deep expertise across Gamma, Ethylene Oxide, E-Beam, and X-ray sterilization.

Outstanding service
We are driven to fulfill our customers' needs in a timely fashion and with the highest quality and care.

Investment & Expansion Efforts

Sterigenics is committed to addressing the growing need for sterilization in many parts of the world and partnering with our customers to eliminate threats to human health. We continue to invest in our global network to meet our customers' growing demand for Gamma irradiation capacity as a critical step in their product development processes.

Sterigenics is making significant investments in technology to expand both Gamma and Ethylene Oxide (EO or ETO) sterilization capacity throughout our global network. In 4Q 2108, we opened a new Gamma facility in Chesterfield/Derbyshire, UK and in August 2017, we completed a major expansion of our Forth Worth facility, adding Gamma capacity and increasing total sterilization throughput. In June 2017, we completed a project that

Quick Facts

Founded
Providing mission-critical and government-mandated sterilization services since 1925

Capabilities
Over 90 years of deep expertise across Gamma, EO, E-Beam, and X-ray sterilization

Industry & Customer Base
End markets include medical devices, pharma, and food/commercial with 2,800+ customers in 52 countries

Regulatory Thought Leadership
Over 30 seats in key industry groups (ISO, AAMI, NFPA, ASTM, etc.)

Global Employees
1,500+ employees worldwide

Global Capacity
47 facilities in 13 countries

Headquarters
Oak Brook, Illinois, USA

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.
I Agree Cookie policy

significantly increased throughput at our operation in West Memphis, Arkansas, and in 2015, we opened a significant expansion in Gurnee, Illinois. In addition, Sterigenics has recently expanded our EO facilities in Ontario, California; Costa Rica; and Wiesbaden, Germany. Further announcements are expected in the near future.

History

We are proud to have a rich history and a stellar track record. Through the years, our purpose an commitment has remained the same – Safeguarding Global HealthTM. These are the events tha have made that passion a reality.

1925 1978 1999 2004 2011 2017

1925

In the mid 1930s, Dr. Lloyd A. Hall, Technical Manager of Griffith Laboratories in Chicago, Illinois, invented the Ethylene Oxide...

Read More

1978

SteriGenics International, then known as Radiation Sterilizers, Inc., opened its first Gamma facility in Tustin, California, in 1978...

Read More

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press “I Agree”, or continue to use our site, which will be considered consent.

I Agree Cookie policy

Sterigenics U.S., LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523
+1 (800) 472-4508

Sterigenics U.S., LLC – A Sotera Health company © 2019 All rights rese

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

EXHIBIT F1

Case 1:22-cv-00128-JJM-PAS Document 84-40 Filed 03/22/22 Page 50 of 339

Have a question? C
+1 (800) 472

Company Overview

We are over 1,600 engineers, scientists, safety specialists, and solution providers focused on eliminating threats to the health of humanity. We have global breadth and more than 90 years deep expertise across Gamma, Ethylene Oxide (EO), Electron beam (E-Beam), and X-ray sterilization. Our operations span 47 facilities in 13 countries to ensure we are the "point of safe" for our customers.

Safeguarding Global Health™ – with every product we sterilize

We are a business unit of Sotera Health, along with Nordion® and Nelson Labs™. Together, we are the world's leading, fully integrated protector of global health and touch the lives of more than 180 million people around the world each year. Sotera Health is a portfolio company of Warburg Pincus and GTCR.

On November 7, 2017, Sterigenics International LLC changed its parent company name to Sotera Health LLC. Its three companies – Nelson Labs™, Nordion®, and Sterigenics® – maintain their current names and leverage the strength of the business units to deliver on its mission of Safeguarding Global Health™.

Shanghai, Chi

- Read the full press release

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

Why Choose Sterigenics?

Sterigenics is the leading global provider of comprehensive sterilization solutions and expert consulting services. We offer:

Safety and quality
Best-in-class, in-house expertise across engineering, regulatory, and EH&S to ensure consistent quality and reliability to provide you with the confidence you want.

Global integrated network
Our operations span 47 facilities in 13 countries, providing the flexibility and redundancy to meet all of your contract sterilization needs.

Industry-leading experts
We are over 1,600 engineers, scientists, safety specialists, and solution providers with more than 90 years of deep expertise across Gamma, Ethylene Oxide, E-Beam, and X-ray sterilization.

Outstanding service
We are driven to fulfill our customers' needs in a timely fashion and with the highest quality and care.

Investment & Expansion Efforts

Sterigenics is committed to addressing the growing need for sterilization in many parts of the world and partnering with our customers to eliminate threats to human health. We continue to invest in our global network to meet our customers' growing demand for Gamma irradiation capacity as a critical step in their product development processes.

Sterigenics is making significant investments in technology to expand both Gamma and Ethylene Oxide (EO or ETO) sterilization capacity throughout our global network. In 4Q 2108, we opened a new Gamma facility in Chesterfield/Derbyshire, UK and in August 2017, we completed a major expansion of our Forth Worth facility, adding Gamma capacity and increasing total sterilization throughput. In June 2017, we completed a project that

Quick Facts

Founded
Providing mission-critical and government-mandated sterilization services since 1925

Capabilities
Over 90 years of deep expertise across Gamma, EO, E-Beam, and X-ray sterilization

Industry & Customer Base
End markets include medical devices, pharma, and food/commercial with 2,800+ customers in 52 countries

Regulatory Thought Leadership
Over 30 seats in key industry groups (ISO, AAMI, NFPA, ASTM, etc.)

Global Employees
1,500+ employees worldwide

Global Capacity
47 facilities in 13 countries

Headquarters
Oak Brook, Illinois, USA

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.
I Agree Cookie policy

significantly increased throughput at our operation in West Memphis, Arkansas, and in 2015, we opened a significant expansion in Gurnee, Illinois. In addition, Sterigenics has recently expanded our EO facilities in Ontario, California; Costa Rica; and Wiesbaden, Germany. Further announcements are expected in the near future.

History

We are proud to have a rich history and a stellar track record. Through the years, our purpose an commitment has remained the same – Safeguarding Global HealthTM. These are the events tha have made that passion a reality.

1925 1978 1999 2004 2011 2017

1925

In the mid 1930s, Dr. Lloyd A. Hall, Technical Manager of Griffith Laboratories in Chicago, Illinois, invented the Ethylene Oxide...

Read More

1978

SteriGenics International, then known as Radiation Sterilizers, Inc., opened its first Gamma facility in Tustin, California, in 1978...

Read More

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press “I Agree”, or continue to use our site, which will be considered consent.

I Agree Cookie policy

Sterigenics U.S., LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523
+1 (800) 472-4508

Sterigenics U.S., LLC – A Sotera Health company © 2019 All rights rese

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

EXHIBIT G

NEWS: Sotera Health's Sterigenics Announces Acquisition of Iotron Industries Learn More

About Us

About Sotera Health

Sotera Health brings together Sterigenics, Nelson Labs and Nordion, each of which are established, highly reputable players in the global health arena. Working as a team, Sotera Health and its companies have one common goal: Safeguarding Global Health®. With these three companies operating together, Sotera Health, formerly Sterigenics International, leverages more than 500 combined years of scientific expertise to ensure safety across the medical device, pharma, tissue and food industries. With over 2,800 employees globally, including more than 350 scientists, the company operates 63 facilities worldwide across 13 countries. Our purpose is bigger than the products and

Our Values

SAFETY

We are uncompromising in our commitment to health and well-being.

CUSTOMER FOCUS

We are driven to fulfill our customers' needs with the highest

Case 1:22-cv-00128-JMA-CLP Document 81-40 Filed 03/21/22 Page 56 of 539

Our purpose is bigger than the products and services we provide. We ensure that health care around the world is consistently and reliably safe every day. Our purpose, our conduct, and our values are at the heart of our commitment to employee safety, environmental responsibility, and sustainability principles. Download Our Sustainability Report

Our History

The Sotera Health name is new, but our track record for reliability and safety in global health is well established. Formed in 2017 as the parent company for Nelson Labs, Nordion and Sterigenics, Sotera Health is the leader in protecting global health thanks to the longstanding reputation for quality across each of its companies. In aggregate, Sotera Health has over 185 years of combined industry leadership. Sterigenics has provided safe sterilization services since the 1930s. Nordion has established expertise in gamma technologies and medical isotopes since 1946. Nelson Labs has provided expert lab testing since 1985. Our most recent addition to the Sotera Health family, Toxikon Europe, has established a leading extractables and leachables testing platform since 1990. An impressive history that points to an even brighter future.

quality and care.

PEOPLE

We value our people who are part of a global team that is diverse, respectful, passionate and collaborative.

INTEGRITY

We are honest, reliable and accountable in everything we do.

EXCELLENCE

We exceed the expectations of our stakeholders and continue to improve and innovate in everything we do.

9100 South Hills Blvd, Suite 300 Broadview Heights, OH 44147

Privacy Policy | info@soterahealth.com 440-262-1410

EXHIBIT H1

Sotera Health

Safeguarding Global Health™

Global Corporate Sustainability and Social Responsibility Report

2017

About **Sotera Health**

Sotera Health LLC, along with its business entities, is the world's leading fully integrated protector of global health. With over 500 years of combined scientific expertise, we ensure the safety of healthcare by providing mission-critical services to the medical device, pharmaceutical, tissue and food industries.

We operate more than 63 facilities in 13 countries. We have over 2,600 employees globally and touch the lives of more than 180 million people around the world each year. We serve more than 5,000 customers worldwide including 75 of the top 100 medical device manufacturers.

Sotera Health goes to market through its three best-in-class companies – Nelson Labs™, Nordion® and Sterigenics® – with the mission of ensuring the safety of healthcare every day.

Nelson Labs offers microbiological and analytical testing and expert advisory services to assist customers in developing and maintaining sterilization solutions in medical devices, tissue/implantable products, and the pharmaceutical and biologics fields.

Nordion is the world's leading provider of Cobalt-60, a radioisotope used in gamma sterilization and specialized medical devices for the treatment of cancer.

Sterigenics provides comprehensive contract sterilization and ionization solutions for the medical device, pharmaceutical, food safety and high-performance materials industries.

2600 employees

5000 customers

180 M people touched annually

13 countries

63 facilities

Safeguarding Global Health™

A Message from **Michael Petras**

365 days a year, around the planet, we help solve mission-critical healthcare issues. Safeguarding Global Health™ is our mission. It's what guides us in what we do every day.

Sotera Health operates 63 facilities in 13 countries. We provide precise lab services, and reliable supply of radioisotopes to support, comprehensive sterilization solutions to the medical device, pharmaceutical, tissue and food industries. Sustainability is key to powering our customers' innovations, moving our industries forward and keeping people on our planet safe.

We are committed to sustainability. We are committed to approaches that deliver value to our people, our customers, their families and the communities in which they work, play and live.

The choices we make, make a difference. Our sustainability principles improve our social community, protect our environment and improve the safety of every individual who comes to work each day to protect human health.

We invest in our capabilities, our processes, our people and our customers to both sustain our business and reach our goals. In this Global Corporate Sustainability and Social Responsibility Report 2017, you will read about our people on the front lines who work hard to make the world a better and safer place. We are over 2,600 people serving over 5,000 customers in over 50 countries and touching the lives of more than 180 million people around the world each year.

We are Sotera Health. Safeguarding Global Health™.

Michael B. Petras, Jr.
Chief Executive Officer
Sotera Health

"Safeguarding Global Health™
is our mission. It's what guides us
in what we do every day."
— Michael B. Petras, Jr.
Chief Executive Officer, Sotera Health

Table of **Contents**

06

Sustainability Principle #1

SOCIAL + COMMUNITY INVOLVEMENT

12

Sustainability Principle #2

ENVIRONMENTAL RESPONSIBILITY

16

Sustainability Principle #3

EMPLOYEE SAFETY + DEVELOPMENT

Each of us has our reasons for embracing sustainability practices.

Why is **Sustainability** Important to You?

Each of us has our reasons for embracing sustainability practices. At Sotera Health, our reasons are to enable our people, our customers, our families and our neighbors to live every day to the fullest. Safeguarding Global Health™ doesn't happen on a whim. Business health doesn't happen on a whim. That is why, in 2016, we united our three business units on a single path.

Nelson Labs™ A Sotera Health company

Nordion® A Sotera Health company

Sterigenics® A Sotera Health company

United Brand

United, we can achieve business health and global health. United we are committed to sustainability.

United Conduct

United, we share a common Global Code of Conduct – principles our people operate by each day. We are committed to operate with the highest ethical standards and deliver on our promises.

United Values

United, we share common **core values** – values we operate by each and every day.

SAFETY | We are uncompromising in our commitment to health and well-being.

CUSTOMER-FOCUS | We are driven to fulfill our customers' needs with the highest quality and care.

PEOPLE | We value our people who are part of a global team that is diverse, respectful, passionate and collaborative.

INTEGRITY | We are honest, reliable and accountable in everything we do.

EXCELLENCE | We exceed the expectations of our stakeholders and continue to improve and innovate in everything we do.

Our purpose is bigger than the products and services we provide. We ensure that healthcare around the world is consistently and reliably safe every day. Our purpose, our conduct and our values are at the heart of our three Sustainability Principles.

Sustainability Principle #1

SOCIAL + COMMUNITY INVOLVEMENT

Our facilities, people and their families work, play and live in communities across the planet.

Within their communities, they make a **positive impact** across a range of interests and issues.

Focus: DIVERSITY
Women in **STEM**
Science
Technology
Engineering
Mathematics

Focus: CHARITY
CANCER
Research & Care
YOUTH EDUCATION
Healthcare & Environmental Responsibility
GIVING
Blood & Food

Focus: DONATIONS
$85,000
DISASTER RELIEF
People affected by Hurricane Harvey, Hurricane Irma, Hurricane Maria and the Mexico City Earthquake

Diversity

Women hold **less than 25%** of Science, Technology, Engineering and Mathematics (STEM) jobs in the USA. Because STEM is an integral discipline in the Sotera Health companies, **STEM** is a **focus for our people**.

In 2017:

- 49 women participated in a networking session hosted at Nelson Labs, Salt Lake City (USA) to encourage young women to explore science as a career.
- 40 teachers spent a day at Nelson Labs to develop real-world teaching plans that prepare their students to enter the workforce.
- 90 STEM students participated in a half-day workshop that simulates tests Nelson Labs perform.
- 17 Nelson Labs Women in STEM Education (WISE) committee members planned hands-on science activities for the Utah Junior Achievement and Career Initiative Program to increase students' exposure to STEM concepts and careers.
- 4 Nelson Labs WISE committee members traveled to the Native American Reservation in Bluff Utah/Monument Valley along with Utah Junior Achievement to engage 700 students in science.

"Traveling to the Indian Reservation to talk about science with 700 students was such an amazing experience. The students were very engaged and excited about the hands-on activities that our 17-strong WISE committee developed."

— Tina May
Sr. Director of Laboratory Operations, Nelson Labs
Co-Chair Women in STEM Education Committees

Charity

Worthwhile **causes** pull at our heart strings.

In 2017:

- Nordion's support of The Ottawa Hospital spans 20 years raising funds for cancer care and cancer research. Through title sponsorship of events like Hockey Fights Cancer, our people supported fund raising initiatives.
- 150 children, their teachers and our people participated in a day of learning at a local zoo compliments of Sterigenics' facilities in Cotia and Jarinu (Brazil). Through entertaining theatrical performances, the children learned about areas of sustainable concern like conserving energy and water, recycling for the future, health and personal hygiene.
- Worldwide, our people donated to Ronald McDonald House, Toy Mountain, Greater Vancouver Food Bank, Volunteers of America Homeless Youth, local school districts, and local hospitals; as well as, donated blood to blood banks and clothing, school supplies and hygiene kits to the less fortunate.

"The children's eyes sparkled throughout the day. This day of learning activity motivated us to move forward with similar new initiatives with the conviction that we can somehow contribute to a more conscious and better future."

— Fernando Reichmann
Vice President of Operations Latin America, Sterigenics

Donations

In 2017, natural disasters impacted many communities on our planet: Hurricane Harvey in Houston (USA); Hurricane Irma in the Caribbean and Florida (USA); Hurricane Maria in Dominica, Puerto Rico and other parts of the Caribbean; and an earthquake in Mexico City.

To aid in the relief efforts, Sotera Health partnered with *GlobalGiving*, a global crowdfunding community that connects non-profits, donors and companies, that earned Charity Navigator's highest rating of four stars in the latest ratings published by the charity evaluator[1]. **Sotera Health donated $25,000.**

And, when more than **185 employees donated over $30,000** to *GlobalGiving*, Sotera Health matched that in a second donation to *GlobalGiving*.

[1]Source: Wikipedia

WE MAKE A DIFFERENCE

Our people are diverse. Our social + community causes are diverse. We are proud of our people who take **pro-active roles** to make a difference.

Sustainability Principle #2

ENVIRONMENTAL RESPONSIBILITY

We are dedicated to protecting the environment and our communities. Our facilities adhere to Environmental Management Systems (EMS) of established requirements and standards. We focus on **continuous improvement** and eliminating risk to protect people, the environment and property.

Our EMS **meets** or **exceeds** compliance requirements set by our regulators.

3-YEAR WASTE DIVERSION

Nordion's facility in Ottawa Diversion Rate

2017	2016	2015
73.5%	**76.0%**	**63.7%**

"All Sterigenics USA facilities that use ethylene oxide (EO) for sterilization generate ethylene glycol as a by-product of the emission control system. Ethylene glycol is a useful industrial compound found in many consumer products[2]. Rather than allowing ethylene glycol to become a waste material, we partner with local vendors who use this material as a raw material. In 2017, our EO facilities generated approximately 425,000 gallons (3,823,000 pounds) of ethylene glycol. 97% of it was recycled."

— **Philip Macnabb**
President, Sterigenics

425,000 gallons ETHYLENE GLYCOL **97%**

[2] Centers for Disease Control and Prevention

Environmental Protection

Our EMS deliver on leading environmental standards including the internationally-recognized **ISO 14001 EMS standard**. Certification to 14001 is voluntary and adherence allows for systematic control and improvement of our environmental performance.

In 2017:

- 2 Nordion facilities – Laval and Ottawa (Canada) – maintained ISO 14001 certification.
- 2 Sterigenics facilities – Bangkok (Thailand) and Minerbio (Italy) – maintained ISO 14001 certification.
- 1 Sterigenics facility – Petit-Rechain (Belgium) – initiated the certification process.

Waste Management

We strive to **reduce**, **reuse** and **recycle** to eliminate unnecessary waste and uphold environmental responsibility.

In 2017:

- Nordion's facility in Ottawa (Canada) diverted 73.5% of its waste normally destined for landfill.
- Sterigenics facilities used 97% of its ethylene glycol byproduct as an ingredient in a consumer product and avoided disposing it as waste.
- Every effort counts. Many Sterigenics' facilities around the planet practice responsible waste diversion; in fact, a facility in Gurnee (USA) diverted the majority of corner board[3] every quarter.

Energy

We **conserve electrical energy** to reduce pollution and reduce greenhouse gas emissions. Conserving energy is important.

In 2017:

- Nelson Labs' Itasca (USA) facility was renovated. We sold equipment for re-use or recycled it. We designed the renovated facility with green energy in mind including energy-saving incubators and refrigerators that contained non-ozone-depleting refrigerant and motion-activated LED lighting.
- Nelson Labs' Salt Lake City (USA) facility installed new roofing that decreased heat loss.
- Nordion's facility in Ottawa (Canada) reduced energy usage by an estimated 80,000 kWh. To put this into perspective, the average annual electricity consumption for a house in the USA is 10,766 kWh[4].
- Sterigenics' Gurnee (USA) facility installed new roofing that decreased heat loss.
- Sterigenics' Hayward (USA), Salem (USA), Rantigny (France) and Shanghai (China) facilities each installed new and improved lighting.

[3] DID YOU KNOW? Using corner board on packaging, cost-effectively replaces wood or metal protectors to strengthen containers and palletized goods. Source: https://www.ipack.com/solutions/corner-board-maximize-packaging/

[4] Source: https://www.eia.gov/tools/faqs/faq.php?id=97&t=3

WE MAKE A DIFFERENCE

Sotera Health increases the amount of **green energy usage** in open energy markets through contracts with local utilities. It's the right thing to do for our environment.

Sustainability Principle #3

EMPLOYEE SAFETY + DEVELOPMENT

We care about our **people**.

Sotera Health:

- Provides training and **developmental growth** opportunities throughout employees' careers.
- Ensures **health and safety** resonates in everything we do.
- Emphasizes **continuous improvement** to ensure a safe and healthy work environment.

We promote a safe and healthy work environment for our people, visitors and contractors, and a safe supply chain for customers – all the way to the end user. Our facilities around the world adhere to Safety Management Systems (SMS) of established requirements and standards. Our SMS are consistent with accepted standards including OHSAS 18001.

Safety Metrics

As we strive for excellence, we measure and trend health and safety performance, not only to satisfy regulatory requirements but – more importantly – to identify **continuous improvement opportunities**.

By identifying where, when and how incidents occur in any of our facilities around the world, we strive to improve systems and practices to **prevent** an incident from happening again.



Source: United States Department of Labor Occupational Safety and Health Administration (OSHA)

Injury rates are lower compared to all industries and like companies. In 2017, 25% of our facilities achieved the milestone of zero recordable injuries for 10+ years (or since acquired by Sterigenics).



Starting in 2017, we took a proactive approach to improve safety and prevent incidents. As a result, more safety measures were put in place to better protect our people.

Safety Campaign

Safety is a core value. We challenge our people to support our health and safety practices. We also challenge our people to contribute to the **continuous improvement** of our safety practices.

Sterigenics' *Safety Starts with Me* program promotes a prevention-based culture of safety. We make it top-of-mind to watch out for each other, report unsafe conditions and prevent injury.

In 2017, Sterigenics launched a third-party workplace safety program to promote safety in its lab/manufacturing facilities. Each month, the program educated people on a new safety topic.

A poster launched the safety topic and a toolkit of activities and ideas engaged people in discussion about how the specific topic applied to them in both their work and home environments. The program design continuously kept safety top-of-mind.

Safety Systems

In addition to safety programs, we continue to refine our systems to put safety at the forefront of everything we do. A **safety-first culture** is consistent with our purpose of Safeguarding Global Health™.

- Nordion's site in Ottawa (Canada) delivered bi-annual Safety Focus Talks to operations managers, who then delivered the Safety Focus Talk to their teams.
- Sterigenics' staff within the operations department gave safety talks at the start of shift changes. Talks ranged from corporately-mandated safety protocol discussions to known safety incidents that occurred at other sites to site-specific safety discussions.
- Sterigenics advanced the safety-first culture by starting all meetings with safety-related information.
- Nelson Labs had zero lost time accidents and regularly publishes safety newsletters to all employees.

Employee Training + Wellness

We are committed to safety. We believe training and awareness are the first steps. Our Safety Management Systems provide an **extensive framework** to train our people.

In 2017:

- We maintained wellness programs. The programs focused on physical fitness, mental wellness, nutrition, healthcare services and include newsletters and activities to promote wellness.
- Nordion continued its comprehensive emergency preparedness program consisting of multiple emergency response plans for staff, facilities, controls, procedures and practices. These plans continued to put safety and security first for its people, neighbors and the environment. Nordion collaborated with public emergency response organizations, and conducted drills involving them and their people as part of emergency preparedness.
- Sterigenics established a global electronic Learning Management System (eLMS) to be used by all people. Both Nordion and Nelson Labs continued to maintain existing eLMSs. eLMSs are our platform to deliver unified training and faster time to compliance, and will provide new learning pathways. On an environmental safety note, our eLMSs reduced and eliminated paper-based training records and increased employee productivity.



WE MAKE A DIFFERENCE

We attract and retain the **best and brightest minds**. We promote dynamic leadership at all levels supported by educational programs. We care about our **people**. Our people make a difference.

Why Sustainability is Important to Us

At Sotera Health we recognize that sustainability of Safeguarding Global Health™ rests on the sustainability of business health. We believe continued focus on our three pillars of sustainability – **Social + Community Involvement, Environmental Responsibility and Employee Safety + Development** – positively contribute to the health and well-being of millions of lives on this planet.

Sotera Health

Corporate Headquarters
9100 South Hills Blvd, Suite 300
Broadview Heights, OH 44147
440-262-1410 | info@soterahealth.com | soterahealth.com

2018 Sotera Health LLC. All rights reserved.

EXHIBIT H2

Sotera Health

Global Code of Conduct

Living our values every day

Our Vision

At Sotera Health, our vision is to be the leading provider of mission-critical solutions to improve global health.

In fulfilling our vision, all of our actions are driven by our Company Values each and every day.

Our Values

PEOPLE: We value our people who are part of a global team that is diverse, respectful, passionate and collaborative.

CUSTOMER FOCUS: We are driven to fulfill our customers' needs with the highest quality and care.

INTEGRITY: We are honest, reliable and accountable in everything we do.

SAFETY: We are uncompromising in our commitment to health and well-being.

EXCELLENCE: We exceed the expectations of our stakeholders and continue to improve and innovate in everything we do.

A Message from Michael Petras, CEO:

At Sotera Health, our vision is to be the leading provider of mission-critical solutions to improve global health. We value each of you as members of the Sotera Health team not only because you are highly skilled in what you do for our Company, but also because you have demonstrated values that will contribute to our strong reputation – ensuring that Sotera Health is the most trusted name in the industry.

Maintaining this trust is critical to fulfilling our vision and requires each of us to act consistently with our Company Values of People, Customer Focus, Integrity, Safety and Excellence.

We are proud to share our Global Code of Conduct with you, which outlines the principles under which we conduct business. Our Company is committed to operating with the highest level of ethical standards, delivering on our promises and protecting our assets and reputation in a rapidly changing global environment. This Code is the embodiment of that commitment.

The following pages provide information in many different areas, but the message is always the same: each employee, officer and director is expected to comply with both the spirit and the letter of the Code.

Please take the time to read, understand and refer back to this Code on a regular basis. Consider how it applies to your work and how your actions and decisions affect others. The Code is available on the intranet of your business unit along with resources to guide how to report concerns about suspected violations of the Code, company policy or the law.

Thank you for your commitment to the Sotera Health Global Code of Conduct. Your leadership and vigilance help protect our Company's assets and reputation and contribute to our ongoing success.

Sincerely,



Michael B. Petras, Jr.
CEO

Table of Contents

Introduction **6**
Purpose 7
Scope 7
Stay True to Our Values: People, Customer Focus, Integrity, Safety and Excellence 8
An Integral Component of Our Jobs 8
Various Laws May Apply 8

Asking Questions and Voicing Concerns **10**
Responsibility to Understand This Code 11
Responsibility to Foster a Culture of Compliance 11
Responsibility to Report a Concern 11
Global Ethics Line 12
Investigations 13
Ethics and Policy Information on Company Intranet Sites 13
Waivers 13

Personal Integrity **14**
Standard of Conduct 15
Commitment to Integrity 15
Conflicts of Interest 15
Insider Trading 16
Participation in Political Activities 17
Government Relations and Lobbying 17
Media Contacts and Public Communications 18
Protection of Business Information and Intellectual Property 18
Personal Data 20
Accuracy of Records and Disclosures 20
Records Management 22
Electronic Media and Communications Systems 22
Protection of Company Assets 22

Integrity Within the Company **24**
Integrity Within the Company 25
Equal Opportunity 25
Diversity 25
No Harassment 25
Labor Laws and Wages 26
Labor Practices 26
Drug-Free Workplace 27
Company-Authorized Events 27
Environment, Health and Safety 27

Integrity in Dealing with Customers, Suppliers and Others **30**
Integrity in Dealing with Customers, Suppliers and Others 31
Improper Payments, Bribery, Anti-Corruption 31
Business Entertainment and Hosting 33
Gifts 34
Selection and Use of Third-Party Suppliers and Procurement 35

Competing with Integrity **38**
Competition and Fair Dealing 39
Truth in Advertising 41
Money Laundering Prevention 41
International Trade Controls 42
Taxes, Tariffs and Duties 43

Compliance with Laws **44**
Compliance with Laws 45

Appendix A – Reporting a Concern **46**
1. Global Ethics Line – International Contact Information 47
2. Sotera Health Ethics Representatives 47
3. Sotera Health Legal Department 47

Personal Commitment Acknowledgement of Sotera Health Global Code of Conduct **48**
Personal Commitment Acknowledgement of Sotera Health Global Code of Conduct **Error! Bookmark not defined.**

This Global Code of Conduct is not an employment contract and does not create contractual rights. This Code replaces the Sterigenics International Code of Conduct, the Nordion Global Business Practice Standards, and Nelson Laboratories Code of Conduct Policy. This Code is intended to supplement and not to replace other existing Sterigenics, Nordion or Nelson Labs policies and procedures.

Introduction

Purpose

The Purpose of this Global Code of Conduct ("Code") is to set out the principles that govern the global business activities and conduct of Sotera Health and its subsidiaries (collectively referred to as "Sotera Health" or the "Company"). Sotera Health is committed to the highest standards of business ethics, integrity and compliance with the laws governing its global business operations.

Scope

This Code applies globally to all Company directors, officers and employees. Sotera Health requires that its directors, officers and employees participate in regular training on this Code and certify their understanding of and compliance with the principles of this Code and related Company policies and procedures. This Code is not intended to cover every issue or situation an employee, officer or director may encounter at the Company. Instead, this Code contains the principles upon which sound and ethical business decisions must be made and implemented. This Code is not intended to and does not create any legal rights for any customer, supplier, competitor, stockholder or any other person or entity.

Each of our business units is required to follow industry-specific standards and regulatory obligations. These standards and regulations continue to apply and are complementary to the principles under this Code. For example, the Nelson Labs Technical Consulting Code of Ethics will continue to apply to Nelson Labs in addition to the requirements under this Code.

In addition, Sotera Health business units may enter into agreements either directly with a government- or state-owned agency or with a prime contractor of a government- or state-owned agency of the United States, or have other dealings with U.S. government officials. Sotera Health is implementing a separate U.S. Government Code of Business Ethics and Conduct ("U.S. Government Code of Ethics") which governs business with the United States government at the federal, state and local level, including government-funded entities. To the extent there is any conflict between this Code and the U.S. Government Code of Ethics, the U.S. Government Code of Ethics will govern when it is applicable. The U.S. Government Code of Ethics is posted on the Company's intranet sites. If you interact directly with any U.S. government- or state-owned agency, prime contractor or high-level subcontractor or have involvement with an agreement that contains U.S. Government contracting requirements, you must read and understand the U.S. Government Code of Ethics as well as this Code.

In this Code, "Executive Management" means our Company CEO and members of the Corporate Executive Council. "Senior Management" means Executive Management, corporate heads of functional departments and the Vice Presidents of the Company's business units.

Stay True to Our Values: People, Customer Focus, Integrity, Safety and Excellence

Our Values are critical to all of our actions at Sotera Health. As we do our jobs each and every day, in making decisions and in everything we do, we should take into account our Values, this Code and applicable laws.

An Integral Component of Our Jobs

Conducting Company business with honesty and high ethical standards, in compliance with applicable law and consistent with our Values, is essential to our success. If you fail to meet the standards of business conduct described in this Code, you may be subject to discipline, corrective actions or, in some circumstances, termination. The appropriate members of management will determine the actions to be taken in the event of violations of the Code.

Various Laws May Apply

Sotera Health has its roots in the United States and conducts business around the world. Our employee base includes citizens of many different countries, and our operations are equally subject to the practices and laws of many countries. Certain laws of the United States and some other countries apply across borders, extending to Sotera Health operations throughout the world. In some instances, there may be a conflict between the applicable laws of two or more countries. When you encounter such a conflict or when you have any questions about what requirements apply to you, consult the Legal Department for guidance.

Asking Questions and Voicing Concerns

Responsibility to Understand This Code

It is your responsibility to have an understanding of this Code and the policies and procedures that apply to your job. Questions are encouraged. Ask your manager, the Legal Department or Human Resources for guidance if you have a question or find yourself in a position which may compromise or violate the principles of this Code.

Responsibility to Foster a Culture of Compliance

At Sotera Health, we are all leaders. As leaders, we all have the responsibility to foster a culture of compliance, fairness, honesty and accountability. Leaders in our Company are expected to lead by example, in words and actions, reinforcing the importance of ethical behavior and compliance, and creating an environment in which each of us is comfortable asking questions and raising issues. Leaders must ensure that it is never acceptable to achieve business results at the expense of our Values, ethical conduct or compliance with this Code. Each manager and supervisor should openly support inquiries with respect to the application of this Code. Employees are expected to cooperate fully if asked to take part in any inquiry.

Retaliation or taking adverse action against anyone for raising a genuine concern about compliance with this Code, law or policies, or for helping to resolve an integrity concern, is a violation of this Code. This means you will not be disciplined, lose your job or suffer any other negative consequences for voicing concerns or asking questions about the Company's legal or ethical obligations as long as you are acting in good faith. Acts of retaliation should be reported immediately to your manager, an Ethics Representative or the Company's Global Ethics Line. In addition, unauthorized disclosure of an investigation or an individual identified in an investigation is a violation of this Code.

Responsibility to Report a Concern

One of the most important responsibilities each of us has is the obligation to raise a concern about a suspected or actual violation of this Code or unethical or illegal conduct. Even the appearance of impropriety could be very damaging to the Company. Being silent and not reporting the concern could bring serious harm to Sotera Health, loss of confidence in the Company by customers or other stakeholders, fines and other penalties against the Company and fines or prison sentences for individual employees, officers or directors. The information and diagram below outline the different avenues that are available to you in reporting a concern.

As a first step, you should speak with **your immediate manager or supervisor** for assistance in addressing any concerns. If you prefer not to go to your manager or supervisor, feel free to discuss your concerns with the **Legal Department, Human Resources or any member of the Senior Management team**. Concerns about accounting, internal accounting controls, auditing matters or other financial concerns can also be reported by contacting the Sotera Health **Corporate Controller** or the **Chief Financial Officer**. You may also file a report with the Company-designated **Ethics Representatives** (i.e., the Sotera Health General Counsel and the Chief Human Resources Officer, together the "Ethics Representatives") or through the **Global Ethics Line**. Details on how to submit a report are in Appendix A.

If you have any concern or become aware of a potential violation involving fraud, conflict of interest, bribery, kickbacks or false claims, you must report these to the Legal Department, the Ethics Representatives or, where applicable, through the Global Ethics Line. Please contact the General Counsel if you have any questions.

For Additional Guidance: If you have a question about business practices or a concern about a suspected violation, there are a number of different resources you can go to for advice. The diagram above and the attached Appendix A outline various options. Please feel free to go to the resource with which you are most comfortable.

Global Ethics Line

The Global Ethics Line is one of the ways to report a concern or obtain information or advice anonymously, to the extent permitted by law. The Global Ethics Line is operated by specially trained representatives who work for a third-party service provider (NAVEX Global, Inc.) and are independent of Sotera Health. The Global Ethics Line representatives will listen to your concerns, ask questions and review the information provided. They will share the information with our Company's Ethics Representatives who will review the question or concern. The caller can arrange to communicate directly with an Ethics Representative through the Global Ethics Line service provider. Confidentiality will be maintained to the extent possible in light of applicable legal requirements. The scope and anonymity of reports that can be taken by the Global Ethics Line may be restricted by law in some jurisdictions. These restrictions are described in our FAQs available on the Global Ethics Line website at www.soterahealth.ethicspoint.com. **Please see Appendix A to this Code for the Global Ethics Line contact information specific to your region**. In addition, the Sotera Health Whistleblower Policy (or the Sotera Health EU Global Ethics Line Privacy Policy in Europe), available on the Company's intranet sites, provides further information and procedures regarding concerns related to accounting, internal accounting controls and auditing matters, and where permissible by law, violations of this Code, laws and regulations.

Investigations

Suspected issues and reported possible Code violations will be investigated promptly and with the highest degree of confidentiality and anonymity that is possible under the specific circumstances and as permissible by local law. If the investigation indicates that a violation of this Code may have occurred, the Company will take appropriate action.

Ethics and Policy Information on Company Intranet Sites

The Company's intranet sites contain further information on the policies and principles embodied in this Code. This includes references to more detailed policy documents, references to other sites with related information, and "Questions and Answers" that address situations or concerns that frequently arise. See examples below:

Question: *I am being asked to do something I am uncomfortable with. What should I do?*

Answer: *You do not need to get involved in anything that makes you uncomfortable. Contact one of the resources identified in the diagram above to discuss the issue and come to a resolution.*

Question: *If I do raise a business practice issue, will I get in trouble?*

Answer: *No. You will not be reprimanded for raising a genuine concern. You have an obligation to question situations that you believe could violate the Code, any policy or a legal requirement, and we expect you to do so.*

Waivers

The Company may waive application of the principles set forth in this Code only where circumstances warrant granting a waiver based on the best interests of the Company. Any waiver pertaining to an employee must be approved by the General Counsel. Waivers of the Code for members of the Board of Directors and Executive Management may be made only by those members of the Board of Directors not involved in the proposed waiver. "Board of Directors" means the governance board of managers of Sotera Health Topco Parent, LP.

Personal Integrity

Standard of Conduct

Sotera Health conducts all of its activities in an ethical manner, with integrity, trust, respect and fair dealing. These standards should govern our conduct in every decision we make which affects the Company. Regardless of the pressures involved in conducting business, it is our duty to act responsibly and with integrity, meeting the highest standards of professional conduct. This means that we must avoid even the appearance of impropriety in carrying out Company business.

Commitment to Integrity

Compliance is everyone's responsibility. Sotera Health employees are each personally accountable for achieving their goals with integrity and in compliance with all applicable laws and policies. Unless otherwise prohibited by local law, we require all employees to acknowledge their commitment to comply with this Code and all Company policies.

Conflicts of Interest

Sotera Health respects the right of all employees to engage in personal activities outside of work. As Company employees, each of us has the responsibility to avoid activities that conflict or appear to conflict with our job responsibilities or the interests of Sotera Health. A conflict of interest arises when an employee has a personal interest, such as a financial interest or loyalty, that is or could be inconsistent with the Company's interests or influences decision-making on Company activities. Any employee activity or transaction which may present a conflict of interest (or even the appearance of a conflict) must be avoided. Actual or potential conflicts of interest must be discussed with Senior Management (who must be more senior than the parties involved) and the Legal Department. Any waiver of a possible conflict must be approved by the Legal Department and documented. Any waivers provided by management prior to the implementation of this Code remain valid for the purpose of compliance with this Code.

A few examples of activities that are or may be conflicts of interest include:

- Engaging in employment, managing your own business, or any other activity that interferes with your ability to devote the required time and attention to your job responsibilities at Sotera Health.
- Holding a significant financial interest, direct or indirect, in a current or prospective customer, supplier, distributor or competitor of Sotera Health, or serving as an employee, consultant or director of that business.
- Directing Sotera Health business to a supplier of which a family member is an employee, owner or manager, or at which a family member, directly or indirectly, has a significant financial interest.
- Supervising the job performance or compensation of a family member.
- Competing with Sotera Health in your personal capacity, or any situation where your personal interest takes away from Sotera Health opportunities for sales or purchases of products, services or interests.

- Using Sotera Health property, information or your position in the Company for personal benefit or the benefit of friends or family.

Ownership of Other Businesses: Our personal investments can cause a conflict of interest. As a Company employee, you should not have a "significant financial interest" in any business that does business with Sotera Health, is seeking to do business with Sotera Health or which is a competitor of Sotera Health without prior written approval of your business unit President and the Legal Department. A "significant financial interest" includes: 1) an employee or an employee's family member owns, directly or indirectly, more than 1% of the outstanding shares of such a business; 2) the investment in that business represents more than 5% of your total assets (or the assets of your family member); or 3) you receive a substantial portion of your total compensation from that particular business.

Family Members: A conflict of interest may arise if family members have positions of influence in a customer, supplier, distributor or competitor of Sotera Health or have a "significant financial interest" (see above) in a customer, supplier, distributor, business partner or competitor of Sotera Health. As mentioned above, in such circumstances, and before doing business with that organization, disclose and discuss the situation with Senior Management and the Legal Department. The approval, if granted, should be documented.

Family members include your:

- Spouse
- Parents
- Children
- Siblings
- In-laws
- Life partner

or any of their parents, children, siblings or partners.

Service on Boards: Company employees who serve as a director of another company, a member of a board of a non-profit organization or a standing member of a government agency may create a conflict of interest. Before accepting an appointment to a board or a committee of any organization whose interests may conflict with Sotera Health, you should discuss it with your manager, the President of your business unit and the Legal Department.

In general, outside directorships by employees will be permitted by Sotera Health provided that:

- The directorship does not conflict with Sotera Health or the individual's day-to-day commitments to Sotera Health; and
- The directorship is approved in writing by the President of your business unit and the Legal Department.

Insider Trading

Employees, officers and directors who have material non-public information about stock or other securities of companies (including our suppliers and customers) as a result of their relationship with the Company are prohibited by law and Company policy from trading in securities of the Company or those other companies. This includes debt securities issued by the Company. In addition,

employees, officers and directors are prohibited from recommending, "tipping" or suggesting that anyone else buy or sell stock or other securities of any company on the basis of material non-public information. Violation of insider trading laws can result in severe fines and criminal penalties, as well as disciplinary action by the Company, possibly including termination of employment.

Information is "non-public" if it has not been made generally available to the public by means of a press release or other means of widespread distribution. Information is "material" if a reasonable investor would consider it important in a decision to buy, hold or sell stock or other securities. As a rule of thumb, any information that would affect the value of stock or other securities should be considered material. The laws against insider trading are specific and complex. If you are uncertain about the constraints on your purchase or sale of securities of any other company that you are familiar with by virtue of your relationship with the Company, you should consult with the General Counsel before making any such purchase or sale.

Participation in Political Activities

Employees may participate in political activities of their own choosing, as long as they do so on their own time and use their own resources, and such activities do not create an actual or potential conflict with the employee's responsibilities. Employees will not be treated any differently because of their party or political affiliation or as a result of making or not making any personal political contributions.

Contributions of Company funds, directly or indirectly, or the use of Company assets or facilities for the benefit of officials at any level of government, political parties or political candidates anywhere in the world are prohibited unless approved in advance by the Chief Financial Officer and the General Counsel in accordance with Company procedures. Under no circumstances will the Company reimburse personal political contributions made by employees, representatives or consultants.

Question: *Several of my co-workers and I strongly support a certain political candidate for public office. May we work together to support this candidate?*

Answer: *Of course. Sotera Health encourages participation in the political process, to the extent this is consistent with applicable laws. However, you may not use Company funds, equipment or materials to support the candidate or pressure other employees or subordinates to support the candidate. Do not engage in political activities while you are on the job.*

Government Relations and Lobbying

Sotera Health deals with all government agencies in a direct, open and honest manner. Any contact with government personnel for the purpose of influencing legislation or rule-making, including such activity in connection with any marketing or procurement matter, may be considered lobbying. Some laws define lobbying even more broadly to include our normal marketing activities. Lobbyist

registration laws in the U.S., Canada and in other jurisdictions typically require lobbyists and registrants to disclose their interactions with certain public officials.

Employees are responsible for adhering to all relevant lobbying laws and associated gift laws and policies, and for compliance with all reporting requirements. Prior to engaging in any such activities, employees must consult with the Legal Department and obtain the prior approval of your business unit President to lobby or authorize anyone else (for example, a consultant or agent) to lobby or otherwise engage with government officials on behalf of Sotera Health.

Media Contacts and Public Communications

Employees should not make statements to the media about the Company's business, its prospects or results. All communications, press releases and disclosures concerning Sotera Health with any representative of the media or financial community, including reporters, journalists, authors, commentators, investors, traders and analysts, must be authorized by the Sotera Health Chief Marketing Officer. No media advertisement, Internet home page, electronic bulletin board posting, broadcast email, or any other public representation on behalf of Sotera Health may be issued unless it has first been approved by a member of Senior Management. Only designated social media spokespeople, who are specially trained and authorized, may speak on behalf of Sotera Health in social media forums unless specifically authorized by Executive Management.

Question: *If I receive a call from a reporter who is looking for information about the Company that is within the scope of my job, what should I do?*

Answer: *Calls from the media should be directed to the Chief Marketing Officer.*

Protection of Business Information and Intellectual Property

The Company’s intellectual property, including its patents, trademarks, copyrights, trade secrets, information technology (software and data) and all Company records created or maintained (in both paper and electronic form) are extremely valuable to the Company and its continued success. The loss, theft, unauthorized disclosure or misuse of the Company's intellectual property jeopardizes its business and causes it harm. Sotera Health’s policy is to safeguard the intellectual property and proprietary information of the Company as well as information of third parties in our possession, including information of our customers and suppliers. Unauthorized use or release of non-public Company information or third-party information regarding plans, strategies, costs or prices, pending contracts or unannounced products (among other things) could jeopardize the Company's competitive position, result in violations of securities laws or result in the Company’s violation of confidentiality obligations to third parties.

Employees must take precautions to prevent unauthorized disclosure of confidential information. Accordingly, employees should take steps to ensure that business-related paperwork and documents are produced, copied, transmitted, stored and discarded by means designed to minimize

the risk that unauthorized persons might obtain access to confidential information, consistent with the Company's applicable confidentiality and records retention policies and procedures. Employees should not disclose confidential information in public places (in person, on cellular phones, or in communications or postings on the internet).

Confidential information should only be disseminated to those individuals with a need to know. If you have confidential information about a supplier, customer or other third party, it is important to limit sharing that information to individuals, within and outside the Company, who are authorized and need this information to perform their duties. We have specific policies that may apply. For example, Nordion has adopted a firewall policy requiring that certain sensitive customer information is not shared with Sotera Health's sterilization business, as doing so could violate competition laws and contractual obligations. For more information on Nordion's firewall policy, please refer to the Nordion Protection of Confidential Customer Information (Firewall) Policy, available on Nordion's intranet or on request from the Legal Department.

Anyone who has had access to confidential information must keep it confidential at all times, both while working for Sotera Health and after employment ends for any reason. Of course, nothing in this Code is meant to prohibit employees from engaging in concerted activity where protected by law (including discussing terms and conditions of employment), cooperating in any governmental investigation or reporting a violation of law to any governmental entity.

Question: *I received confidential information of a competitor, through the Sotera Health email system, that was not intended for me and that I believe was sent to me in error. What should I do?*

Answer: *Bring it to the attention of your manager or supervisor and the Legal Department. The Legal Department will advise you based on the nature of the content. In general, it would be appropriate to let the sender of the email know it was sent in error, and then to delete the email.*

Additional Guidance: Refer to specific Sotera Health business unit policies and procedures that provide further information about collection, use and disclosure of confidential information.

You can also contact the Legal Department if you have a question about confidential information and/or documents.

All documents, inventions, writings, records, software codes or applications or other intellectual property and work product created by Company employees in the course of their duties or with Company resources are considered "works for hire" that are Company property (except in those instances where local laws and regulations contain mandatory requirements that differ from the provisions of this Code).

Question: *I have used my work knowledge and acquired understanding of sterilization technologies to develop a software program to improve the efficiency of a sterilization process. I did it on my own time. Do I need to tell the Company about what I have developed?*

Answer: *Yes, regardless of when the software program was developed, you used your acquired work knowledge and understanding of sterilization technologies processes from your job with the Company. Therefore, in accordance with Company policy, you need to tell the Company about the software program and allow the Company to protect its interest or use it if the Company wishes.*

Additional Guidance: If you believe you have created or developed something new and innovative, notify your manager or the Legal Department.

Personal Data

Sotera Health is committed to maintaining the confidentiality of personal information about employees and personal or other information about others, such as customers, suppliers, former customers and product users. We restrict access to this information as appropriate and use it only as necessary for legitimate business purposes and consistent with applicable law. In general, to the extent required by law, any collection of personal information of an individual will not be done without first providing notification of how and why this information will be collected and used further, and when required, obtaining consent from the individual for that use. Any additional uses or disclosures of personal information should not be undertaken without obtaining additional consent or having a legal basis to do so. For more information, please consult the Company's applicable Privacy Policies. Please contact a member of the Legal Department if you have any questions.

Accuracy of Records and Disclosures

Accurate business records are important because they are used for decision-making and strategic planning. Customers, government agencies, regulators, investors and creditors rely upon the integrity of our business records. These records serve as a basis for managing the Company and are important in meeting our obligations. The U.S. Foreign Corrupt Practices Act ("FCPA"), the Canadian Corruption of Foreign Public Officials Act ("CFPOA") and the U.K. Bribery Act 2010, in addition to legislation in other countries, also impose accounting requirements and standards on companies. Sotera Health's business records, including all supporting entries to its books of account, must accurately, honestly and coherently reflect the transactions of the Company in accordance with all applicable requirements. Employees must comply with Sotera Health's system of internal controls and be held accountable for the content thereof.

It is important to use good judgment and common sense when preparing any Sotera Health record. Report facts accurately, honestly and objectively and do not omit facts needed to prevent information from being misleading. Do not make false entries or attempt to hide or fail to record any funds, assets or transactions.

Our Company is committed to maintaining the highest standards of integrity and ethical conduct. Our policy is to provide consistent and effective investigation, reporting and disclosure of any occurrence of fraud or suspected fraud. Sotera Health will not tolerate fraud.

Fraud is defined as the intentional, false representation or concealment of a material fact for the purpose of personal gain or inducing another to act upon it to such person's detriment, including injury or financial loss. Some actions constituting fraud or possible fraud include:

- Forgery or alteration of any document or account belonging to the Company
- Forgery or alteration of a check, bank draft or any other financial document
- Intentionally reporting falsified financial results
- Impropriety in the handling or reporting of money or financial transactions

To help ensure the integrity of its records, Sotera Health requires that you comply with the Company's financial and accounting policies and procedures which, among other things, require that:

- No entry be made in Sotera Health books and records that is intentionally false or misleading;
- All transactions be supported by appropriate documentation;
- Invoices received from our suppliers, contractors and consultants clearly and fairly represent the goods and services received by the Company;
- The terms of sales and other commercial transactions be reflected accurately in the documentation for those transactions and all such documentation be reflected accurately in Company books and records;
- All sales revenue be recorded in accordance with revenue recognition policies;
- No cash, other assets or liabilities be maintained for any purpose in any unrecorded or "off-the-books" fund; and
- Assets and liabilities of the Company be recognized and stated in accordance with Sotera Health's standard practices and generally accepted accounting principles.

Violations of laws associated with accounting and financial practices can result in fines, penalties and imprisonment, and they can lead to a loss of public faith in a company.

If you become aware of any action related to accounting or financial practices or records that you believe may be improper or inaccurate, you must immediately notify the Company, using any of the channels identified in this Code.

Question: *I was reviewing approvals for expense accounts and noticed that an employee has submitted the same receipt for reimbursement multiple times. I know this person is well-respected in the organization and a friend of my manager. What should I do?*

Answer: *This could be a potential case of fraud that should be reviewed. You could discuss this with your manager, or your manager's boss if appropriate, explaining the sensitivity, or contact your Human Resources Representative, Legal Department or the Global Ethics Line.*

Additional Guidance: Please see the Company's anti-corruption and anti-fraud policies on the Company or your business unit's intranet or contact the General Counsel for more information. These policies may also be referred to as policies regarding improper influence of foreign officials.

Records Management

A record should be retained for as long as there is a business need or a legal requirement to preserve the record. We will comply with all applicable statutory, regulatory or contractual requirements, as well as "legal holds" in connection with pending or foreseeable litigation, audits or investigations, and as directed by Company legal counsel. Records will be disposed of in a manner consistent with the degree of confidentiality and sensitivity required by the information within the record. In addition, records relating to U.S. government contracts are subject to stringent record-keeping requirements. Please review the U.S. Government Code of Ethics on the Company's intranet sites for further guidance on these requirements.

For further guidance on records management in general, employees can access your business unit's records retention policy on your intranet site, or contact the Legal Department.

Electronic Media and Communications Systems

All electronic media and communication systems, including email, intranet, Internet access and voice mail, are Company assets and are to be used for appropriate business purposes. Sotera Health and our business units have policies regarding the use of electronic media and communication systems to prevent harm to the Company, such as loss of reputation, reduction of productivity and imposition of monetary penalties. These policies may be accessed on the relevant business unit's intranet.

In accordance with our Company policies and subject to applicable law, Sotera Health may access and control any personal communication or data created or stored on electronic media and communication systems provided by Sotera Health. As the laws regarding access to personal data vary between regions, employees are encouraged to review the Company and business unit data protection and privacy policies applicable to their region for further guidance. Any expectation of privacy is limited when using Company communication systems.

Protection of Company Assets

Each of us is responsible to properly use, protect and safeguard Company property and assets, as well as the property of our customers, suppliers and business partners that is in our possession. This obligation continues even after an individual leaves the employ of Sotera Health.

All employees are expected to ensure the efficient use of Company property for legitimate business purposes. Theft, carelessness and waste have a direct impact on Sotera Health's profitability. Company property, such as computer equipment, cellular devices, office space, furniture, office supplies and products and inventories, should be used only for activities related to employment. Incidental personal use is permitted only to the extent allowed under Company policies.

Integrity Within the Company

Integrity Within the Company

Consistent with our Values, at Sotera Health we value our diverse and passionate people across the globe. We are committed to fostering a productive work environment. We all share in the responsibility for continuing to create a positive work environment, built on teamwork, trust, communication and respect.

Our Company is committed to fair employment practices and fostering a work environment in which all individuals are treated with respect and dignity. We believe that equality of opportunity and fairness of treatment for all individuals are basic human values. Our management practices are based on the principle of recognizing people for their contributions. We seek to provide a work environment where all employees are provided with the opportunity to realize their fullest potential. The most successful Sotera Health employees achieve excellent results by living our Values.

We comply with applicable employment laws wherever we have operations. This includes complying with laws that prohibit employment discrimination and those prohibiting child or forced labor. In addition, employees should refer to the policies applicable to their business unit regarding appropriate workplace conduct, for further guidance.

Equal Opportunity

It is our policy to employ, train, promote and compensate individuals based on merit, job-related qualifications and abilities. Sotera Health is committed to ensure equal employment opportunity without discrimination or harassment on the basis of race, color, national origin, religion, sex, age, sexual orientation, marital status, disability or any other status protected by law.

Diversity

We value the differences among our employees. Individual differences enrich the workplace and improve our ability to attract employees and work with customers and suppliers in today’s global marketplace.

No Harassment

Harassment may take many forms, including sexual or psychological forms, and includes both physical actions and verbal exchanges. It may occur by, or be directed to, an employee or non-employee (such as customers, temporary workers, business partners or visitors) and happen regardless of intent. Harassment can take the form of sexual advances, requests for sexual favors, off-handed remarks or jokes, offensive gestures, visual displays, physical or intimidating conduct, bullying, and threats and demands, among other overt or passive conduct.

We all have a right to work in an environment free from harassment of any kind. Sotera Health is firmly committed to a workplace in which all individuals are free from conduct that creates an intimidating, degrading, humiliating, hostile or offensive work environment. Any kind of

harassment by or against our employees is prohibited. We all have a responsibility to ensure harassment is not tolerated in the workplace.

For further information about anti-harassment policies applicable to your business unit, see your business unit's intranet or contact your Human Resources representative.

***Question**: A person in my work group has a calendar displayed on their cubicle wall that contains swimsuit model pictures. The person does not believe that it is a problem because it is in their cubicle and not in a common area. I have to work with this person on a daily basis and I find it offensive. What should I do?*

***Answer:** Clearly tell the co-worker that you find the calendar offensive and ask that it be removed. Sotera Health considers a calendar with this kind of content inappropriate for our professional work environment. If it is not removed, you should discuss the matter with your manager, Human Resources or an Ethics Representative.*

Labor Laws and Wages

Our Company is committed to following all applicable wage and hour laws and regulations, and other laws regulating the employer-employee relationship and the workplace environment. To help ensure that all work performed for Sotera Health is compensated correctly, those compensated on the basis of hours worked must report and record time accurately in accordance with established local procedure. It is against our policy and may be illegal under federal and state law in the United States and most other countries for the Company or any of its employees or agents to pay or receive anything of value from any labor organization in their roles as representatives of the Company. Company employees may not interfere with or retaliate against another employee who seeks to invoke his or her rights under the laws governing labor and employee relations.

Labor Practices

We are committed to upholding fundamental human rights and believe that all human beings around the world should be treated with dignity, fairness and respect. Our Company will only engage suppliers and contractors who demonstrate a serious commitment to the health and safety of their workers and operate in compliance with human rights laws. Sotera Health does not use or condone the use of slave labor or human trafficking, denounces any degrading treatment of individuals or unsafe working condition, and supports our products being made of materials sourced in a legal and ethical manner. Please refer to our Supplier Code of Business Ethics and Conduct located on the Company's intranet sites for further guidance on the principles we expect our suppliers to uphold.

Drug-Free Workplace

Possession, use, sale or distribution of an illegal drug or illegal controlled substance in the workplace or while conducting Company business off-premises is strictly prohibited. Illegal drugs and controlled substances have an adverse effect on employee performance, jeopardize the safety of co-workers and constitute a risk to the business and interests of the Company. Alcohol use may have an adverse effect on an employee's performance and safety and poses a risk to the business and interests of the Company. Sotera Health reserves the right on reasonable grounds to search items on Company property, including but not limited to offices, desks, computers and lockers at any time, and to perform random drug and alcohol tests, to the extent permitted by local laws.

Company-Authorized Events

Some Company-authorized business or social events may include the consumption of alcohol. Employees have an obligation to monitor and limit consumption of alcohol, ensuring that any consumption is taken responsibly and only in moderation. While attending Company-authorized events, as representatives of our Company, we are all expected to continue to demonstrate our Company Values while upholding our strong reputation and principles.

Environment, Health and Safety

We are committed to respecting the environment, providing our employees with a safe and healthy place to work and striving to safeguard global health in all that we do. As embodied in our Values, Sotera Health believes that the continued protection of our employees, responsible action in our communities and implementation of sound environmental practices are crucial to accomplishing our strategic goals.

Accordingly, the Company commits each one of us to:

- Provide and maintain facilities and operations where health and safety is promoted and hazards are identified and controlled;
- Manage facilities and operations such that their potential impacts on the environment are controlled and minimized;
- Meet or exceed applicable environmental, health and safety ("EHS") requirements;
- Provide appropriate EHS training and education for employees;
- Establish measurable EHS objectives and monitor progress towards their achievement;
- Integrate EHS management into every facet of our business;
- Consider EHS performance in the selection of suppliers, contractors and business partners;
- Monitor and continuously improve EHS performance and our EHS management system; and

- Report workplace injuries, any discharge into the environment or any situation that may present a danger of injury or discharge to Company EHS representatives as required by our standards and policies.

Sotera Health is responsible to our employees to create workplaces where EHS risks are managed and hazards are controlled. We commit to the communities in which we operate, to our customers and to those who rely on our products and services, to meet or exceed all applicable EHS standards. Company personnel are responsible for working safely and within the requirements defined by local or Company-wide EHS programs.

Sound EHS management and performance is the responsibility of each and every one of us at Sotera Health. Individually and collectively, we work together to build exemplary programs and to achieve performance in EHS that serves as a positive example for other organizations in countries where our Company operates.

Additional Guidance: *For more details on the Environment, Health and Safety Program and Policies, see your business unit's intranet. Should you have any questions, you can contact your business unit's EHS team.*

Integrity in Dealing with Customers, Suppliers and Others

Integrity in Dealing with Customers, Suppliers and Others

At Sotera Health, we are honest, reliable and accountable in everything we do. In dealing with our customers, suppliers, partners and other third parties, we uphold the highest standards of ethical and professional conduct. While working hard to meet our customers' needs with the highest quality and care, consistent with our Customer Focus value, we honor our responsibilities as good corporate citizens.

In our dealings with others, including governments, government entities, state-owned enterprises, government officials or any other third parties, we will not engage in bribery or corrupt activities of any kind, and we will respect and comply with all applicable anti-corruption laws and regulations. We make decisions based on merit and expect others to do the same.

Improper Payments, Bribery, Anti-Corruption

Sotera Health expressly prohibits taking part, directly or indirectly, in any form of bribery. This prohibition is absolute and applies at all times and in all countries where the Company conducts business whether or not there are any applicable laws that prohibit such a payment.

We are not allowed to give, receive, promise, offer or authorize a third party to give or receive "Anything of Value" or "Facilitating Payments", as defined below, directly or indirectly, to an official, representative or employee of a current or potential customer, supplier, representative, consultant or government / state-owned enterprise ("SOE") to obtain or retain business or to secure any improper advantage.

Payments of "Anything of Value" include:

- Cash or cash equivalents
- Loans
- Gifts and gratuities
- Services
- Employment offers
- Travel and lodging expenses
- Entertainment
- Political contributions
- Charitable donations
- Subsidies
- Sponsorships
- Honoraria

or anything else of value, for the purpose of exercising improper influence or obtaining improper advantage.

"Facilitating Payments" (also known as "greasing payments") are payments made to an individual (including a government or SOE official), to obtain or expedite performance of an action. In most cases, Facilitating Payments are illegal even if customary and of nominal value. Facilitating payments do not include payments made to a government entity and processed by an official in order to expedite official services as provided by local law, such as a payment made for express service to issue a passport, which service is available to all customers. In any event, even in cases where Facilitating Payments may be permitted under an applicable law, they are never permitted under this Code. Likewise, bribes, kickbacks or other unlawful or improper payments while conducting Company business are strictly prohibited. For example, paying a gratuity to a customs

official to expedite clearance of our products through customs in order to assist our customer is a greasing payment and is prohibited.

Requests for unusual payments (including but not limited to higher than usual commission payments) should be reported to the Legal Department prior to payment. Be on the lookout for complicated schemes. Where concerns arise, contact the Legal Department for guidance. In such cases, further due diligence will likely be required to ensure the legitimacy of all payments and those with whom we do business to ensure they are bona fide and legitimate.

Remember that Sotera Health wins business by offering great products and services at good value and that alone is enough to generate business. Any business that needs to be won by providing unusual gifts or hospitality is business that we do not want and that we should not pursue. Sotera Health should turn down business if we must compromise our Values or breach applicable laws to acquire it.

Government Dealings: The laws, regulations and ethics rules regarding the acquisition of goods and services, the payment of honorarium fees and the offering of gifts or other business courtesies to governmental or SOE customers and government or SOE officials and employees are varied and complex and are typically more stringent than those discussed above. Many governments and SOEs have implemented rules, policies and/or laws which govern ethical behavior in dealings with officials and employees. As we interact with these individuals, it is important not only to continue to act honestly and transparently, but also to be familiar with these ethics rules and laws. For example, for further guidance on interactions with U.S. Government representatives, please refer to the U.S. Government Code of Ethics.

In addition, Sotera Health must follow applicable international anti-bribery laws, including the U.S. Foreign Corrupt Practices Act (FCPA), the U.K. Bribery Act 2010, the Canadian Corruption of Foreign Public Officials Act (CFPOA) and other applicable laws of other jurisdictions of the countries in which we operate. In general, these laws prohibit bribery of foreign government officials, political parties and candidates in order to win or retain business, and require that proper record-keeping and internal accounting controls be observed at all times.

The Company expects all of its subsidiaries, including U.S. and non-U.S. entities, to comply with the FCPA as well as other anti-bribery laws that apply. Prior to making any contractual representations regarding compliance with anti-bribery law, please consult first with the Legal Department.

No gifts, payments of any kind or any item of any value can be made or offered to any government or SOE official or employee without prior written approval of the General Counsel (or the Director of Corporate Compliance for the Nordion business unit). The definition of a “Foreign Official” is broad and may include a broad range of employees in state-controlled sectors of some economies.

Additional Guidance: If you have questions as to whether an activity is restricted or prohibited, please review Company and business unit anti-corruption policies on the intranet. Please consult with the Legal Department before engaging with employees of any government-owned or controlled entity or agency in any jurisdiction.

Sanctions for anti-corruption and anti-bribery violations, or even a mere indictment for a potential violation, are severe and potentially devastating to a company and to the individuals involved. The penalties may include significant fines and/or imprisonment for individuals. Individual officers and employees of companies may be prosecuted even if the company for which they work is not prosecuted.

Engagement of Third Parties: As a global business, Sotera Health may engage third parties to act in a representative capacity on its behalf. Sotera Health strives to select third parties that will conduct business on the Company's behalf in a way that respects and honors our Values. By conducting appropriate due diligence activities prior to engaging a third party, Sotera Health is in a better position to make informed choices about the third parties it will engage.

Because anti-corruption laws provide that Sotera Health may be held responsible for the actions of any third party in the event there is a violation of anti-corruption laws or regulations, it is especially important that Sotera Health exercises care in the selection of its third parties. Before proposing that the Company enter into a relationship with a third party (for example, a supplier or service provider), the responsible business sponsor along with their manager are each responsible for ensuring that the appropriate level of inquiries and checks regarding the third party have been conducted, including making the appropriate reputational, performance, financial and compliance due diligence verifications. Once a third-party relationship has been approved, the business sponsor maintains the ongoing obligation to oversee and monitor the third party's activities to ensure it conducts itself appropriately and does not place the Company at risk in any way.

Additional Guidance: Refer to specific Company policies and related materials for further information on anti-corruption compliance and background due diligence. For example, members of the Nordion business unit may consult the Anti-Corruption page on its intranet or the Director of Corporate Compliance for more information on the Nordion Anti-Corruption Program and those matters listed above.

Business Entertainment and Hosting

Appropriate business hosting or entertainment (e.g., reception, meal, sporting or theatrical event) of business partners, current or prospective, is generally acceptable when clearly intended to strengthen business relationships and facilitate business goals. We must avoid the appearance of

impropriety when hosting or entertaining individuals (or when accepting hosting or entertainment with individuals) who do business or are seeking to do business with the Company. The expenses involved must be moderate, reasonable and in good taste and not otherwise prohibited by law or Company policy. Lavish meals or inappropriate entertainment should always be avoided. During these events, topics of a business nature must be discussed and Company employees must be present. Business entertainment or hosting expenses to be offered (or same received) should be appropriately documented with supporting receipts, and expenses should be submitted in accordance with Company policy for proper accounting and recording.

Refer to applicable Company expense and anti-corruption policies with regard to any necessary reporting, approvals and recording requirements of expenditures for entertainment or hosting of both government officials and employees, and private sector employees. In addition, when dealing with government officials and employees, review the Government Dealings section above, consult your local policies and be aware of local regulations and restrictions that apply to those government officials and employees. If you are dealing with a U.S. Government official or employee, consult the Sotera Health U.S. Government Code of Ethics.

Sometimes business partners extend training and educational opportunities that include attending an event or travel and overnight accommodations at no cost to you or the Company. Accepting these types of invitations at the vendor's expense is generally discouraged. However, occasionally your presence at such an event is important to building a business relationship and may benefit the Company. In those instances, prior to accepting, employees should obtain the written approval of their manager and consult the applicable Company expense and anti-corruption policies for conditions of attendance that apply. For example, where the value of the invitation may be more than moderate or there is uncertainty whether accepting the invitation could create a conflict of interest, prior approval from the Legal Department is required.

Question: *I do not have the time to check all of the invoices and expense reports that come across my desk. Surely, it is the responsibility of the individuals who prepared the documentation and submitted it to me to make sure it is correct. Am I right in my assumption?*

Answer: *No. Each of us is responsible for making sure that all reports and invoices are accurate and filled out correctly. If you are approving an invoice or expense reports, you are responsible for its accuracy.*

Gifts

This section applies to interactions with non-governmental officials and other parties generally. Additional policies may apply, such as the Company's separate Sotera Health U.S. Government Code of Ethics or our anti-corruption policies.

It is the Company's policy to discourage the receipt or giving of gifts by employees, directly or indirectly, from or to individuals who do business or are seeking to do business with the Company.

We may give or receive gifts only in exceptional circumstances. In those limited circumstances, gifts of a nominal value and promotional nature may be given or received where not otherwise prohibited by law or Company policy, on condition that: (1) the gift is reasonably connected to a business purpose; (2) it is legal under local law and in accordance with local business customs; (3) it is permissible under the internal policies of the recipient's organization; (4) the gift is of modest value, meaning small, low or insignificant; (5) it is provided without the expectation of receiving a benefit or advantage in return; (6) it is provided in a transparent manner without the potential for reputational damage to either party; (7) it is limited to the individual recipient of the subject organization and not extended to include the spouse or relative of that individual; and (8) it is not intended to influence a business choice of the recipient. In all cases, proper documentation is required to reflect the primary elements of the transaction, including the recipient/offeror of the gift, the recipient's/offeror's organization and position, as well as the nature of the gift and its value.

Common sense should dictate what would be considered extravagant or excessive. If a disinterested third party would likely believe that the gift influenced the recipient's judgment, then it is too much. All of Sotera Health's business dealings must be on arms-length terms and must not give rise to actual or perceived impropriety.

A gift or receipt of cash (or cash equivalent, such as a pre-paid gift or credit card) to or from an employee of a business partner or family member of such an employee, in connection with a Sotera Health business transaction, is strictly prohibited.

Selection and Use of Third-Party Suppliers and Procurement

As further described in our Supplier Code of Business Ethics and Conduct, we believe in doing business with third-party suppliers that embrace and demonstrate high principles of ethical business behavior. We rely on suppliers, contractors and consultants to help us accomplish our goals. Third-party suppliers are considered part of the Sotera Health team and should be treated according to our values. We offer fair opportunities for prospective third parties to compete for our business. The manner in which we select our suppliers and the character of the suppliers we select reflect on the way we conduct business.

Our procurement decisions are based on total value, which includes quality, suitability, reliability, performance, service, technology, price and delivery. Proper procurement conduct includes:

- Using established Company-wide or regional supply (leveraged) agreements, where available.
- Obtaining competitive bids, where appropriate, when leveraged agreements do not exist.
- Confirming the financial and legal status of the supplier.
- Confirming the quality, environmental, health and safety status of the supplier on a regular basis.
- Ensuring the supplier has the appropriate insurance, licenses, certificates, permits and training in place for the respective goods or services being procured.

- Ensuring that the supplier confirms it has appropriate technical and organizational measures to ensure compliance with applicable data protection laws.
- Confirming that a conflict of interest does not exist between the supplier, our Company and our respective employees.
- Assessing the supplier's level of performance on a regular basis.
- Ensuring that purchase orders and agreements clearly state the services or products to be provided, the basis for earning payments and the applicable rates or fees.
- Ensuring the fee or price paid by Sotera Health represents the value of the goods or services provided.
- Avoiding reciprocal agreements or exchange of favors.
- Ensuring payments are only made to the contractor or company that actually provides the goods or services, and payments must be made in the supplier's home country, where it does business, or where the goods were sold or services provided, unless prior approval is obtained from our Finance and Legal Departments.
- Our Company will not knowingly use suppliers who participate in the following activities:
  - Supplying unsafe products or services;
  - Violating laws or regulations;
  - Using child labor or forced labor; or
  - Using physical punishment to discipline employees, even if it is allowed by local law.

Competing with Integrity

Competition and Fair Dealing

The purpose of competition laws, which may also be known as antitrust, monopoly, fair trade or cartel laws, is to create a level playing field in the marketplace and to promote fair competition. Buyers of products and services should be able to select from a variety of products and services at competitive prices. Sotera Health will vigorously compete in the marketplace with integrity and will comply with competition and antitrust laws in all countries where it conducts business. The Sotera Health goal of offering products and services that are competitive in quality, reliability and price is to be achieved without sacrificing business integrity.

Anyone acting on behalf of Sotera Health will not enter into any agreements, formal or informal, that seek to artificially limit or restrict competition, nor will they exchange competitive information with competitors regarding the marketing, distribution and sale of products and services. Unlawful agreements include those which impose artificial restraints such as price fixing, bid rigging, abuse of dominant position, allocation of customers among competitors, and improper refusal to deal. In addition, agreements which seek to establish resale prices of a product or service, or condition the sale of products/services on an agreement to buy other Company products/services, are often illegal and are not permissible without prior approval from the Legal Department.

These principles apply to our Company operations worldwide. Sotera Health competes in the marketplace solely on the merits of its products and services, on the prices that we charge and on the customer loyalty that we earn. Our goal is to deal fairly with all customers, to retain them as customers and to attract new customers because we provide products and services that customers want at prices they find attractive. Customers who are also our competitors must be treated fairly and not be disadvantaged.

Antitrust and competition laws are complex and vary from country to country. We should avoid situations that may violate the principles of fair competition, as well as situations that violate the law. Communications with competitors can be an area presenting significant risk. In general, the following subjects should not be discussed with competitors:

- Pricing or pricing policies
- Lease rates
- Bids
- Contracts
- Promotions
- Costs
- Profits
- Terms or conditions of sale
- Royalties
- Warranties
- Customer information
- Territorial markets
- Inventories
- Production capacities or plans
- Distribution or selling strategies
- Margins

If you have any questions about what you can discuss at a trade show, trade association meeting, industry regulatory meeting, or other similar forum where you may interact with competitors, please consult with the Legal Department. For trade association meetings, always insist that a written meeting agenda is provided in advance and that proper written minutes are prepared. When participating in any forums with competitors present, employees must take special care not to initiate, participate or even be present during improper discussions concerning the sensitive subjects listed above. Keep an accurate record of any interaction you may have with a competitor.

Never engage in any discussion with a competitor which may have the appearance of impropriety.

For further guidance, please review the antitrust or competition law policy that applies to your business.

***Question**: If I do not talk about specific price levels, can I agree with a competitor not to engage in a price war?*

***Answer:** No. Any agreement between competitors that relates to the prices we or they charge, or that otherwise limits competition, is a violation of fair competition laws, regardless of whether specific prices are a part of the agreement.*

We will use only proper and legal means of gathering marketing and business information concerning competitors. Making false or misleading statements about Sotera Health's competitors is prohibited. Sotera Health does not induce or solicit confidential information from a competitor's past or present employees. For example, employees must refrain from sharing, within or outside the Company, a competitor's sensitive information that may be gathered at trade fairs or professional association meetings. Consult with the Legal Department if you have any concerns about discussions you may have had at a trade association meeting or elsewhere.

***Question:** My partner has a job at a local printing company. One of her jobs was to print pricing sheets for a competitor of Sotera Health and she found some discarded copies in the trash and gave them to me. I would like to give this information to my manager to use. Is there a problem with this?*

***Answer:** Yes, there is. You have come into the possession of the competitor's pricing information as a result of your partner's employment with the printing company. There is nothing to indicate that the competitor has made the information public or does not wish to maintain the confidentiality of the information. You should shred or otherwise properly dispose of this information and you should not use or share it internally.*

Question: *When interviewing people who have worked or are working for a competing company, is it right to take this opportunity to ask for non-public information that Sotera Health would find useful?*

Answer: *Asking a candidate or new employee for potentially sensitive, non-public information about our competitor is NOT consistent with our Code of Conduct and could raise a legal risk to the Company. In addition, when there is a reasonable expectation that a third party has a duty of confidentiality to his or her employer/former employer or a third party, you should not inquire or otherwise elicit information that would cause that person to violate their confidentiality obligation.*

National and state governments enforce competition laws. In addition to reputational damage, violations of these laws could result in serious penalties including very large fines for the Company and fines and prison sentences for individuals. As the application of the antitrust and competition laws to actual situations can be challenging, prior consultation and close coordination with Sotera Health's Legal Department is essential to ensure these laws are complied with and problems avoided. In addition, the Legal Department may issue specific guidance from time to time for certain geographic regions or businesses, as required.

For further guidance, please review the antitrust or competition law policy applicable to your business unit.

Additional Guidance: Please consult with your manager or supervisor or a member of the Legal Department with any questions or to evaluate situations not covered by these guidelines.

Truth in Advertising

It is our responsibility to accurately represent Sotera Health and our products in our marketing, advertising and sales materials. Deliberately misleading messages, omissions of important facts or false claims about our products, individuals, competitors or their products, services or employees, are inconsistent with our values. Sometimes it is necessary to make comparisons between our products and our competitors. When we do, we will make factual and accurate statements that can be easily verified or reasonably relied upon.

Money Laundering Prevention

Sotera Health will conduct business only with reputable customers and suppliers who are involved in legitimate business activities and whose funds are derived from legitimate sources. People who are involved in criminal activity (for example, narcotics trafficking, bribery, fraud) may try to "launder" the proceeds of their crimes to hide them or to make those proceeds appear legitimate.

Sotera Health is committed to complying fully with all applicable anti-money laundering laws throughout the world.

Each Sotera Health business unit is required to implement a "Know Your Customer" procedure and to take reasonable steps to ensure that the Company does not accept forms of payment that have been identified as a means of laundering money.

International Trade Controls

Sotera Health is committed to compliance with applicable laws controlling imports, exports, re-exports and diversion of its products, components, goods, services and technical data, including import and customs laws, export controls, sanctions, denied parties lists, anti-boycott laws and diversion of products and technology. Failure to comply with international trade laws could subject Sotera Health and its employees to civil and criminal penalties, including suspension or denial of trade privileges. Consult with the Legal Department in any transaction in which a conflict arises between U.S. law and the law of another country or region, such as the laws blocking certain U.S. restrictions adopted by Canada, Mexico and the members of the European Union.

The following laws regulate transactions and activities both in the U.S. and elsewhere, and therefore govern the conduct of Sotera Health employees and representatives both within and outside the U.S.:

Imports and Customs: Imports and customs laws, which apply to intracompany as well as third-party transactions, require Sotera Health to determine the correct classification, value and country of origin of all of its imports.

Export Controls, Sanctions and Denied Parties: The U.S., Canada, the E.U. and other countries have imposed sanctions and trade limits that restrict activities and transactions within or involving certain specified countries, their nationals and other designated entities and individuals. These restrictions include prohibitions on interactions with individuals and entities on denied parties lists, such as, identified terrorist organizations or narcotics traffickers, and also cover related activities such as installation and service. Complementing the sanctions laws are export control laws that regulate the export and re-export of goods, services and technology to specified destinations and end-users and for specified purposes. A "deemed export" may occur within the U.S. if export-controlled materials are made available to a non-U.S. person, for example anyone other than a U.S. citizen or permanent resident; other countries, like Canada, apply similar interpretations. In addition, governmental authorization or licenses may be required.

Additional Guidance: You should consult with your trade compliance team or the Legal Department before engaging in any international transaction to ensure your transaction complies with all applicable laws. For example, applicable laws limit transactions with North Korea, Syria, Iran, Russia, Sudan and Cuba. These laws can be complex and change frequently. If you are uncertain whether your transaction meets all legal requirements, contact the Legal Department, which will provide additional guidance from time to time as these laws change.

.

Boycotts: Sotera Health complies with U.S. law that prohibits participation in international boycotts that are not sanctioned by the U.S. government. The scope of these laws is broad and complex, prohibiting for example: (1) agreeing not to do business with certain parties; (2) providing information about business relations with certain parties; and (3) discriminating against, or providing information about, individuals or companies based on race, religion, gender, national origin or nationality. Other countries may also have laws against certain conduct that may result in unlawful discrimination and support for unsanctioned boycott activity.

Diversion: Sotera Health's trade compliance policy prohibits diversion of our products and technologies. Diversion occurs when a transaction party does not honor its representations concerning the transaction trade channel, country, area, region or use for which the purchased goods or provided services or technology will be used or resold. Diversion hampers regulatory compliance by interfering with our ability to track our products, services and technology and to comply with export and other legal requirements.

Taxes, Tariffs and Duties

We respect and comply with the laws related to taxation of Company activities, tariffs and other duties or fees relating to import and export activities in all countries where we operate. We comply with recordkeeping requirements to support trade activities, including free trade agreements, duty drawback, binding classification, valuation and licensing decisions. We take responsibility for reporting and payment of any legitimate taxes related to Sotera Health employment and income.

Compliance with Laws

Compliance with Laws

Many areas of our businesses are subject to extensive governmental regulation throughout the world. It is the policy of Sotera Health to meet or exceed legal requirements in each of the countries in which we do business.

It is the responsibility of all employees to be familiar with the laws and regulations that relate to their duties and to comply with them. Among other things, these include laws and regulations governing employment, environmental matters, competition and anti-corruption, as referred to in this Code and otherwise in our Company policies. Our Legal, Quality, Regulatory, Environmental Health and Safety, Risk Management and other functional departments conduct periodic reviews to help our businesses assess whether they comply with applicable laws and regulations and to take corrective action as required.

Additional Guidance: The Legal Department or any of the other functional departments are available to you for this purpose.

Appendix A - Reporting a Concern

Reporting a Concern

1. Global Ethics Line – International Contact Information

The Global Ethics Line is available 24 hours a day, 7 days a week to every employee worldwide. The Global Ethics Line may be reached toll-free at the numbers below, or you may access the website at www.soterahealth.ethicspoint.com. To find the AT&T Business Access Code for your location, please go to www.soterahealth.ethicspoint.com or http://www.business.att.com/bt/access. The Global Ethics Line is operated by a third-party service provider, NAVEX Global, Inc. Services are provided in the local language.

Global Ethics Line:

Country	Phone Number
Belgium	AT&T Access Code + 866-831-2542
Brazil	0800-892-0784
Canada	1-888-288-1841
China	4006009322
Costa Rica	AT&T Access Code + 866-831-2542
Denmark	AT&T Access Code + 866-831-2542
France	0800-91-8997
Germany	AT&T Access Code + 866-831-2542
Hong Kong	AT&T Access Code + 866-831-2542
Italy	800-792621
Mexico	001-844-372-9087
Thailand	1800-011-615
United Kingdom	0808-234-2692
United States	1-888-288-1841

2. Sotera Health Ethics Representatives

General Counsel – Direct line: +1.440.262.1409

Chief Human Resources Officer – Direct line: +1 440.262.1411

By email: Ethics@soterahealth.com

3. Sotera Health Legal Department

By email: Legal@soterahealth.com

Personal Commitment Acknowledgement of Sotera Health Global Code of Conduct

This page intentionally left blank for external publication

9100 South Hills Blvd, Suite 300
Broadview Heights, OH 44147
soterahealth.com

EXHIBIT H3

Case 1:22-cv-00128-JJM-PAS Document 84-10 Filed 03/21/22 Page 136 of 539

Have a question? C
+1 (800) 472

Codes of Conduct

Global Code of Conduct

We are proud to share with you our Global Code of Conduct, which outlines the principles under which we conduct business. Our Company is committed to operating with the highest level of ethical standards, delivering on our promises, and protecting our assets and reputation in a rapidly changing global environment. This Code is the embodiment of that commitment.

Download Our Global Code of Conduct

Supplier Code of Conduct

Sotera Health, together with its affiliates and business units including Sterigenics, Nordion, and Nelson Labs, committed to meeting the highest of ethical standards. Our suppliers play an important role in helping us to achieve these standards. We have created this Supplier Code of Business Ethics and Conduct to set forth the standards and practices that our suppliers are required to meet, which we will use to evaluate and assess supplier performance on a regular basis.

Download Our Supplier Code of Conduct

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

Sterigenics U.S., LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523
+1 (800) 472-4508

Sterigenics U.S., LLC – A Sotera Health company © 2019 All rights rese

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

EXHIBIT H4

Sotera Health

Supplier Code of Business Ethics and Conduct

Living our values every day

This Supplier Code of Ethics is intended to supplement and not to replace existing Sterigenics, Nordion or Nelson Laboratories Policies and Procedures.

A Message from Michael Petras, CEO

Sotera Health, together with its affiliates and business units including Sterigenics, Nordion and Nelson Labs (collectively, the "Company" or "Sotera Health"), is committed to meeting the highest of ethical standards. These standards are based on our Company Values of People, Customer Focus, Integrity, Safety and Excellence.

Our suppliers play an important role in helping us to achieve these standards. We have created this Supplier Code of Business Ethics and Conduct ("Supplier Code" or "Code") to set forth the standards and practices that our suppliers are required to meet, which we will use to evaluate and assess supplier performance on a regular basis. To learn more about the overarching values and principles we expect our people to adopt while working at Sotera Health, please refer to our Global Code of Conduct available on our Company's internet site.

Our Company has chosen to do business with you as our supplier because of our shared commitment to ethical conduct. While these standards and practices are not an exhaustive list, we expect you, as a supplier to Sotera Health, to uphold these standards. We also expect you, in turn, to apply these standards to your own suppliers and subcontractors who support your work for the Company. Violation of this Code will, at a minimum, result in a review of our business relationship and could lead to termination of that relationship.

The Supplier Code does not replace applicable law. The Company expects its suppliers and third parties to operate in compliance with all applicable laws, rules and regulations in addition to the standards contained in this Supplier Code.

Thank you for your commitment to working with us to achieve these important standards. If you have any questions about this Code, please contact us at Suppliercode@soterahealth.com.

Sincerely,

Michael B. Petras, Jr.
CEO

Table of Contents

A Message from Michael Petras, CEO **1**

1. Our Company Vision, Values and Expectations **3**

2. Anti-Bribery, Gifts and Gratuities **3**

2.1 Bribery and Corruption 3

2.2 Facilitating Payments 3

2.3 Gifts, Hosting and Entertainment 4

2.4 Political Contributions and Lobbying 4

3. Business Integrity and Fair Competition **5**

3.1 Accurate Proposals and Invoices 5

3.2 Company Property 5

3.3 Procurement Integrity 5

3.4 Conflicts of Interest 5

3.5 Competition and Fair Trading Laws 5

3.6 Export Laws 6

4. Respect for the Individual **6**

4.1 Fair Treatment and Harassment 6

4.2 Non-Discrimination 6

4.3 Human Trafficking and Involuntary Labor 6

4.4 Child Labor and Young Workers 7

4.5 Wages, Benefits and Working Hours 7

4.6 Freedom of Association 7

4.7 Health and Safety Standards 7

4.8 Emergency Preparedness 8

4.9 Drug-Free Workplace 8

4.10 Use of Social Media 8

5. Quality **8**

6. Data Privacy; Confidential and Proprietary Information **8**

7. Environment **9**

8. Animal Welfare **9**

9. Subcontractors **9**

10. Identification of Concerns **9**

11. Management Systems **9**

11.1 Commitment and Risk Management 9

11.2 Legal and Customer Requirements 10

12. Compliance Monitoring and Breach of Standards **10**

Conclusion and Acknowledgement 11

Appendix A – Reporting a Concern **12**

1. Global Ethics Line – International Contact Information 12

2. Sotera Health Supply Chain Contact 12

3. Sotera Health Ethics Representatives 13

4. Sotera Health Legal Department 13

1. Our Company Vision, Values and Expectations

At Sotera Health, our vision is to be the leading provider of mission-critical solutions to improve global health. We believe a strong relationship with our suppliers is important to ensure our Company's success. We are committed to operating with the highest level of ethical standards, delivering on our promises and protecting our assets and reputation in a rapidly changing global environment. We expect and trust our suppliers to demonstrate this same commitment in everything they do. Maintaining this trust is critical to fulfilling our Company's vision and requires each of us to act consistent with our Company Values of People, Customer Focus, Integrity, Safety and Excellence.

This Supplier Code of Business Ethics and Conduct (this "Code") was created to communicate our expectations to our suppliers for how they do business with or on behalf of the Company, or to the extent supplier business practices otherwise could impact the Company. This Code applies to any company or individual who supplies goods or services to Sotera Health, in addition to our supplier's suppliers and subcontractors. It is not exhaustive. Suppliers are required to use good judgment, consistent with Company contractual standards and applicable laws, to ensure compliance with unaddressed topics. In certain instances, the Company may also require the supplier and its personnel to acknowledge and abide by the Company's Global Code of Conduct. For additional information regarding our requirements, refer to our Global Code of Conduct available on our Company's internet site.

2. Anti-Bribery, Gifts and Gratuities

2.1 Bribery and Corruption

Suppliers must never directly or indirectly solicit, receive or offer any form of bribe, kickback or other unlawful or improper payment to or from any person or organization, including but not limited to government agencies, government officials, companies or personnel at those companies. No intermediaries used by suppliers, such as agents, representatives, advisors, distributors, freight forwarders or any other business partners, shall be used to commit acts of bribery or corruption. Suppliers must comply with all applicable anti-bribery and anti-corruption laws and regulations that govern operations in the countries in which they do business, including the U.S. Foreign Corrupt Practices Act, the U.K. Bribery Act and Canada's Corruption of Foreign Public Officials Act.

2.2 Facilitating Payments

No facilitating payments shall be made by suppliers either directly or indirectly, regardless of whether or not local law or custom permits them. "Facilitating Payments" (also known as "greasing payments") are payments made to an individual (including a government official), to obtain or expedite performance of an action. This includes payments to an individual intended to expedite or secure performance of routine governmental actions, even in locations where such action may not violate local law. Facilitating Payments do

not include payments made to a government entity directly in order to expedite official services as provided by local law, such as a payment made for express service to issue a passport, which service is available to all customers.

2.3 Gifts, Hosting and Entertainment

Sotera Health competes on the merits of its products and services and discourages the soliciting, offering or receiving of gifts with our suppliers. Suppliers shall not offer to or receive or solicit gifts from a Company employee or third party, in order to obtain or retain business, gain an advantage or to influence a decision with the Company. Gifts may include anything of value, such as cash, loans, prizes, tickets, gift certificates, promotional items, free or reduced-price admission to events, etc.

With the exception of hosting and entertainment with government officials and representatives of state-owned enterprises ("SOE") where specific laws and policies may apply (see below), appropriate business hosting and entertainment (e.g., business reception, meal, sporting or theatrical event) with our suppliers, current or prospective, is generally acceptable when clearly intended to strengthen business relationships and facilitate business goals. Suppliers must not offer or participate in hosting or entertainment activities that may be or may appear to be improper or inappropriate. Any hosting or entertainment must be moderate, reasonable and in good taste and not otherwise prohibited by law or either company's policies. Lavish meals or inappropriate entertainment should always be avoided. During these events, topics of a business nature must be discussed and the supplier representative(s) must be present.

All Sotera Health suppliers are responsible for ensuring that they comply with all applicable laws and regulations relating to any gifts, hosting or entertainment.

Gifting, hosting or entertainment with a supplier that is a government organization, government agency or SOE (or with a supplier that may interact with such government or SOE officials or representatives on behalf of the Company) carries increased compliance risks. These courtesies are usually subject to additional restrictions in accordance with policies and local laws. **It is imperative that our suppliers ensure that any gifts, entertainment or hosting of any value that may be provided in connection with any work performed for our Company is in compliance with applicable policies and local law, and that this compliance is confirmed in advance with our Company management.**

2.4 Political Contributions and Lobbying

If a supplier makes a political contribution or engages in lobbying activities, it must comply with all applicable laws, regulations and industry codes and standards. Suppliers may not make political contributions with the expectation of direct or immediate benefits for the supplier or the Company. Unless otherwise agreed to in writing with the Company, a supplier may not directly or indirectly engage in any lobbying activities on behalf of the Company.

3. Business Integrity and Fair Competition

3.1 Accurate Proposals and Invoices

Suppliers preparing proposals, bids or other materials to support contract negotiations for Sotera Health and its clients must ensure that all statements and representations are accurate and truthful. Suppliers are also required to maintain accurate books and records, including financial records, and submit accurate invoices. Any errors must be promptly corrected. Suppliers must provide the Company with reasonable access to relevant business records and employees to confirm same.

3.2 Company Property

Suppliers shall protect Company assets in its use or possession and shall only use such Company assets for the legitimate business purposes of the Company.

3.3 Procurement Integrity

Suppliers shall comply with all aspects of applicable procurement laws and regulations. For example, suppliers shall comply with the U.S. Procurement Integrity Act[1] when performing work in connection with a procurement by the U.S. federal government. The U.S. Procurement Integrity Act generally prohibits: knowingly obtaining bid, proposal, or source selection information related to a current or future U.S. federal government procurement; disclosing bid, proposal, or source selection information to which one has received access in the course of providing support or advice to a U.S. federal government agency; or engaging in employment discussions with or providing compensation to certain former U.S. government procurement or contract officials.

3.4 Conflicts of Interest

Suppliers shall avoid all conflicts of interest or situations that give the appearance of a potential conflict of interest in their dealings with the Company, such as situations in which the supplier has access to non-public information about a procurement opportunity that would give it an unfair competitive advantage, will be performing work that requires it to review its own work on another project or contract, has a business or family relationship with a Company employee that has not been disclosed to Company management, or where its objectivity will be otherwise impaired.

3.5 Competition and Fair Trading Laws

Suppliers must comply with all antitrust, competition and fair trading laws wherever they do business. This includes avoiding entering into agreements that unlawfully restrain competition, improperly exchanging competitive information, price fixing, bid rigging, or improper market allocation.

[1] 41 U.S.C. §§ 2101-2107.

3.6 Export Laws

Suppliers who conduct work on behalf of the Company across national borders must understand and comply with all applicable export laws and regulations. As a U.S.-owned company, Sotera Health expects its suppliers to source materials or services only from countries or persons with whom U.S. persons can do business. Sotera Health operates in many other countries as well, and expects its suppliers also to meet the requirements of the laws where the Company's operations are located, in addition to U.S. laws. If a supplier requires more information regarding these requirements, please connect with your Company contact.

4. Respect for the Individual

Suppliers are required to follow all general workplace standards, including health and safety, environmental and labor standards. This commitment establishes and ensures a safe working environment for all employees.

4.1 Fair Treatment and Harassment

Workers have a right to be treated fairly and to be in a workplace free of harassment. Suppliers must treat people with dignity and protect human rights as described in the United Nations Universal Declaration of Human Rights. Suppliers must not tolerate any form of harassment, including but not limited to physical, verbal, psychological and sexual harassment, physical violence or threats, harsh or inhumane treatment, corporal punishment, mental coercion, verbal abuse or sexual abuse.

4.2 Non-Discrimination

Suppliers must provide a workplace free of unlawful discrimination. Discrimination for reasons such as race, color, religion, creed, age, sex, gender, gender identity or expression, sexual orientation, nationality, social or ethnic origin, family status, marital status, pregnancy, disability, political affiliation or union membership is prohibited to the fullest extent of applicable law.

4.3 Human Trafficking and Involuntary Labor

The Company expects its suppliers to respect human rights. Human trafficking in any form is strictly prohibited by the Company, as well as by the U.S. Government, the Canadian government, the U.K. Government, and the European Union. Workers must be free to terminate their employment with reasonable notice. Suppliers may not use forced, bonded, compulsory, indentured, or involuntary labor; procure commercial sex acts; deny access to identity or immigration documents; charge recruitment fees to employees; charge excessive "deposits" for tools, training, or personal protective equipment necessary for employees to carry out their jobs safely; use misleading or fraudulent recruitment practices; violate the labor laws of the country in which recruiting or the work takes place; provide housing that does not comply with the housing standards of the

country in which the work occurs; or fail to provide required work documents. Action will be taken against suppliers that violate this policy, including, but not limited to, termination of the supplier agreement.

Suppliers and their employees have a duty to report human trafficking violations using any appropriate disclosure channel, including but not limited to Sotera Health's Global Ethics Line (see contact information in Appendix A of this Code), and for supply related to U.S. government procurements, the U.S. Government's Global Human Trafficking Hotline (844-888-FREE, help@befree.org). Suppliers are obligated to become aware of and comply with all applicable laws and directives on this subject in the jurisdictions in which they operate, including U.S. government anti-trafficking regulations[2] (where supply is related to a U.S. Government procurement), the U.K. Modern Slavery Act 2015[3] and the European Union's Directive on Trafficking in Human Beings.[4]

4.4 Child Labor and Young Workers

Suppliers may not use child labor. Suppliers may not employ children below the local legal minimum working age. The employment of young workers who have reached the legal minimum working age, but who are below the age of 18, must only occur in non-hazardous work. Suppliers may participate in legitimate workplace apprenticeship programs that comply with applicable laws and regulations. To ensure compliance, suppliers must keep a record of its employees' ages.

4.5 Wages, Benefits and Working Hours

Suppliers must pay workers in accordance with all applicable wage and hour laws and regulations, including minimum wages, overtime hours and mandated benefits. Suppliers must communicate in a timely manner with workers regarding the basis upon which they will be paid. Suppliers must also communicate with the worker whether overtime is required and the wages to be paid for such overtime.

4.6 Freedom of Association

Suppliers must respect the rights of workers, as set forth in local laws and regulations, to freely join or not join labor unions, seek representation and join workers' councils. Workers must be able to communicate openly with management regarding working conditions without threat of reprisal, intimidation or harassment.

4.7 Health and Safety Standards

Suppliers must comply with all applicable health and safety laws, provide a safe, healthy working environment and take the necessary precautions to protect workers and visitors

[2] Federal Acquisition Regulation 52.222-50.
[3] See http://www.legislation.gov.uk/ukpga/2015/30/contents/enacted for more information about the Modern Slavery Act 2015.
[4] Directive 2011/36/EU.

from workplace injuries, on-site accidents and occupational disease. Suppliers must have systems and processes in place to protect workers from exposure to chemical, biological and physical hazards (including physically demanding tasks) in the workplace and in company-provided living quarters. To help ensure safety, suppliers must provide employees with the necessary training and protective equipment. Suppliers must maintain records documenting workplace injuries and health and safety trainings. Suppliers must continually assess safety in performing work or providing goods to the Company, to support fully the Company's safe operation of its facilities, the integrity of Company services and the safety of Company products.

4.8 Emergency Preparedness

Suppliers must develop and distribute appropriate emergency plans across their facilities, and must develop appropriate business continuity plans.

4.9 Drug-Free Workplace

Suppliers must maintain a workplace free from the illegal use, sale or distribution of controlled substances.

4.10 Use of Social Media

Suppliers must not use social media in a disrespectful or unprofessional manner, such as by posting content that relates to the Company, its business, its clients, its business partners or its employees that is abusive, malicious, obscene, threatening or intimidating, or that contains derogatory statements based on ethnic, religious, gender or other protected status.

5. Quality

Our Company operates in highly regulated sectors and has rigorous quality standards which we require our suppliers to follow. This ensures our services and products not only meet all of the regulatory requirements, but also our own Company standards.

6. Data Privacy; Confidential and Proprietary Information

Suppliers must protect personal privacy and comply with applicable privacy and data protection laws to ensure that Company, worker and any applicable third-party privacy, data and intellectual property rights are protected. Suppliers must implement appropriate data privacy and security measures in processing personal information of individuals. Suppliers must ensure they have adequate procedures and safeguards in regards to cross-border transmissions of data.

Suppliers must secure the Company's confidential and proprietary information and data, including its intellectual property, against unauthorized or unlawful loss, destruction, alteration, disclosure, use or access. Suppliers must not use Company names or

trademarks or state that the Company endorses any activity or product without the prior written consent of the Company.

7. Environment

We expect our suppliers to conserve natural resources, protect the environment, manage environmental risks, improve social responsibility and develop sustainability programs.

At a minimum, the Company expects its suppliers to comply with all applicable environmental laws and regulations, including those pertaining to waste management, recycling and emissions. Suppliers must also obtain and comply with the terms of all required environmental permits, licenses and information registrations.

To promote a sustainable environment, suppliers should also strive to reduce their resource consumption and use, including implementing improvement plans for waste reduction, recycling and energy conservation policies.

8. Animal Welfare

Our Company expects our suppliers to conduct research and testing on animals only where necessary and reasonably justified on the basis of scientific, regulatory or commercial considerations. When such is required, suppliers must ensure that the animals are treated humanely, with efforts to minimize harm to the animals. Suppliers must comply with all business conduct, industry, regulatory, and health and safety guidelines or regulations established by the Company, applicable governmental authorities or industry associations. Suppliers must also obtain and comply with the terms of all required permits and licenses governing animal welfare.

9. Subcontractors

Our Company must be informed of all subcontractors engaged by suppliers to provide goods or services to the Company. Suppliers are required to ensure their subcontractors receive this Code and abide by its standards.

10. Identification of Concerns

All of suppliers' workers should be encouraged to report concerns or illegal activities in the workplace, without threat of reprisal, intimidation or harassment. Suppliers must investigate and take corrective action if needed.

11. Management Systems

11.1 Commitment and Risk Management

Suppliers must demonstrate a commitment to the standards described in this document by allocating appropriate resources to complying with them. Suppliers must have mechanisms to determine and manage risks in all areas addressed in this document and

must maintain records to demonstrate their compliance. Suppliers must ensure their employees take any necessary training to comply with this Code.

11.2 Legal and Customer Requirements

Suppliers must identify and comply with all applicable laws, regulations, standards and contract requirements in connection with their work for the Company.

12. Compliance Monitoring and Breach of Standards

The Company may verify the compliance of its suppliers, as well as suppliers' suppliers and subcontractors, with this Code through a supplier self-evaluation, site visit, and/or audit by the Company or an agent of the Company. If permission to conduct a site visit or audit is denied, the Company may terminate the supplier and its agreement with the Company.

Compliance with the standards set forth in this Code is among the criteria that are taken into consideration in the Company's supplier selection process. Suppliers must promptly report to the Company any known breach of this Code. Sotera Health reserves the right to terminate the business relationship with the supplier for its failure (or failure by its suppliers or subcontractors) to comply with these standards or with applicable laws, regulations or contract requirements, which also may give rise to other liability of supplier. The Company does not tolerate retaliation of any kind from a supplier against individuals who, in good faith, raise questions, report concerns or participate in investigations of suspected unethical conduct.

If a supplier is seeking advice on or knows of, or suspects, any violation of this Code, the supplier should either speak to their contact person on our supply chain management team, contact us at Suppliercode@soterahealth.com or report the concern through the Sotera Health Global Ethics Line or other contact resources listed in Appendix A.

Conclusion and Acknowledgement

This Sotera Health Supplier Code of Business Ethics and Conduct is not intended to conflict with any existing purchase order or contract and does not replace applicable law.

By signing below, the supplier acknowledges that it understands and agrees to comply with this Code. Any violations of this Code may be cause for the termination of the supplier's relationship with Sotera Health. Upon request by the Company, suppliers will re-certify that they understand and agree to comply with this Code.

_____

Authorized Representative – Printed Name and Position/Title

_____

Signature

_____

Supplier Name

_____

Date

Appendix A – Reporting a Concern

1. Global Ethics Line – International Contact Information

The Global Ethics Line is available 24 hours a day, 7 days a week to our suppliers worldwide. The Global Ethics Line may be reached toll-free at the numbers below, or you may access the website at www.soterahealth.ethicspoint.com. To find the AT&T Business Access Code for your location, please go to www.soterahealth.ethicspoint.com or www.business.att.com/bt/access. The Global Ethics Line is operated by a third-party service provider, NAVEX Global, Inc. Services are provided in the local language.

Global Ethics Line:

Country	Phone Number
Belgium	AT&T Access Code + 866-831-2542
Brazil	0800-892-0784
Canada	1-888-288-1841
China	4006009322
Costa Rica	AT&T Access Code + 866-831-2542
Denmark	AT&T Access Code + 866-831-2542
France	0800-91-8997
Germany	AT&T Access Code + 866-831-2542
Hong Kong	AT&T Access Code + 866-831-2542
Italy	800-792621
Mexico	001-844-372-9087
Thailand	1800-011-615
United Kingdom	0808-234-2692
United States	1-888-288-1841

2. Sotera Health Supply Chain Contact

(i) Your Sotera Health supply chain representative, or

(ii) By email: Suppliercode@soterahealth.com

3. Sotera Health Ethics Representatives

General Counsel – Direct line: +1.440.262.1409

Chief Human Resources Officer – Direct line: +1 440.262.1411

By email: Ethics@soterahealth.com

4. Sotera Health Legal Department

By email: Legal@soterahealth.com

9100 South Hills Blvd, Suite 300
Broadview Heights, OH 44147
soterahealth.com

EXHIBIT I

Sotera Health

Sotera Health's Sterigenics Announces Acquisition of Iotron Industries

Additional Electron Beam capacity enhances Sterigenics' global leadership in sterilization solutions

CLEVELAND, Ohio – August 3, 2020 – Sotera Health, the world's leading, fully integrated protector of global health, announced today that it has acquired Canadian-based Iotron Industries. The acquisition expands the company's electron beam (EBeam) footprint and adds new expertise to its Sterigenics business. Iotron Industries is a leading outsourced provider of EBeam sterilization in North America.

With facilities in Columbia City (Indiana), Port Coquitlam (British Columbia), and Edmonton (Alberta), Iotron Industries has an outstanding reputation for customer service, technical expertise and quality performance. Iotron is well regarded for its proprietary IMPELA® accelerators, which provide high powered EBeam processing for the sterilization of medical devices and a wide range of industrial applications.

"Iotron Industries is a well-respected provider of electron beam sterilization known for its strong customer relationships and the expertise of its employees," said Michael B. Petras Jr., CEO of Sotera Health. "While this acquisition expands our overall sterilization footprint, it also enhances our EBeam capabilities and the strength of our offering to the market. We welcome Iotron's management and strong team as they join our mission of Safeguarding Global Health®."

"I am exceedingly proud of the thriving business and expert team that we have built together at Iotron, and we all look forward to accelerating our growth as part of a global leader," said Tino Pereira, President and CEO of Iotron Industries." Iotron and Sotera Health share common values around safety, customer focus, integrity, people and a commitment to excellence. We look forward to a brighter future together."

The addition of Iotron will complement Sotera Health's Sterigenics business and enhance Sterigenics' existing global, technology-agnostic sterilization platform.

###

About Sotera Health: Sotera Health, along with its business entities, is the world's leading, fully integrated protector of global health. With over 500 years of combined scientific expertise, the company ensures the safety of healthcare by providing mission-critical services to the medical device, pharmaceutical, tissue and food industries.

Sotera Health operates 61 facilities in 13 countries. The company has over 2,600 employees globally and touches the lives of more than 180 million people around the world each year. Sotera Health serves more than 5,000 customers worldwide, including 75 of the top 100 medical device manufacturers.

Sotera Health goes to market through its three best-in-class companies – Nelson Labs®, Nordion® and Sterigenics® – with the mission of ensuring the safety of health care each and every day. Nelson Labs offers microbiological and analytical testing and expert advisory services to assist customers in developing and maintaining sterilization solutions in medical devices, tissue/implantable products, and the pharmaceutical and biologics fields. Nordion is the world's largest provider of Cobalt-60 used in the gamma sterilization process, and Sterigenics provides comprehensive contract sterilization and ionization solutions for the medical device, pharmaceutical, food safety and high-performance materials industries.

Sotera Health Holdings, LLC is owned by private equity firms Warburg Pincus and GTCR. Learn more about **Sotera Health** at soterahealth.com, **Nelson Labs** at nelsonlabs.com, **Nordion** at nordion.com and **Sterigenics** at sterigenics.com.

About Sterigenics: Sterigenics, is a global leader in comprehensive sterilization solutions and advisory services. Sterigenics has over 1600 engineers, scientists and safety specialists with deep expertise across Gamma, EtO, NO2, E-Beam and X-Ray sterilization. With operations that span 45 facilities in 13 countries, Sterigenics is the "point of safe" for customers. Sterigenics is committed to Safeguarding Global Health® – with every product they sterilize.

About Iotron Industries:

Iotron Industries Canada/USA Inc. are leaders in Electron Beam processing services and equipment, with locations in Indiana, USA and British Columbia and Edmonton, Canada. Iotron's IMPELA® Electron Beam Accelerators harness technology to modify the physical, chemical, molecular and biological properties of materials and products, improving their usefulness and enhancing their value. Iotron has supplied quality service to a diverse array of customers for more than 20 years. To learn more, visit www.iotron.com.

###

Media Contacts

SOTERA HEALTH:

Kristin Gibbs
Chief Marketing Officer
kgibbs@soterahealth.com

IOTRON INDUSTRIES:

Sara Padidar
Talk Shop
sara@talkshopmedia.com

EXHIBIT J1

Case 1:22-cv-00128-JMA-CLP Document 84-40 Filed 03/21/22 Page 1 of 19 PageID #: 1559

Privacy

Privacy Policy

Last Modified: July 16, 2018

Sotera Health LLC, with its global headquarters located at 9100 South Hills Boulevard, Suite

Our Values

SAFETY

We are uncompromising in our

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 160 of 539

300 Broadview Heights, Ohio 44147, United States of America, and its affiliates (hereafter, together and individually: "O ", " ", " " or " ") are committed to protecting and respecting your privacy. This Privacy Policy ("L ") describes how we gather and use your information. This Policy applies to the information we collect, or you provide, through any of Sotera Health's digital resources (for example, via our websites, applications, email correspondence, marketing materials, and other online or downloadable tools) (collectively, " ") that reference or display a link to this Policy. By using websites and other online resources that reference or display a link to this Policy, you are accepting and agreeing to the practices described herein.

This Privacy Policy is supported by our Cookie Policy, which describes the way our websites and other online resources use cookies.

The companies of Sotera Health operate websites and provide online resources to provide you with information about their

commitment to health and well-being.

CUSTOMER FOCUS

We are driven to fulfill our customers' needs with the highest quality and care.

PEOPLE

We value our people who are part of a global team that is diverse, respectful, passionate and collaborative.

INTEGRITY

We are honest, reliable and accountable in

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 161 of 539

business and the products and services they offer. Some of the online resources we offer are in collaboration with third-party service providers. Our relationships with these service providers are governed by agreements that require your information to be processed and held securely. There are three ways in which we gather information:

- : We collect information that you give us by filling in forms or data fields on our websites, or by corresponding with us by phone, email or otherwise. This includes information you provide to us when you complete a contact form, register on our website, or subscribe to Sotera Health communications. The information you give us may include your name, date of birth, contact information (postal address, email address, phone number), professional credentials, function, and contact preferences. To the extent necessary to process a payment, you may also give us certain of your financial information, including credit card information, bank details, tax data, or information regarding credit history.

- : When you

everything we do.

EXCELLENCE

We exceed the expectations of our stakeholders and continue to improve and innovate in everything we do.

visit our websites or otherwise use Sotera Health online resources, we (or a third-party designated by us) may collect information about the computer or electronic device you are using. Information we collect may include the following:

- technical information, including the Internet Protocol (IP) address used to connect your computer to the internet, browser type and version, time zone setting, browser plug-in types and versions, operating system and platform;

- information provided by tracking technologies, such as cookies, single-pixel tags, local share objects (Flash), local storage, Etags and scripts.

- information about your visit, including the full Uniform Resource Locators (URL), clickstream to, through and from our website (including date and time), the products or services you viewed or searched for, page response times, download errors, length of visits to certain pages, page interaction information (such as scrolling, clicks, and mouse-overs), methods used to browse away from

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 163 of 539

the page and any phone number used to call our customer service number;

- if you use a mobile device to access our website or online resources, we may collect information about your device, including your device ID and device type, as well as usage information about your device and your use of our mobile websites and other mobile resources.

- This is information we receive about you from public sources, including trade and business registers or directories, trade fairs, exhibitions, and news or internet sources. We engage third-party service providers who provide us with technical services, including related to payment processing, data analytics, and advertising, from whom we receive and process information about you. We may also receive information about you from business associations, credit agencies, and insurance companies.

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 164 of 539

R

We use information we hold about you only for permitted purposes, in accordance with applicable national or local data protection laws and applicable provisions of the European General Data Protection Regulation (“ L ”).

- :
  - to carry out our obligations arising from any contracts entered in to between you and us and to provide you with the information, goods and services that you request from us;
  - to provide you with information about other goods or services we offer that are similar to those that you have already used or inquired about;
  - to provide you with information about goods or services we believe may interest you;
  - to provide you with the possibility to pay online for the goods or services you have requested from us;

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 165 of 539

- to review and assess your job application;

- to notify you about changes to our products or services, or changes to regulatory requirements that may affect our products or services or your use of them; and

- to ensure that the content from our website is presented in the most effective manner for you and for your computer or device.

- : We (or a third party designated by us) use this information as follows:
  - to improve our website and ensure that content is presented in the most effective manner for you and your computer or device;

  - to measure or understand the effectiveness of advertising we deliver to you and others, and to deliver relevant advertising to you; and

  - to make suggestions and recommendations to you and other

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 166 of 539

users of our website about goods or services that may interest you or them.

- Sometimes we combine the information given to us by you with the information we have collected and the information we have from other sources. We use this information, including the combined information, for the following purposes:
  - to measure or understand the effectiveness of advertising we deliver to you and others, and to deliver relevant advertising to you; and,
  - to make suggestions and recommendations to you and other users of our website about goods or services that may interest you or them.

We process your information on the following legal bases:

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 167 of 539

- If it is necessary for pursuit of, or to safeguard, the legitimate interests of Sotera Health, provided that these interests are not overridden by your fundamental rights and freedoms. For example, we use your information to better personalize our product and service offerings, to provide improved customer service, to prevent fraud, and to secure our website.

- If it is necessary to fulfill our contractual obligations. The extent and purpose of our use of your information depends on the contract that we have concluded.

- If it is required to comply with our legal obligations. These obligations may arise from applicable provisions of national or European laws or regulations, including regarding commerce, trade, and tax.

- If you consent to our use of your information. If you have given us your prior express consent we will use your information for business purposes in a manner consistent with the scope of that consent.

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 168 of 539

If permitted pursuant to our contractual obligations with you, we may share your information with other entities in the Sotera Health group of companies. We make your information available to our affiliates as necessary to fulfil legal and contractual obligations. For example, where permitted, we share your information with our affiliates to facilitate the provision of centralized supplier or customer management services, centralized IT services, and internal finance and accounting shared services. If permitted, we may also share your information with other Sotera Health affiliates so that they may offer you products or services complementary to those you already receive from us.

We work closely with third-party service providers to fulfil certain of our contractual and legal obligations as well. Typical examples of this include the hosting of IT infrastructure, certain payment processing services, and logistics and delivery. You agree that we have the right to share your information with those third-party service providers used to support our business, including:

Case 1:22-cv-00128-UNA Document 84-10 Filed 03/21/22 Page 169 of 539

- Providers of marketing related services and solutions;
- Providers of legal and compliance services and solutions;
- Providers of whistleblowing services;
- Public authorities and national administrations;
- Providers of auditing services;
- Providers of IT related services and solutions;
- Providers of banking services and solutions;
- Providers of online payment services.

We will also disclose your information to third parties:

- In the event we sell or buy any business or assets, in which case we may disclose your information to the prospective seller or buyer of such business or assets;

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 170 of 539

- If Sotera Health or substantially all of its assets are acquired by a third party, in which case information held by it about its customers may be one of the transferred assets;

- If we are under a duty to disclose or share your information in order to comply with any legal obligation or to protect the rights, property, or safety of Sotera Health, our customers, or others. This includes exchanging information with public authorities (including judicial and police authorities) in the event of, for example, a cyber security incident;

- If appropriate to achieve any of the purposes set out in Section 2 of this Privacy Policy.

P

If you are based in the European Union, we may transfer your information to a destination outside the European Economic Area (“ ”), which might include transfers to Canada and the United States of America. Such transfers can be performed, if appropriate to (i) achieve

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 171 of 539

any of the purposes set out in Section 2, or (ii) disclose your information to a third party, in accordance with Section 3.

If we transfer information originating in the EEA to a destination outside the EEA, we will make sure that such information is protected by the following safeguards:

- The laws of the country to which the information is transferred ensure an adequate level of data protection (Article 45, GDPR));
- The transfer is subject to data protection clauses approved by the European Commission (Article 46.2, GDPR) or is subject to the EU-US Privacy Shield; or
- The transfer is based on Binding Corporate Rules (Article 47, GDPR); an approved Code of Conduct (Article 40, GDPR); an approved certification mechanism (Article 42, GDPR); an approved data transfer agreement (Article 46.3, GDPR).

If you wish to receive more information relating to the transfers of such information

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 172 of 539

originating from the EEA or the safeguards that have been implemented (including on how to receive a copy thereof), you can contact us as set out in Section 11, below.

If you are of resident of the European Union, you have certain rights regarding the personal information we hold about you.

- You have the right to access this information – we want you to be aware of the information we have about you and enable you to verify whether we process your information in accordance with applicable data protection laws and regulations.

- You have the right, under certain circumstances, to block or restrict our further use of your information.

- If your information is inaccurate or incomplete, you have the right to request rectification of your information.

- You have the right, under certain circumstances, to request deletion or

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 173 of 539

removal of your information from our systems.

- If our processing of your personal information is based specifically on your consent, you have the right to withdraw that consent at any time.

- You have the right to obtain from us, under certain circumstances, your information in a structured, commonly used and machine-readable format so you can reuse it for your own purposes across different services.

- You have the right to object to certain types of processing, including processing for direct marketing purposes.

- If you are unsatisfied with our handling of your personal information, you also have the right to lodge a complaint with your national data protection authority.

If you would like to exercise or discuss any of these rights please contact us as set forth in Section 11, below.

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 174 of 539

O

We have implemented a number of security features throughout our website in order to prevent the unauthorized release of, or access to, information we collect and receive from you. While we endeavor to create a website that is always secure and reliable, we cannot guarantee the confidentiality of communications or materials transmitted to or from us (or to or from any other party), via the Sotera Health website or other online resources. We accept no responsibility and are in no way liable for the security of the information transmitted via our website or other online resources.

We do not keep your information longer than necessary to achieve the purposes stated in this Privacy Policy, unless we are required to do so to comply with applicable legal obligations, including laws and regulations related to the maintenance of commercial and tax documentation and evidence. The retention

Case 1:22-cv-00128-JMC Document 84-10 Filed 03/21/22 Page 175 of 539

period for your information is determined based on several criteria, including:

- Time elapsed since your last interaction with us
- End of your contractual relationship with us
- Sensitivity of the information or personal data
- Security reasons
- Applicable statutes of limitation
- Ongoing or potential litigation or dispute (e.g., we need this information to establish or defend legal claims)
- Applicable regulatory or legal obligations

Our online resources may, from time to time, contain links to third-party websites. If you access a third-party website by clicking on a hyperlink, or advertisement incorporating a hyperlink, consult the privacy policies of those

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 176 of 539

websites before you submit information to them. Sotera Health is not responsible for the privacy practices of third-party websites.

R

D L

L

By using Sotera Health websites or other online resources, you acknowledge that you have read the terms of this Privacy Policy and you agree with the collection and the use of your information as set out above.

We may amend this Policy from time to time. Changes we make to the Policy in the future will be posted on this page and, where appropriate, notified to you by email. Please check back frequently to see any updates or changes to the Policy. Your continued use of our websites and online resources following the posting of changes to this Policy will indicate your acceptance of the Policy changes.

Case 1:22-cv-00128-JMA-CLP Document 84-10 Filed 03/21/22 Page 177 of 539

Questions, comments and requests regarding the Privacy Policy must be addressed to our General Counsel at legal@soterahealth.com. Be sure to include "Privacy Policy" in the subject line of your email, and include as an attachment a copy of your identity card or other proof of identity (e.g., driver's license), which will help us prevent unauthorized individuals from accessing, changing or deleting your information.

9100 South Hills Blvd, Suite 300
Broadview Heights, OH 44147

EXHIBIT J2

Case 1:22-cv-00128-JJM-PAS Document 84-10 Filed 03/21/22 Page 179 of 539

About Us

About Sotera Health

Sotera Health brings together Sterigenics, Nelson Labs and Nordion, each of which are established, highly reputable players in the global health arena. Working as a team, Sotera

Our Values

SAFETY

We are uncompromising in our

Case 1:22-cv-00128-JJM-PAS Document 84-10 Filed 03/21/22 Page 130 of 539

Health and its companies have one common goal: Safeguarding Global Health™. With these three companies operating together, Sotera Health, formerly Sterigenics International, leverages more than 500 combined years of scientific expertise to ensure safety across the medical device, pharma, tissue and food industries. With over 2,800 employees globally, including more than 350 scientists, the company operates 63 facilities worldwide across 13 countries. Our purpose is bigger than the products and services we provide. We ensure that health care around the world is consistently and reliably safe every day. Our purpose, our conduct, and our values are at the heart of our commitment to employee safety, environmental responsibility, and sustainability principles. Download Our Sustainability Report

Our History

The Sotera Health name is new, but our track record for reliability and safety in global health is well established. Formed in 2017 as the parent company for Nelson Labs, Nordion and Sterigenics, Sotera Health is the leader in protecting global health thanks to the longstanding reputation for quality across each of its companies. In aggregate, Sotera Health

commitment to health and well-being.

CUSTOMER FOCUS

We are driven to fulfill our customers' needs with the highest quality and care.

PEOPLE

We value our people who are part of a global team that is diverse, respectful, passionate and collaborative.

INTEGRITY

We are honest, reliable and accountable in

has over 185 years of combined industry leadership. Sterigenics has provided safe sterilization services since the 1930s. Nordion has established expertise in gamma technologies and medical isotopes since 1946. Nelson Labs has provided expert lab testing since 1985. Our most recent addition to the Sotera Health family, Toxikon Europe, has established a leading extractables and leachables testing platform since 1990. An impressive history that points to an even brighter future.

everything we do.

EXCELLENCE

We exceed the expectations of our stakeholders and continue to improve and innovate in everything we do.

9100 South Hills Blvd, Suite 300
Broadview Heights, OH 44147

EXHIBIT J4

TECHNOLOGIES

Ethylene Oxide Sterilization

Gamma Irradiation

Electron Beam Irradiation

Noxilizer (NO_2 Sterilizer)



Based on a gas diffusion process, Ethylene Oxide (EO or ETO) is capable of sterilizing and rendering products free of viable microorganisms. Sterility occurs when an EO gas molecule reacts with and destroys the microbial DNA. The process requires the simultaneous control of four variables, but interdependent parameters: gas concentration, temperature, relative humidity, and time of exposure. EO sterilization effectiveness depends on its ability to freely diffuse through a product and packaging. All products must be placed in breathable packaging that allows gas to penetrate the sterile barrier and reach all surfaces of the device or product.

Key Benefits

The EO process delivers a wide variety of sterilization benefits including:

- **Sterilization at Low Temperatur**
  Ensures the integrity of both the product and packaging
- **Product Compatibility**
  Effectively sterilizes a broad rang of polymers, resins, natural materials, and metals as well as dual drug-device combination products that require external contact surface sterilization
- **Sterility Assurance and Treatment Efficacy**
  Consistently meets product and regulatory requirements

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press "I Agree", or continue to use our site, which will be considered consent.

I Agree Cookie policy

Case 1:22-cv-00128-JJM-PAS Document 84-10 Filed 03/21/22 Page 134 of 539

Best Suited For

EO is considered the sterilization method with the broadest application available for medical products and medical devices due to its effectiveness at lower temperatures and its general compatibility with a diversity of materials, resins, and product types, including:

- Polymer resin-based products
- Single-use medical devices
- Procedure kits
- Surgical trays
- Synthetic gowns
- External terminal sterilization of sealed combination drug-devices (filled syringes, drug-coated stents)

- **Flexibility and Versatility**
  Effectively sterilizes a wide range of products with different variations in dose requirements, densities, and packaging/box size
- **Parametric Release**
  Allows for the release of product directly after processing which results in fast turn times to help get product to market rapidly

General guide to Ethylene Oxide Sterilization

Download Brochure

Stored energy device safety assessment checklist and overview

Download Brochure

Contact Us To Get Your Project Started

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press “I Agree”, or continue to use our site, which will be considered consent.

Contact Us

I Agree Cookie policy

or give us a call +1 (800) 472-4508

Sterigenics U.S., LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523
+1 (800) 472-4508

Sterigenics U.S., LLC – A Sotera Health company © 2019 All rights rese

We use cookies to improve your site experience, assess usage of the site, and to support the marketing of our services. For information about how to set cookie preferences, please visit our Cookie Policy. If you agree to our use of cookies press “I Agree”, or continue to use our site, which will be considered consent.

I Agree Cookie policy

EXHIBIT K

Sterigenics
A Sotera Health company

July 30, 2019

Mr. Eric Cornwell
Program Manager
Stationary Source Permitting
Georgia EPD - Air Protection Branch
4244 International Parkway, Suite 120
Atlanta, Georgia 30354-3906

Subject: **SIP Permit Application**
Sterigenics, Atlanta Facility - Permit No. 7389-067-0093-S-05-0
AIRS Number 04-13-067-00093

Dear Mr. Cornwell:

Please find enclosed the SIP application for an emission reduction project at the Sterigenics US LLC Atlanta Facility located at 2971 Olympic Industrial Drive in Atlanta, Georgia. Sterigenics requests to expedite this application process if possible.

If you have any questions regarding this submittal, please call me at (630) 928-1724.

Sincerely,

Laura Hartman
Manager Environment, Health and Safety

Enclosures:

1. Expedited Permitting Program Application
2. SIP Air Permit Application Forms 1.00, 2.00, 2.06, 3.00, 4.00, 5.00, 6.00, and 7.00
3. Attachments A-F

copy: Daryl Mosby, Atlanta Facility General Manager

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

Stationary Source Permitting Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354
404/363-7000
Fax: 404/363-7100

EXPEDITED PERMITTING PROGRAM – APPLICATION FOR ENTRY TO PROGRAM FOR AIR PERMITS

EPD Use Only

Date Received: _____ Application No. _____

To be eligible for expedited review, this application form must be accompanied by the complete permit application for the type of air permit being requested, and a pre-application meeting with EPD must have been conducted.

1. Contact Information

Facility Name: Sterigenics Atlanta Facility
AIRS No. (if known): 04-13- 067 - 00093
Contact Person: Laura Hartman Title: EHS Manager
Telephone No.: 630-928-1724 Alternate Phone No.: _____
Email Address: lhartman@sterigenics.com

If EPD is unable to contact me, please contact the alternate contact person:
Contact Person: Kevin Wagner Title: Director, EH&S
Telephone No.: 630-928-1771 Alternate Phone No.: _____
Email Address: KWagner@sterigenics.com

On Page 2 of this form, please check the appropriate box for which type of air permit you are requesting expedited review.

I have read the Expedited Review Program Standard Operating Procedures and accept all of the terms and conditions within. I understand that it is my responsibility to ensure an application of the highest quality is submitted and to address any requests for additional information by the deadline specified. I understand that submittal of this request form is not a guarantee that expedited review will be granted.

Signature: Laura Hartman Date: 30 July 2019

2. **Applying For Which Type Of Permit: (Please Check Appropriate Box)**

Expedited Review Fees for Air Permits	
Permit Type – Please Check One	**Expedited Review Fee***
☐ Generic Permit: Concrete Batch Plant – Minor Source	$1,000
☐ Generic Permit: Concrete Batch Plant – Synthetic Minor Source	$1,500
☐ Generic Permit: Hot Mix Asphalt Plant – Synthetic Minor Source	$2,000
☐ Minor Source Permit (or Amendment)	$3,000
■ Synthetic Minor Permit (or Amendment)	$4,000
☐ Major Source SIP Permit not subject to PSD or 112(g)	$6,000
☐ Title V 502(b)(10) Permit Amendment	$4,000
☐ Title V Minor Modification with Construction	$4,000
☐ Title V Significant Modification	$6,000
☐ Major Source SIP Permit subject to 112(g) but not subject to PSD	$15,000
☐ PSD Permit (or Amendment) not subject to NAAQS and/or PSD Increment Modeling	$15,000
☐ PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling but not subject to Modeling for $PM_{2.5}$, NO_2, or SO_2	$20,000
☐ PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling for $PM_{2.5}$, NO_2, or SO_2	$25,000
☐ PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling for $PM_{2.5}$, NO_2, or SO_2 and also impacting a Class I Area	$30,000
* Do not send fee payment with this form. Upon acceptance of application for the expedited permit program, EPD will notify you by phone. Fees must be paid via check to "Georgia Department of Natural Resources" within five (5) business days of acceptance.	

3. **Comments.**

This section is optional. Applicants may use this field to include specific comments or requests for EPD consideration. For example, the applicant may use this field to request a public hearing or to remind EPD of review time needs and/or expectations that may differ from the time frames in the procedures.

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

Stationary Source Permitting Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354
404/363-7000
Fax: 404/363-7100

SIP AIR PERMIT APPLICATION

EPD Use Only

Date Received: _____ Application No. _____

FORM 1.00: GENERAL INFORMATION

1. Facility Information

Facility Name: Sterigenics US LLC
AIRS No. (if known): 04-13- 067 - 00093
Facility Location: Street: 2971 Olympic Industrial Drive SE, Suite 116
City: Atlanta Georgia Zip: 30339 County: Cobb
Is this facility a "small business" as defined in the instructions? Yes: ☐ No: ☒

2. Facility Coordinates

Latitude: ° ' " **NORTH** Longitude: ° ' " **WEST**
UTM Coordinates: 734,200 **EAST** 3,746,411 **NORTH** **ZONE** 16

3. Facility Owner

Name of Owner: Sterigenics US LLC
Owner Address Street: 2015 Spring Road, Suite 650
City: Oak Brook State: IL Zip: 60523

4. Permitting Contact and Mailing Address

Contact Person: Laura Hartman Title: EHS Manager
Telephone No.: 630-928-1724 Ext. _____ Fax No.: 630-928-1701
Email Address: LHartman@sterigenics.com
Mailing Address: Same as: Facility Location: ☐ Owner Address: ☒ Other: ☐
If Other: Street Address: _____
City: _____ State: _____ Zip: _____

5. Authorized Official

Name: Kathleen Hoffman Title: Sr Vice President of EH&S
Address of Official Street: 2015 Spring Road Suite 650
City: Oak Brook State: IL Zip: 60523

This application is submitted in accordance with the provisions of the Georgia Rules for Air Quality Control and, to the best of my knowledge, is complete and correct.

Signature: KA Hoffman Date: 30-Jul-2019

6. **Reason for Application: (Check all that apply)**

- ☐ New Facility (to be constructed)
- ☒ Existing Facility (initial or modification application)
- ☒ Permit to Construct
- ☒ Permit to Operate
- ☐ Change of Location
- ☒ Permit to Modify Existing Equipment: Affected Permit No.: 7389-067-0093-S-05
- ☐ Revision of Data Submitted in an Earlier Application

Application No.: _____

Date of Original Submittal: _____

7. **Permitting Exemption Activities (for permitted facilities only):**

Have any exempt modifications based on emission level per Georgia Rule 391-3-1-.03(6)(i)(3) been performed at the facility that have not been previously incorporated in a permit?

☒ **No** ☐ **Yes, please fill out the SIP Exemption Attachment** (See Instructions for the attachment download)

8. **Has assistance been provided to you for any part of this application?**

☐ **No** ☐ **Yes, SBAP** ☒ **Yes, a consultant has been employed or will be employed.**

If yes, please provide the following information:

Name of Consulting Company: Ramboll

Name of Contact: Joseph Hower

Telephone No.: (213) 943-6319 Fax No.: _____

Email Address: JHower@ramboll.com

Mailing Address: Street: 350 South Grand Avenue Suite 2800

City: Los Angeles State: CA Zip: 90071

Describe the Consultant's Involvement:

9. **Submitted Application Forms:** Select only the necessary forms for the facility application that will be submitted.

No. of Forms	Form
2	2.00 Emission Unit List
	2.01 Boilers and Fuel Burning Equipment
	2.02 Storage Tank Physical Data
	2.03 Printing Operations
	2.04 Surface Coating Operations
	2.05 Waste Incinerators (solid/liquid waste destruction)
2	2.06 Manufacturing and Operational Data
1	3.00 Air Pollution Control Devices (APCD)
	3.01 Scrubbers
	3.02 Baghouses & Other Filter Collectors
	3.03 Electrostatic Precipitators
1	4.00 Emissions Data
1	5.00 Monitoring Information
1	6.00 Fugitive Emission Sources
1	7.00 Air Modeling Information

10. **Construction or Modification Date**

Estimated Start Date: 9/1/2019

11. If confidential information is being submitted in this application, were the guidelines followed in the "Procedures for Requesting that Submitted Information be treated as Confidential"?

☐ No ☐ Yes X N/A

12. New Facility Emissions Summary

Criteria Pollutant	New Facility	
	Potential (tpy)	Actual (tpy)
Carbon monoxide (CO)		
Nitrogen oxides (NOx)		
Particulate Matter (PM) (filterable only)		
PM <10 microns (PM10)		
PM <2.5 microns (PM2.5)		
Sulfur dioxide (SO_2)		
Volatile Organic Compounds (VOC)		
Greenhouse Gases (GHGs) (in CO2e)		
Total Hazardous Air Pollutants (HAPs)		
Individual HAPs Listed Below:		

13. Existing Facility Emissions Summary

Criteria Pollutant	Current Facility		After Modification	
	Potential (tpy)	Actual (tpy)	Potential (tpy)	Actual (tpy)
Carbon monoxide (CO)	<10	0.9	<10	
Nitrogen oxides (NOx)	<25	1.1	<25	
Particulate Matter (PM) (filterable only)	<100	0.1	<100	
PM <10 microns (PM10)	<100	0.1	<100	
PM <2.5 microns (PM2.5)	<100	0.1	<100	
Sulfur dioxide (SO_2)	<250	0.01	<250	
Volatile Organic Compounds (VOC)	<10	0.1	<10	
Greenhouse Gases (GHGs) (in CO2e)				
Total Hazardous Air Pollutants (HAPs)	<10		<10	0.019
Individual HAPs Listed Below:				
Ethylene Oxide	3.28	0.13	0.187	0.019
Propylene Oxide	0.13	0.0005	0.01	0.00007

14. 4-Digit Facility Identification Code:

SIC Code: 7389 SIC Description: Business Services Not Elsewhere Classified

NAICS Code: 561910 NAICS Description: Packaging and Labeling – Product Sterilization

15. Description of general production process and operation for which a permit is being requested. If necessary, attach additional sheets to give an adequate description. Include layout drawings, as necessary, to describe each process. References should be made to source codes used in the application.

Sterigenics operates a commercial sterilization facility in Atlanta, Georgia. Please see attached for a description of the sterilization process and proposed changes.

16. Additional information provided in attachments as listed below:

Attachment A - Description of Process and Proposed Improvements to Emissions Capture and Control System

Attachment B - Plot Plan

Attachment C - Flow Diagram

Attachment D - Emission Calculations

Attachment E - Additional Data on production throughput estimate

Attachment F - Modeling Data

17. Additional Information: Unless previously submitted, include the following two items:

☒ Plot plan/map of facility location or date of previous submittal:

☒ Flow Diagram or date of previous submittal:

18. Other Environmental Permitting Needs:

Will this facility/modification trigger the need for environmental permits/approvals (other than air) such as Hazardous Waste Generation, Solid Waste Handling, Water withdrawal, water discharge, SWPPP, mining, landfill, etc.?

☒ **No** ☐ **Yes, please list below:**

19. List requested permit limits including synthetic minor (SM) limits.

20. Effective March 1, 2019, permit application fees will be assessed. The fee amount varies based on type of permit application. Application acknowledgement emails will be sent to the current registered fee contact in the GECO system. If fee contacts have changed, please list that below:

Fee Contact name:

Fee Contact email address:

Fee Contact phone number:

Fee invoices will be created through the GECO system shortly after the application is received. It is the applicant's responsibility to access the facility GECO account, generate the fee invoice, and submit payment within 10 days after notification.

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 2.00 – EMISSION UNIT LIST

Emission Unit ID	Name	Manufacturer and Model Number	Description
SEV-1	Chamber 1 vacuum pump	Existing	Six-pallet Sterilization Chamber 1 vacuum pump
SEV-2	Chamber 2 vacuum pump	Existing	Six-pallet Sterilization Chamber 2 vacuum pump
SEV-3	Chamber 3 vacuum pump	Existing	Nine-pallet Sterilization Chamber vacuum pump
SEV-4	Chamber 4 vacuum pump	Existing	Five-pallet Sterilization Chamber vacuum pump
SEV-5	Chamber 5 vacuum pump	Existing	Thirteen-pallet Sterilization Chamber vacuum pump
SEV-6	Chamber 6 vacuum pump	Existing	Thirteen-pallet Sterilization Chamber vacuum pump
SEV-7	Chamber 7 vacuum pump	Existing	Thirteen-pallet Sterilization Chamber vacuum pump
SEV-8	Chamber 8 vacuum pump	Existing	Thirteen-pallet Sterilization Chamber vacuum pump
SEV-10	Chamber 10 vacuum pump	Existing	Thirty-pallet Sterilization Chamber vacuum pump
SEV-11	Chamber 11 vacuum pump	Existing	Thirty-pallet Sterilization Chamber vacuum pump
CEV-1	Backvent for Chamber 1	Existing	Backvent for Chamber 1
CEV-2	Backvent for Chamber 2	Existing	Backvent for Chamber 2
CEV-3	Backvent for Chamber 3	Existing	Backvent for Chamber 3
CEV-4	Backvent for Chamber 4	Existing	Backvent for Chamber 4
CEV-5	Backvent for Chamber 5	Existing	Backvent for Chamber 5
CEV-6	Backvent for Chamber 6	Existing	Backvent for Chamber 6
CEV-7	Backvent for Chamber 7	Existing	Backvent for Chamber 7
CEV-8	Backvent for Chamber 8	Existing	Backvent for Chamber 8
CEV-10	Backvent for Chamber 10	Existing	Backvent for Chamber 10

Case 1:22-mc-00092-JMA-CLP Document 1-1 Filed 03/22/22 Page 1 of 2 PageID #: 6

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 2.00 – EMISSION UNIT LIST

Emission Unit ID	Name	Manufacturer and Model Number	Description
CEV-11	Backvent for Chamber 11	Existing	Backvent for Chamber 11
AR-1	Aeration Room 1	Existing	Aeration Room 1
SR-1	Spice Room 1	N/A	Storage Room for Processed spices - Proposed
IA-1	Indoor Air	N/A	Capture indoor air from chamber room, processed warehouse, shipping, and work aisle

Facility Name: Sterigenics Atlanta **Date of Application:** 30 July 2019

FORM 2.06 – MANUFACTURING AND OPERATIONAL DATA

Normal Operating Schedule: 24 hours/day 7 days/week 52 weeks/yr

Additional Data Attached? ☐ - No ☒ - Yes, please include the attachment in list on Form 1.00, Item 16.

Seasonal and/or Peak Operating Periods: N/A

Dates of Annually Occurring Shutdowns: N/A

PRODUCTION INPUT FACTORS

Emission Unit ID	Emission Unit Name	Const. Date	Input Raw Material(s)	Annual Input	Hourly Process Input Rate		
					Design	Normal	Maximum
SEV-1	Chamber 1 vacuum pump	1967	Ethylene Oxide Propylene Oxide	12.9 tpy 0.5 tpy		2.9 lb 0.1 lb	
SEV-2	Chamber 2 vacuum pump	1967	Ethylene Oxide Propylene Oxide	12.9 tpy 0.5 tpy		2.9 lb 0.1 lb	
SEV-3	Chamber 3 vacuum pump	1967	Ethylene Oxide Propylene Oxide	19.4 tpy 0.8 tpy		4.4 lb 0.2 lb	
SEV-4	Chamber 4 vacuum pump	1967	Ethylene Oxide Propylene Oxide	10.8 tpy 0.4 tpy		2.5 lb 0.1 lb	
SEV-5	Chamber 5 vacuum pump	1987	Ethylene Oxide Propylene Oxide	28.0 tpy 1.1 tpy		6.4 lb 0.3 lb	
SEV-6	Chamber 6 vacuum pump	1992	Ethylene Oxide Propylene Oxide	28.0 tpy 1.1 tpy		6.4 lb 0.3 lb	
SEV-7	Chamber 7 vacuum pump	1994	Ethylene Oxide Propylene Oxide	28.0 tpy 1.1 tpy		6.4 lb 0.3 lb	
SEV-8	Chamber 8 vacuum pump	1994	Ethylene Oxide Propylene Oxide	28.0 tpy 1.1 tpy		6.4 lb 0.3 lb	
SEV-10	Chamber 10 vacuum pump	2014	Ethylene Oxide Propylene Oxide	64.5 tpy 2.6 tpy		14.7 lb 0.6 lb	
SEV-11	Chamber 11 vacuum pump	2015	Ethylene Oxide Propylene Oxide	64.5 tpy 2.6 tpy		14.7 lb 0.6 lb	
CEV-1	Chamber 1 Backvent	1967	Ethylene Oxide Propylene Oxide	0.1 tpy 0.005 tpy		0.03 lb 0.001 lb	
CEV-2	Chamber 2 Backvent	1967	Ethylene Oxide Propylene Oxide	0.1 tpy 0.005 tpy		0.03 lb 0.001 lb	
CEV-3	Chamber 3 Backvent	1967	Ethylene Oxide Propylene Oxide	0.2 tpy 0.008 tpy		0.05 lb 0.002 lb	

PRODUCTS OF MANUFACTURING

Emission Unit ID	Description of Product	Production Schedule		Hourly Production Rate (Give units: e.g. lb/hr, ton/hr)			
		Tons/yr	Hr/yr	Design	Normal	Maximum	Units

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 2.06 – MANUFACTURING AND OPERATIONAL DATA

Normal Operating Schedule: 24 hours/day 7 days/week 52 weeks/yr

Additional Data Attached? ☐ - No ☒ - Yes, please include the attachment in list on Form 1.00, Item 16.

Seasonal and/or Peak Operating Periods: N/A

Dates of Annually Occurring Shutdowns: N/A

PRODUCTION INPUT FACTORS

Emission Unit ID	Emission Unit Name	Const. Date	Input Raw Material(s)	Annual Input	Hourly Process Input Rate		
					Design	Normal	Maximum
CEV-4	Chamber 4 Backvent	1967	Ethylene Oxide Propylene Oxide	0.1 tpy 0.005 tpy		0.03 lb 0.001 lb	
CEV-5	Chamber 5 Backvent	1987	Ethylene Oxide Propylene Oxide	0.3 tpy 0.01 tpy		0.07 lb 0.003 lb	
CEV-6	Chamber 6 Backvent	1992	Ethylene Oxide Propylene Oxide	0.3 tpy 0.01 tpy		0.07 lb 0.003 lb	
CEV-7	Chamber 7 Backvent	1994	Ethylene Oxide Propylene Oxide	0.3 tpy 0.01 tpy		0.07 lb 0.003 lb	
CEV-8	Chamber 8 Backvent	1994	Ethylene Oxide Propylene Oxide	0.3 tpy 0.01 tpy		0.07 lb 0.003 lb	
CEV-10	Chamber 10 Backvent	2014	Ethylene Oxide Propylene Oxide	0.7 tpy 0.03 tpy		0.07 lb 0.003 lb	
CEV-11	Chamber 11 Backvent	2015	Ethylene Oxide Propylene Oxide	0.7 tpy 0.03 tpy		0.16 lb 0.01 lb	
AR-1	Aeration Room 1		Ethylene Oxide Propylene Oxide	12.5 tpy 0.5 tpy		2.9 lb 0.01 lb	
SR-1	Spice Room	new	Ethylene Oxide	0.02 tpy		0.005 lb	
IA-1	Indoor Air capture	new	Ethylene Oxide Propylene Oxide	0.2 tpy 0.01 tpy		0.04 lb 0.001 lb	

PRODUCTS OF MANUFACTURING

Emission Unit ID	Description of Product	Production Schedule		Hourly Production Rate (Give units: e.g. lb/hr, ton/hr)			
		Tons/yr	Hr/yr	Design	Normal	Maximum	Units

Facility Name: Sterigenics Atlanta Facility

Date of Application: 30 July 2019

Form 3.00 – AIR POLLUTION CONTROL DEVICES - PART A: GENERAL EQUIPMENT INFORMATION

APCD Unit ID	Emission Unit ID	APCD Type (Baghouse, ESP, Scrubber etc)	Date Installed	Make & Model Number (Attach Mfg. Specifications & Literature)	Unit Modified from Mfg Specifications?	Gas Temp. °F		Inlet Gas Flow Rate (acfm)
						Inlet	Outlet	
EC3/EC2	SEV 1-11	Scrubber		Ceilcote Acid Scrubber and AAT Scrubber System with Dry Bed	No	98	98	
EC2	CEV1-11, AR1, SR1	Scrubber with dry beds		AAT Scrubber System with Dry Bed Adsorber	No	98	98	12,000
EC4	IA-1	Dry Beds	new	Advance Air Technology Dry beds	No	70	70	18,000

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

Form 3.00 – AIR POLLUTION CONTROL DEVICES – PART B: EMISSION INFORMATION

APCD Unit ID	Pollutants Controlled	Percent Control Efficiency		Inlet Stream To APCD		Exit Stream From APCD		Pressure Drop Across Unit (Inches of water)
		Design	Actual	lb/hr	Method of Determination	lb/hr	Method of Determination	
EC2	Ethylene Oxide Propylene Oxide	99	99.833	4.3 0.17	Mass balance	0.04 0.002	Mass balance and performance test	NA
EC4	Ethylene Oxide Propylene Oxide	99	NEW	0.04 0.001	Mass balance	0.0004 0.00001	Mass balance and performance test	TBD

Facility Name: Sterigenics Atlanta **Date of Application:** 30 July 2019

FORM 4.00 – EMISSION INFORMATION

Emission Unit ID	Air Pollution Control Device ID	Stack ID	Pollutant Emitted	Emission Rates				
				Hourly Actual Emissions (lb/hr)	Hourly Potential Emissions (lb/hr)	Actual Annual Emission (tpy)	Potential Annual Emission (tpy)	Method of Determination
Refer to	Attachment D							

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 5.00 MONITORING INFORMATION

Emission Unit ID/ APCD ID	Emission Unit/APCD Name	Monitored Parameter		Monitoring Frequency
		Parameter	Units	
EC2	AAT Scrubber with dry beds	Control efficiency or outlet concentration	percent removal or ppm	Weekly
EC2	AAT Scrubber with dry beds	Scrubber liquor level	inches	daily
EC2	AAT Scrubber with dry beds	Scrubber liquor pH	pH	daily
EC3	Ceilcote Scrubber	Scrubber liquor level	inches	daily
EC3	Ceilcote Scrubber	Scrubber liquor pH	pH	daily
EC4	New Dry Bed	Control efficiency or outlet concentration	percent removal or ppm	Weekly

Comments:

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 6.00 – FUGITIVE EMISSION SOURCES

Fugitive Emission Source ID	Description of Source	Emission Reduction Precautions	Pot. Fugitive Emissions	
			Amount (tpy)	Pollutant
*	Equipment leaks	Leak detection monitors and preventive maintenance	<0.01	Ethylene Oxide

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 7.00 – AIR MODELING INFORMATION: Stack Data

Stack ID	Emission Unit ID(s)	Stack Information			Dimensions of largest Structure Near Stack		Exit Gas Conditions at Maximum Emission Rate			
		Height Above Grade (ft)	Inside Diameter (ft)	Exhaust Direction	Height (ft)	Longest Side (ft)	Velocity (ft/sec)	Temperature (°F)	Flow Rate (acfm)	
									Average	Maximum
Refer	to	Attachment F								

NOTE: If emissions are not vented through a stack, describe point of discharge below and, if necessary, include an attachment. List the attachment in Form 1.00 *General Information*, Item 16.

Case 1:22-mc-00092-JMA-CLP Document 1-1 Filed 03/22/22 Page 2 of 2 PageID #: 39

Facility Name: Sterigenics Atlanta Facility **Date of Application:** 30 July 2019

FORM 7.00 AIR MODELING INFORMATION: Chemicals Data

Chemical	Potential Emission Rate (lb/hr)	Toxicity	Reference	MSDS Attached
Ethylene Oxide-see attached modeling				☒
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐
				☐

Attachment A

DESCRIPTION OF PROCESS AND PROPOSED IMPROVEMENTS TO EMISSIONS CAPTURE AND CONTROL SYSTEMS

This application addresses improvements to the Atlanta facility located at 2971 Olympic Industrial Drive SE, Suite 116, Atlanta, Georgia. Sterigenics is voluntarily requesting to add control devices and improve control efficiencies of certain emission sources. These additional controls currently are not required by Georgia EPD or the UESPA, but the company has determined that it can reduce emissions further.

Overview of Sterigenics Atlanta Facility

Sterigenics operates a commercial contract sterilization facility in Atlanta, GA. This application addresses improvements to the emission control measures at the Atlanta facility.

Sterigenics' Atlanta facility utilizes ethylene oxide to sterilize customers' product. It also has the ability to use propylene oxide to treat nutmeats and a cosmetic ingredient. Ethylene oxide and propylene oxide are sterilants that regulatory agencies such as the U.S. Food and Drug Administration and U.S. Environmental Protection Agency (administering the Federal Insecticide, Fungicide, and Rodenticide Act) allow to be used on products. In addition, medical devices must meet a certain level of sterility as regulated by U.S. Food and Drug Administration and other regulatory agencies.

When ethylene oxide is used for medical device sterilization, the medical devices must have a specifically defined sterilization process, which is validated for a specific sterilization chamber or chambers. The Atlanta facility uses ten sterilization chambers ranging in size from 6 pallets up to 30 pallets. While all ten sterilization chambers are similar in design, each chamber may only process products approved for that chamber and cannot process other products that have not been validated and approved by the appropriate regulatory agency for that specific chamber.

As a contract sterilization facility, Atlanta sterilizes many different products from many different customers.

Purpose of Project

The purpose of the project is to further reduce ethylene oxide emissions from the sterilization process by adding additional controls; this project is being undertaken voluntarily, even though the facility is and has historically been in compliance with existing regulations and permit conditions. Sterigenics is not proposing to change the actual sterilization process at the Atlanta facility.

Attachment A

Description of Sterilization Process

The Atlanta facility performs sterilization operations for many customers. Each product has specific requirements which specify details of the sterilization process to be followed.

Receiving and Pre-Conditioning

Customers ship packaged products to Sterigenics. Once the product is received, the sterilization process follows the same flow through the facility. The first step after receipt of the product is to place the product into a preconditioning room. Preconditioning rooms are enclosed rooms which are heated and maintained at high humidity to prepare the product for sterilization. The product is in the preconditioning room for the time required for the specific product. No ethylene oxide is introduced or present in this step of the process.

Once preconditioning is complete, the product is moved to the appropriate sterilization chamber. There are ten sterilization chambers. A chamber is sized based on the number of pallets that it can hold and range from six pallets to thirty pallets. Once the product is loaded into the chamber, the chamber is closed and sealed. At the beginning of each sterilization cycle, safety checks are performed to ensure ethylene oxide does not escape from the chamber during the cycle. In addition, the cycle is monitored to ensure that vacuum is maintained within acceptable parameters.

Drum Storage

At Atlanta, ethylene oxide is stored in sealed drums in an outside storage area before use. The drums are U.S. Department of Transportation rated UN 1A1 containers. The storage area complies with the requirements of NFPA 55 Chapter 14 for an outside storage area. No dispensing takes place in the drum storage area. To dispense ethylene oxide, the drums are moved with a drum cart from the storage area to the dispensing stations located inside the chamber room area. Once in place at the dispensing station, the ethylene oxide drum is connected to the dispensing system for the specific sterilization chamber.

Chamber Operation, Vacuum Pump Emissions

As mentioned above, there is a validated cycle for each product. This validated cycle must meet specific regulatory requirements and will detail the times, parameters, and testing required for each product and the specific chamber approved. The sterilization process begins with evacuating the air from the chamber and introducing nitrogen. While under negative pressure inside the chamber, ethylene oxide is introduced into the sterilization chamber to sterilize the product. Once ethylene oxide is introduced, the dwell stage can last from 30 minutes up to several hours according to the validated cycle for the product. Once complete, the sterilization chamber vacuum pumps remove most of the ethylene oxide from the chamber by exhausting

Attachment A

and purging with nitrogen multiple times. Vacuum pump emissions are routed to the Ceilcote wet acid scrubber. The Ceilcote scrubber (EC3) currently is exhausted to a dedicated stack.

Backvents and Aeration Emissions

Once the sterilization chamber process is complete and the chamber door is partially opened, the back vent fan activates to extract residual amounts of ethylene oxide from the chamber. This fan remains on while the chamber door is open. After fifteen minutes, the pallets of product are removed from the sterilization chamber and placed into aeration rooms to further off-gas residual ethylene oxide. During spice fumigation, the chamber process includes additional gas washes to remove ethylene oxide from the product which eliminates the need for time in an aeration room. Both the backvents and aeration rooms are ducted to an existing AAT scrubber system and treated with 12 dry bed reactors (EC2). The AAT scrubber with dry beds currently exhausts to a dedicated stack.

Proposed Project Detail

This permit application proposes to make the following improvements to the existing capture and control equipment and to reduce the ethylene oxide emissions from the Atlanta facility. With these improvements, the facility will have technology that provides the greatest reduction in ethylene oxide emissions that is now available.

1) Currently the existing Atlanta Ceilcote scrubber (EC3) exhausts to atmosphere via a dedicated stack. Sterigenics proposes to duct the outlet of the Ceilcote Scrubber to the existing Advanced Air Technologies (AAT) scrubber with dry bed (EC2) to further reduce vacuum pump emissions.
2) Currently, the existing AAT scrubber with dry beds (EC2) exhausts to atmosphere via a dedicated stack. Sterigenics proposes to duct the outlet of the AAT scrubber with dry beds to a different existing stack measuring 80 feet tall and 16 inches in diameter. This stack exists but is currently not being used.
3) An additional negative pressure system is proposed to capture air internally from chamber rooms, work aisles, processed product storage, and shipping areas. With this negative pressure system, the facility will route the indoor air to a new dry bed control system consisting of 18 dry beds. These dry beds will exhaust to atmosphere via an existing stack measuring 80 feet tall and 2 feet in diameter.
4) In addition to these emission reduction projects, Sterigenics is proposing to build a room to be dedicated to storing treated spices after the fumigation process is complete. This spice room will be exhausted to the existing AAT scrubber system with dry beds (EC2).

Attachment A

Control Efficiencies

The Ceilcote scrubber controls the sterilization chamber vacuum pump emissions. The Ceilcote scrubber has control efficiency greater than 99%. The AAT Scrubber with dry beds controls the aeration and back vent emissions. The AAT scrubber dry beds have a control efficiency greater than 99% destruction efficiency. This project is proposing to route the outlet of the Ceilcote scrubber to the AAT scrubber with dry beds.

Attachment B: Plot Plan



Legend:
1 = 24" diameter stack for fugitives
2 = 16" diameter stack for AAT scrubber
A = Ceilcote scrubber stack to be disconnected and routed to AAT scrubber
B = AAT scrubber stack to be disconnected and emissions routed to stack 2

Attachment B: Plot Plan



● Sterigenics Atlanta location

Case 1:22-cv-00992-JMA-LB Document 1-1 Filed 03/22/22 Page 21 of 39 PageID #: 39

Attachment C: Sterigenics Atlanta Process Flow Diagram (Changes noted in Blue)

Additional Capture/Control Equipment:

1) Route Ceilcote emissions to AAT Scrubber and eliminate Ceilcote stack
2) Route AAT scrubber to an 80 foot stack. Eliminate AAT stack.
3) Installation of capture and control system for indoor air in processed areas and route to an 80 foot stack.
4) Build a dedicated room for processed spices and duct to existing AAT scrubber.



Attachment D Emission Calculations

	Existing Emission Controls			Proposed Emission Controls		
	Control Devices	Required Existing Efficiency	Actual Existing Efficiency	Control Devices	Required Proposed Efficiency	Actual Expected Efficiency
Sterilizer Vacuum Pump	Ceilcote Scrubber	99.0%	99.999%	Ceilcote Scrubber and AAT	99.99%	99.999998%
Aeration Rooms	AAT System	99.0%	99.833%	AAT System	99.0%	99.833%
Backvent	AAT System	99.0%	99.833%	AAT System	99.0%	99.833%
Fugitives	None	0.0%	0.00%	Dry Bed system (new)	99.0%	99.000%

	Existing				Proposed			
	Ethylene Oxide Potential (lbs)	Ethylene Oxide 2018 (lbs)	Propylene Oxide Potential (lbs)	Propylene Oxide 2018 (lbs)	Ethylene Oxide Potential (lbs)	Ethylene Oxide Expected (lbs) (2018)	Propylene Oxide Potential (lbs)	Propylene Oxide Expected (lbs) (2018)
Usage (pounds)	625,000	425,000	25000	1569	625,000	425000	25000	1569
Sterilizer Emissions	5,937.5	4.04	237.5	0.0149	59.4	0.007	2.4	0.00002
Aeration Emissions	250.00	28.39	10.00	0.10	250.0	28.4	10.0	0.105
Backvent Emissions	62.50	7.10	2.50	0.03	62.5	7.1	2.5	0.026
Fugitive Emissions	312.5	212.5	12.5	0.8	3.1	2.1	0.1	0.008
TOTAL Emissions	**6,563**	**252**	**263**	**0.93**	**375.0**	**37.62**	**15.00**	**0.14**
TOTAL Emissions (tons)	**3.28**	**0.13**	**0.13**	**0.00047**	**0.187**	**0.019**	**0.0075**	**0.00007**

Assumptions

95% Usage through Chamber Vacuum Pumps

4% Usage through Aeration

1% Usage through Back Vents

0.05% Usage Assumed as fugitives

Example Calculations:

Emission Source = (mass balance)(EtO usage)(1-efficiency %)

Sterilizer Emissions = 0.95*425000*(1 - 0.99999) = 4.04lbs

Aeration Emissions = 0.04*425000*(1 - 0.99833) = 28.39 lbs

Backvent Emissions = 0.01*425000*(1-.99833)= 7.10 lbs

Fugitive Emissions = 0.0005*425000 = 212.5 lbs

Case 4:22-cv-00992-JMA-ARL Document 1-1 Filed 03/22/22 Page 21 of 39 PageID #: 53

Attachment E Additional Data on Production Throughput Estimate

				SEV Emissin Units				CEV Emission Units			
				Annual Throughput		Average Hourly Process Input Rate		CEV Annual Throughput		Average Hourly Process Input Rate	
Equipment	Pallet Size	Ethylene Oxide Usage lb/yr	Propylene Oxide Usage lb/yr	Ethylene Oxide (tpy)	Propylene Oxide (tpy)	Ethylene Oxide (lb/hr)	Propylene Oxide (lb/hr)	Ethylene Oxide (tpy)	Propylene Oxide (tpy)	Ethylene Oxide (lb/hr)	Propylene Oxide (lb/hr)
Chamber 1	6	27174	1087	12.9	0.52	2.9	0.12	0.1	0.0054	0.03	0.0012
Chamber 2	6	27174	1087	12.9	0.52	2.9	0.12	0.1	0.005	0.03	0.0012
Chamber 3	9	40761	1630	19.4	0.77	4.42	0.18	0.2	0.008	0.05	0.0019
Chamber 4	5	22645	906	10.8	0.43	2.46	0.10	0.1	0.005	0.03	0.0010
Chamber 5	13	58877	2355	28.0	1.12	6.39	0.26	0.3	0.012	0.07	0.0027
Chamber 6	13	58877	2355	28.0	1.12	6.39	0.26	0.3	0.012	0.07	0.0027
Chamber 7	13	58877	2355	28.0	1.12	6.39	0.26	0.3	0.012	0.07	0.0027
Chamber 8	13	58877	2355	28.0	1.12	6.39	0.26	0.3	0.012	0.07	0.0027
Chamber 10	30	135870	5435	64.5	2.58	14.73	0.59	0.7	0.027	0.16	0.0062
Chamber 11	30	135870	5435	64.5	2.58	14.73	0.59	0.7	0.027	0.16	0.0062

	Annual Throughput		Average Hourly Process Input Rate	
Emission Unit	Ethylene Oxide (tpy)	Propylene Oxide (tpy)	Ethylene Oxide (lb/hr)	Propylene Oxide (lb/hr)
AR-1 (Aeration Room 1)	12.5	0.50	2.9	0.1
SR-1 (Spice Room 1)	0.02	0.00	0.005	0.0
IA-1 (Indoor Air)	0.16	0.0063	0.036	0.0014

Assumptions

Average EO lb/pallet/yr based on 625000 lb of EO 4529

Average PO lb/pallet/yr based on 25000 lb of PO 181

Chamber usage based on number of pallets. Actual throughput thru chamber may vary

95% of chemical from Chamber via SEV

1% of chemical from Chamber via CEV

4% of chemical via Aeration

Proposed Improvement Project includes the following elements:

1. Route vacuum pump emissions from the Ceilcote scrubber stack to the AAT scrubber, which will further reduce vacuum pump emissions by 99%
2. Route AAT stack emissions to one of the 80' roof stacks (16" diameter)
3. Install a fugitive emission capture system and route all indoor emissions through a new dry bed system. Emissions from the dry beds will be routed to the second 80' stack on the roof (24" diameter)

Ethylene Oxide (EtO) Emissions

Emission Source	Estimated Annual EtO Throughput (lb)	Efficiency	Estimated EtO Emissions (lb/yr)
AAT Scrubber (5%)	425,000	99.833%	35.49
Ceilcote (95%)		99.9990%	
Fugitives (0.05%)		99%	2.13

Model Input Parameters for EtO Emissions Sources

Model ID	Stack Description	Source Type	UTM E[1] (m)	UTM N[1] (m)	Elevation[2] (m)	Modeled EtO Emissions[3] (g/s)	Stack Height		Stack Temperature		Exhaust Gas Flow Rate (scfm)	Exhaust Gas Flow Rate (acfm)	Exit Velocity		Stack Diameter	
							(ft)	(m)	(°F)	(K)			(ft/s)	(m/s)	(ft)	(m)
STK2	AAT Scrubber	POINT	734,200	3,746,411	250.92	5.11E-04	80.0	24.38	98	309.82	12,000	13,052.00	155.8	47.4869	1.3	0.406
STK1	Fugitives	POINT	734,194	3,746,406	250.58	3.06E-05	80.0	24.38	70	294.26	18,000	18,576.00	98.5	30.0377	2.0	0.610

Notes:

1. Coordinates are based on UTM NAD83, Zone 16.
2. Modeled elevations were incorporated using AERMAP version 18081. Terrain elevation data was obtained using the National Elevation Data (NED) files from the USGS Multi-Resolution Land Characteristics Consortium (MRLC).
3. AERMOD version

Results

Pollutant	Averaging Period	Receptor Type	Maximum Receptor ID	UTM E (m)	UTM N (m)	Modeled Concentration ($\mu g/m^3$)
EtO	Period	Commercial/Industrial	D257	734,328.2	3,746,286.7	0.0022
		Residential/Sensitive	D167	734,078.2	3,746,836.7	0.0005

Case 4:22-cv-00992-JMA-LB Document 1-4 Filed 03/22/22 Page 25 of 39 PageID #: 53

Model Input Parameters for On-Site Buildings

Model ID	UTM E[1] (m)	UTM N[1] (m)	Elevation[2] (m)	Building Height (ft)	Building Height (m)
BLD1T1	734,217.7	3,746,444.6	251.01	17	5.18
	734,264.5	3,746,393.1			
	734,399.2	3,746,317.5			
	734,370.0	3,746,263.8			
	734,236.0	3,746,338.7			
	734,242.6	3,746,351.1			
	734,239.3	3,746,354.0			
	734,231.3	3,746,344.9			
	734,224.7	3,746,350.0			
	734,221.8	3,746,347.4			
	734,195.5	3,746,371.9			
	734,168.4	3,746,403.0			
	734,168.4	3,746,403.0			
	734,217.7	3,746,444.6			
BLD1T2	734,217.7	3,746,444.6	250.87	25	7.62
	734,264.5	3,746,393.1			
	734,399.2	3,746,317.5			
	734,370.0	3,746,263.8			
	734,236.0	3,746,338.7			
	734,242.6	3,746,351.1			
	734,239.3	3,746,354.0			
	734,231.3	3,746,344.9			
	734,224.7	3,746,350.0			
	734,221.8	3,746,347.4			
	734,172.3	3,746,406.0			
BLD1T3	734,257.9	3,746,379.5	251.58	68	20.73
	734,250.5	3,746,385.1			
	734,255.5	3,746,391.8			
	734,261.5	3,746,387.7			
	734,257.9	3,746,379.5			

Notes:

1. Coordinates reflect UTM NAD83, Zone 16.
2. Modeled elevations were incorporated using AERMAP v180181. Terrain elevation data was obtained using the National Elevation Data (NED) files from the USGS Multi-Resolution Land Characteristics Consortium (MRLC).

Case 4:22-cv-00992-JMA-ARL Document 1-1 Filed 03/22/22 Page 215 of 339 PageID #: 215

Model Input Parameters for Nearby Buildings

Model ID	UTM E[1] (m)	UTM N[1] (m)	Elevation[2] (m)	Building Height (ft)	Building Height (m)
NORTH1	734,335.3	3,746,507.2	254.75	23.6	7.19
	734,301.6	3,746,458.0			
	734,263.8	3,746,485.7			
	734,296.7	3,746,516.1			
NORTH2	734,341.4	3,746,505.1	254.98	25.3	7.71
	734,303.4	3,746,446.8			
	734,446.0	3,746,389.2			
	734,470.9	3,746,452.2			
	734,341.4	3,746,505.1			
EAST	734,474.7	3,746,363.3	253.63	22.6	6.89
	734,508.3	3,746,330.3			
	734,458.1	3,746,280.4			
	734,433.9	3,746,264.5			
	734,410.6	3,746,333.7			
	734,458.1	3,746,347.2			
	734,474.7	3,746,363.3			

Notes:

1. Coordinates reflect UTM NAD83, Zone 16.
2. Modeled elevations were incorporated using AERMAP 18081. Terrain elevation data was obtained using the National Elevation Data (NED) files from the USGS Multi-Resolution Land Characteristics Consortium (MRLC).

Case 4:22-cv-00992-JMA-ADS Document 1-1 Filed 03/22/22 Page 27 of 33 PageID #: 39

Ethylene Oxide

SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

1.1. GHS product identifier.	Ethylene Oxide
Other means of identification.	Oxirane
1.2. Recommended use and restrictions on use.	Recommended: Chemical intermediate for production of anti-freeze, polyester resins, non-ionic surfactants and specialty solvents; sterilizing agent for controlling microorganisms in health care applications; fumigant for controlling insect infestation in whole and ground spices and cosmetics; sterilization of musical wind instruments. Advised Against: Consumer use.
1.3. Supplier's details.	Name: ARC Specialty Products c/o Balchem Corporation Address: 52 Sunrise Park Road New Hampton, NY 10958 USA Phone number: +1 845-326-5611 Fax number: +1 845-326-5706 Internet: www.arcspecialtyproducts.com Email: sds@balchem.com
1.4. Emergency phone number.	EMERGENCY TELEPHONE (24 hrs. / 7 days per week) In US: CHEMTREC (800) 424-9300 Outside US & Canada: CHEMTREC (703) 527-3887

2. HAZARDS IDENTIFICATION

2.1. GHS classification of the substance or mixture and any national or regional information.	Flammable Gas 1 Pressurized Gas (Liquefied Gas) Carcinogen Category 1B Mutagen Category 1B Acute Toxicity Category 3 (Inhalation); Category 4(oral) Eye Irritant Category 2A Specific Target Organ Toxicity – Single Exposure 3 Skin Irritant 2
2.2. GHS label elements, including precautionary statements.	Product Label Name: ETHYLENE OXIDE Signal Word: DANGER **Hazard statement:** H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated H302: Harmful if swallowed H315: Causes skin irritation H319: Causes serious eye irritation H331: Toxic if inhaled H335: May cause respiratory irritation H340: May cause genetic defects

ARC
SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	H350:	May cause cancer
	Precautionary statement:	
	P201:	Obtain special instructions before use.
	P202:	Do not handle until all safety precautions have been read and understood.
	P210:	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
	P261:	Avoid breathing gas/vapours.
	P264:	Wash hands thoroughly after handling.
	P270:	Do not eat, drink or smoke when using this product.
	P271:	Use only outdoors or in a well-ventilated area.
	P280:	Wear protective gloves/protective clothing/ eye protection/face protection.
	P281:	Use personal protective equipment as required.
	P301;P312:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P330:	Rinse mouth.
	P302;P352:	IF ON SKIN: Wash with plenty of soap and water.
	P362:	Take off contaminated clothing and wash before reuse.
	P332;P313:	If skin irritation occurs: Get medical advice/attention.
	P304;P340:	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305;P351;P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337;P313:	If eye irritation persists: Get medical advice/attention.
	P312:	Call a POISON CENTER or doctor/physician if you feel unwell.
	P308;P313:	IF exposed or concerned: Get medical advice/attention.
	P321:	Specific treatment: See first aid section of SDS.
	P377:	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
	P381:	Eliminate all ignition sources if safe to do so.
	P403;P233:	Store in a well-ventilated

ARC
SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

		place. Keep container tightly closed.
	P405:	Store locked up.
	P410;P403:	Protect from sunlight. Store in a well-ventilated place.
	P501:	Dispose of contents/container in accordance with local/regional/national/ international regulation.
2.3. Other hazards which do not result in classification or are not covered by the GHS.	EUH006:	Explosive with or without contact with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substance:**

Chemical identity.	Ethylene Oxide
Common name, synonyms, etc.	Oxirane, EO, EtO, Dihydroxirene, 1-2 Epoxyethane, Dimethylene Oxide, Oxane, Oxirane, Alpha/Beta-Oxidoethane, Oxacyclopropane
CAS number, EC number, etc.	CAS#: 75-21-8; EC#: 200-849-9 (from EINECS) Chemical Family: Epoxide Formula: $(CH_2)_2O$ Molecular Weight: 44.053 g/mol
Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance.	Contains no other components or impurities which will influence the classification of the product.

3.2. **Mixture:**

The chemical identity and concentration or concentration ranges of all ingredients which are hazardous within the meaning of the GHS and are present above their cutoff levels.	**Chemical Identity:**	**Concentration:**	**CAS No.:**
	No applicable information found (i.e. material is not a mixture).		

4. FIRST AID MEASURES

4.1. Description of first aid measures.	EYE CONTACT: Immediately flush eyes, including the entire surface of the eyes and under the eyelids, gently but thoroughly with plenty of running water for at least 15 minutes. Obtain medical attention immediately. **NOTE: Never wear contact lenses when working with ethylene oxide.** SKIN CONTACT: Immediately flush skin thoroughly with water for at least 15 minutes while removing contaminated clothing and shoes. Obtain medical attention immediately. Treat for possible cryogenic injury, if needed by warming affected areas with tepid water (wrap with a blanket if lukewarm water is not available). Wash clothing before reuse and discard contaminated leather articles such as shoes and belts. INHALATION: Remove exposed person to fresh air. If

ARC
SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	breathing has stopped, give artificial respiration then have qualified personnel administer oxygen, if needed. Get immediate medical attention. INGESTION: If patient is conscious give plenty of water (minimum of two glasses) but **DO NOT INDUCE VOMITING**. This material is corrosive. Keep head lower than hips to avoid aspiration, should vomiting occur. Get medical attention immediately. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Preexisting skin, eye and respiratory disorders; lung, blood, nervous system and peripheral nerve disorders.
4.2. Most important symptoms/effects.	SIGNS AND SYMPTOMS OF OVEREXPOSURE: Effects include skin, eye and respiratory tract irritation or burns. Central nervous system effects initially cause headache, dizziness and nausea and in extreme cases, unconsciousness and death. Peripheral nerve damage may result in muscular weakness, giddiness, irrational behavior and loss of sensation in the extremities. Dulling of the sense of smell may occur.
4.3. Indication of immediate medical attention and special treatment needed, if necessary.	NOTE TO PHYSICIANS: Respiratory symptoms include nausea, vomiting and irritation of the nose and throat. Pulmonary edema may occur. Respiratory effects may be delayed. Consider oxygen administration. If a chemical burn is present, decontaminate skin and treat as any thermal burn. No specific antidote is known, however consider gastric lavage and administration of a charcoal slurry.

5. FIREFIGHTING MEASURES	
5.1. Suitable (and unsuitable) extinguishing media.	EXTINGUISHING MEDIA: Carbon dioxide, dry chemical or water spray for small fires. Water spray, polymer or alcohol resistant foams for large fires. Dilution of liquid ethylene oxide with 22 volumes of water should render it non-flammable. Dilution with 100 parts water to one part of ethylene oxide vapor may be required to control build up of flammable vapors in closed systems. Water spray can be used to reduce flame intensity, cool fire-exposed containers and dilute spills to render non-flammable.
5.2. Specific hazards arising from the chemical.	EMERGENCY OVERVIEW: Colorless liquid or heavier-than-air gas with a sweet, ether-like odor. Extremely flammable liquefied gas which burns in the absence of oxygen and can explode when exposed to elevated temperatures. Toxic when inhaled. Causes severe skin and eye irritation or burns and respiratory tract irritation; effects may be delayed. Harmful if swallowed or absorbed through the skin. Contact with liquid may cause frostbite. Statement of Hazards: DANGER! Extremely flammable

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

liquid and gas under pressure. May form explosive mixtures with air. Highly Reactive. Harmful or fatal if inhaled and may cause delayed lung injury, respiratory system and nervous system damage. Inhalation may cause dizziness or drowsiness. Liquid contact may cause frostbite. May cause allergic skin reaction. Harmful if swallowed. May cause adverse blood effects, liver and kidney damage based on animal data. Cancer and reproductive hazard.

HAZARD RATINGS: (0 = minimum; 4 = maximum)

HMIS Rating: Health = 3
Flammability = 4
Reactivity = 3
Personal Protection Code = X
(Consult your supervisor or standard operating procedures for special handling directions.)

NFPA Rating: Health = 3
Flammability = 4
Reactivity = 3

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Ethylene oxide is dangerously explosive under fire conditions; it is flammable over an extremely large range of concentrations in air and burns in the absence of oxygen. Liquid ethylene oxide is lighter than water (floats) and vapors are heavier than air and may travel along ground long distances to sources of ignition, and then flash back. Avoid storage at warm temperatures [around 100 °F (38 °C)] in order to prevent polymerization. Do not store at temperatures above 125 °F (52 °C) under any circumstances. Containers are fitted with metallic plugs which melt and release contents when temperature increases to a range of 157-170 °F (69-77 °C). Vapors are extremely flammable and are readily ignited by static charge, sparks and flames at concentrations above 2.6%.

SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

5.3. Special protective equipment and precautions for firefighters.	SPECIAL FIRE-FIGHTING PROCEDURES: Wear NIOSH-approved self-contained breathing apparatus (SCBA) operated in the pressure-demand mode and full chemical-resistant protective clothing. Evacuate all personnel from danger area and keep upwind. Immediately cool containers with water spray from maximum safe distance. Stop flow of gas, if without risk, while continuously cooling containers with water. Do not extinguish flames unless flow is stopped, since explosive re-ignition can occur. Remove containers from fire area, if without risk. Refer to the most current edition of the "North American Emergency Response Guidebook" for isolation and evacuation distances.

6. ACCIDENTAL RELEASE MEASURES	
6.1. Personal precautions, protective equipment and emergency procedures.	PRECAUTIONS: Treat any ethylene oxide leak as an emergency. All cleanup personnel must wear full protective equipment. Evacuate all personnel from the area except those directly engaged in stopping the leak or in cleaning up.
6.2. Environmental precautions.	ENVIRONMENTAL: Dike runoff water, if possible, to prevent contaminated water from entering sewers, ditches, streams and ponds. It is mandatory to call the National Response Center (800-424-8802) if 10 pounds (4.54 kg) or more is spilled or released to the environment.
6.3. Methods and materials for containment and cleaning up.	SPILL CLEANUP: Eliminate all ignition sources if this can be done safely. Ethylene oxide/air mixtures ignite readily and may detonate. Use water fog or spray to disperse vapors. Flood spill with water spray to dilute and render non-flammable.

7. HANDLING AND STORAGE	
7.1. Precautions for safe handling.	HANDLING AND STORAGE PRECAUTIONS: Wear all recommended protective clothing and devices when handling this material. Have established handling and emergency response procedures in place prior to use. Ground and bond shipping container, transfer line, and receiving container. Protect containers from physical damage and regularly inspect them for cracks, leaks or faulty valves.
7.2. Conditions for safe storage, including any incompatibilities.	STORAGE SEGREGATION: Store ethylene oxide in a cool, dry, well-ventilated area away from incompatible chemicals and sources of ignition. Store cylinders and drums upright; secure containers tightly; do not drag or slide; and move in a carefully supervised manner with a suitable hand truck. **DO NOT STORE IN DIRECT SUNLIGHT**. SHIPPING AND STORAGE CONTAINERS: (See 49 CFR 173.323) Ethylene oxide is shipped and stored in UN 1A1 specification drums and DOT specification drums and cylinders. Nitrogen must be charged into the container after filling with ethylene oxide, bringing the

ARC SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	total container pressure up to 50 psig. Before returning container to supplier, pressurize container with nitrogen to 50 psig total pressure; close valves and replace valve plugs tightly in outlets. **Check container valves and plugs for leaks prior to shipment.** In addition, please refer to the most current edition of NFPA Publication 55, 'Compressed Gases and Cryogenic Fluids Code.'. INCOMPATIBILITIES: Ethylene oxide is very reactive. Runaway exothermic polymerization reactions can result from contamination with amines, ammonia, water, acids, bases, metal chlorides, metal oxides, metallic potassium, mercaptans, alcohols, oxidizers and many other organic and inorganic materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters.

	Exposure Limits		
SOURCE	TWA (8-hr)	STEL (15-min)	OTHER
OSHA	1 ppm	5 ppm (9 mg/m^3)	0.5 ppm action level (8-hr TWA)
ACGIH	1 ppm (1.8 mg/m^3)	No applicable information found	800 ppm IDLH

8.2. Appropriate engineering controls.

ENGINEERING CONTROLS: Ethylene oxide, a major fire hazard, can burn in the absence of oxygen. All electrical devices used in areas processing or handling ethylene oxide must be engineered and designed to the applicable local electrical/fire codes. Safeguards can include designing electrical devices as explosion-proof and/or intrinsically safe. When considering engineering controls, users of ethylene oxide should consult the current edition of NFPA 55 (Compressed Gases and Cryogenic Fluids Code, Section 14: Storage, Handling and Use of Ethylene Oxide for Sterilization and Fumigation). Sterilization facilities should consult NIOSH Publication NO. 2007-164 (Alert: Preventing Worker Injuries and Deaths from Explosions in Industrial Ethylene Oxide Sterilization Facilities).

VENTILATION: Install and operate general and local exhaust ventilation systems powerful enough to maintain airborne levels of ethylene oxide below the OSHA PEL in the worker's breathing area. Ventilation systems must be of maximum explosion-proof design. Emission controls must be in compliance with Federal, State and local regulations.

SAFETY SHOWERS: Have eyewash stations, emergency deluge showers, and washing facilities available in all work areas.

SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	OTHER PROTECTION: Design all engineering systems to be explosion-proof in any area where this gas may be present. Container and system must be electrically grounded/bonded before unloading. Practice good personal hygiene; always wash thoroughly after using this material. Do not eat, drink or smoke in work area.
8.3. Individual protection measures, such as personal protective equipment.	RESPIRATORY PROTECTION: Refer to OSHA respirator regulations cited at 29 CFR 1910.134 and 29 CFR 1910.1047. Wear a NIOSH-approved full facepiece respirator for routine use situations where atmosphere is at or above OSHA's Action Level. Do not exceed the maximum use conditions of the respirator. For emergency or non-routine uses where concentrations are unknown, wear an SCBA with a full facepiece operated in the pressure-demand or positive pressure mode. EYE PROTECTION: Always wear chemical safety glasses. If splashing may occur, wear a full face shield as a supplementary protective measure over safety glasses. **NEVER WEAR CONTACT LENSES** when working with ethylene oxide. SKIN PROTECTION: Wear impervious gloves (see www.ethyleneoxide.com for permeation data); boots; aprons; head cover; and clean impervious body-covering clothing to prevent any possibility of skin contact. Launder contaminated clothing and discard contaminated leather shoes, belts, etc.

9. PHYSICAL AND CHEMICAL PROPERTIES	
9.1. Information on basic physical and chemical properties.	
Appearance (physical state, color, etc.).	Colorless liquid or gas
Corrosivity	Not Corrosive
Odor.	Sweet ether-like
Odor threshold.	261 ppm – detectable 500 to 700 ppm - recognizable
pH.	7, neutral (100 g/L in water)
Melting point/freezing point.	-169 °F (-112 °C)
Initial boiling point and boiling range.	50.7 °F (10.4 °C)
Flash point.	Tag Closed Cup: < 0 °F (< -18 °C)
Evaporation rate.	100% volatile by volume
Flammability (solid, gas).	Flammable
Upper/lower flammability or explosive limits.	Upper flammable limit: 100% vol/vol Lower flammable limit: 2.6% vol/vol
Vapor pressure.	1095 mmHg @ 20 °C
Vapor density.	1.5 (Air = 1)
Relative density.	0.875 at 20 °C
Solubility (ies).	100% in water
Partition coefficient: n-octanol/water.	-0.3
Autoignition temperature.	833 °F (445 °C); Burns in the absence of air
Decomposition temperature.	~932 °F (~773 °K)
Viscosity.	0.255 centipoise at 80 °F

ARC SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

Oxidizing properties.	Not an oxidizer

10. STABILITY AND REACTIVITY	
10.1. Reactivity.	Not reactive under normal conditions. Under abnormal conditions (for example external heating, contamination), thermal decomposition and runaway polymerization can occur and may lead to explosion.
10.2. Chemical stability.	STABILITY: Material is stable for extended periods in closed, airtight, pressurized containers at room temperature, under normal storage and handling conditions. Vapors may explode when exposed to common ignition sources. In the presence of catalysts, polymerization and decomposition of liquid may occur and is accelerated at temperatures above 800 °F (426 °C).
10.3. Possibility of hazardous reactions.	HAZARDOUS POLYMERIZATION: Dangerous exothermic polymerization reaction can occur when ethylene oxide is contaminated or when heated.
10.4. Conditions to avoid (e.g., static discharge, shock or vibration).	CONDITIONS TO AVOID: Avoid storage at warm temperatures [around 100 °F (38 °C)] in order to prevent polymerization. Do not store at temperatures above 125 °F (52 °C) under any circumstances. Avoid contact of ethylene oxide with incompatible chemicals to avoid highly exothermic polymerization reaction. Prevent exposure to all sources of ignition such as heat, flame, lighted tobacco products or electrical or mechanical sparks.
10.5. Incompatible materials.	See section 7.2
10.6. Hazardous decomposition products.	HAZARDOUS DECOMPOSITION PRODUCTS: Ethylene oxide undergoes thermal decomposition to form carbon dioxide and carbon monoxide gases.

11. TOXICOLOGICAL INFORMATION	
11.1. Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact);	PRIMARY ROUTES OF EXPOSURE: Inhalation; eye contact; skin contact/absorption.
11.2. Symptoms related to the physical, chemical and toxicological characteristics;	**ACUTE HEALTH EFFECTS:** INHALATION: Inhaling concentrated vapor may cause serious health effects, possibly death. Inhalation may progressively cause mucous membrane and respiratory irritation, headache, vomiting, cyanosis, drowsiness, weakness, loss of coordination, CNS depression, lachrymation, nasal discharge and salivation, gasping, and labored breathing. Delayed effects may include nausea, diarrhea, edema of the lungs, paralysis, convulsions and possibly death. NOTE: Ethylene oxide has a high odor threshold (> 250 ppm) and the sense of smell does not provide adequate protection against its toxic effects. EYE CONTACT: Liquid ethylene oxide is severely irritating and corrosive to the eyes and contact can cause swelling of the conjunctiva and irreversible corneal injury.

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	Contact with liquid ethylene oxide can cause frostbite. Vapors may cause eye irritation, tearing, redness and swelling of the conjunctiva. SKIN CONTACT: Prolonged contact with liquid ethylene oxide can cause a local erythema, edema, and formation of blisters. Response is more severe on damp skin. There may be a latency period of several hours prior to the onset of symptoms. Ethylene oxide may be absorbed by the skin, and sustained contact may produce adverse effects such as headache, dizziness, nausea and vomiting. Ethylene oxide is a skin sensitizer and some individuals may suffer an allergic skin reaction. Skin contact may also cause allergic contact dermatitis in some exposed individuals. Liquid ethylene oxide evaporates rapidly and may chill the skin causing frostbite. INGESTION: This relatively unlikely route of exposure is expected to cause severe irritation and burns of the mouth and throat, abdominal pain, nausea, vomiting, collapse and coma. Aspiration may occur during swallowing or vomiting, resulting in lung damage.
11.3. Delayed and immediate effects and also chronic effects from short- and long-term exposure;	**CHRONIC HEALTH EFFECTS:** SKIN CONTACT: Long term effects are unknown but are expected to be similar to acute effects of skin exposure. EYE CONTACT: Some cases of cataract formation have been reported. INHALATION: Respiratory irritation which can result in permanent lung injury, chromosomal aberrations and peripheral neurotoxic effects with a numbing of the sense of smell. Cognitive and CNS impairment may result from long term exposures. INGESTION: May cause anemia, gastrointestinal irritation, effects on liver, kidneys, and adrenal glands. CARCINOGENICITY: **OSHA** classifies ethylene oxide as a cancer/reproductive hazard and considers that, at excessive levels, ethylene oxide may present reproductive, mutagenic, genotoxic, neurologic and skin sensitization hazards. **ACGIH** classifies ethylene oxide as "A2" - suspected human carcinogen. **NTP** classifies ethylene oxide as a known human carcinogen. **IARC** classifies ethylene oxide in Group I (carcinogenic to humans). **NIOSH** classifies ethylene oxide as a potential human carcinogen.

ARC SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

11.4. Numerical measures of toxicity (such as acute toxicity estimates).	TOXICOLOGICAL - ACUTE INHALATION: LC_{50} (1 hr. exposure) 5748 ppm (male rat) 4439 ppm (female rat) 5029 ppm (rat - combined sexes) Various mammalian species exposed to lethal concentrations of ethylene oxide had symptoms of mucous membrane irritation, central nervous system depression, lacrimation, nasal discharge, salivation, nausea, vomiting, diarrhea, respiratory irritation, loss of coordination and convulsions. TOXICOLOGICAL - CHRONIC INHALATION: Symptoms of chronic exposure are similar to those observed in acute studies, including lung, kidney and liver damage and testicular tubule degeneration in some species. Studies demonstrated neuromuscular effects as the most sensitive indicator of ethylene oxide overexposure. TOXICOLOGICAL - ACUTE DERMAL: No dermal LD_{50} information is available on this product. It is expected to be corrosive to rabbit skin. TOXICOLOGICAL - CHRONIC DERMAL: No chronic dermal toxicity data are available on this product. TOXICOLOGICAL - EYE: No eye irritation animal data are available on this product; however, it is expected to be extremely irritating to rabbit eyes. TOXICOLOGICAL - ACUTE INGESTION: The acute oral LD_{50} for this product is: 330 mg/kg, rat. TOXICOLOGICAL - CHRONIC INGESTION: The effects of chronic ingestion of this product are unknown. CARCINOGENICITY: A recent assessment of available epidemiology studies related to ethylene oxide concluded that the evidence indicates that ethylene oxide does not cause heart disease, an excess of cancers overall, or brain, stomach or pancreatic cancers which were seen in some animal and isolated human studies. The findings with respect to leukemia and non-Hodgkin's lymphoma are less definitive. While the majority of the evidence does not indicate that ethylene oxide causes these cancers, there are some suggestive trends. A longer follow-up of ethylene oxide was completed in 2004 to better clarify these relationships. NIOSH reported no overall elevated risk for any type of cancer or other diseases as compared to the general population, however, among those workers with very high ethylene oxide exposure (combination of exposure level and years worked); there was evidence of an elevated risk for blood

ARC
SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	cancers among men and breast cancer among women. Two inhalation studies with rats demonstrated carcinogenic responses consisting of increased incidences of mononuclear cell leukemia, peritoneal mesotheliomas, and primary brain tumors. In 2-year inhalation studies with mice there was evidence of carcinogenic activity as indicated by dose-related incidences of benign or malignant neoplasms of the uterus, mammary gland, and hematopoietic system (lymphoma). MUTAGENICITY: While ethylene oxide has demonstrated, in epidemiological studies with exposed workers, an increased incidence of chromosomal aberrations and sister chromatid exchanges, the relevance of such effects to human health hazard evaluation is currently uncertain. In rodent studies, dose related exposure to ethylene oxide induces increases in numbers of adducts in DNA and hemoglobin. Laboratory studies with mice have shown that acute exposure to ethylene oxide at 300 ppm and above caused testicular injury as evidenced by concentration-related increased embryonic deaths following mating of exposed males to non-exposed females (Dominant-Lethal Test). NEUROTOXICITY: Effects are similar to those of acute (short term) exposure, namely, headaches, nausea, diarrhea, lethargy and irrational behavior. Muscle weakness, loss of sensation in the extremities and a reduction in the sense of smell and/or taste may also result. Studies on workers indicate that CNS and cognitive impairment may result from chronic exposures to ethylene oxide. REPRODUCTIVE EFFECTS: Some limited epidemiological data suggests that women exposed to ethylene oxide have a greater incidence of miscarriage. A one-generation reproduction study in rats showed decreased numbers of pups at 100 ppm but not at 33 ppm. In a two-generation reproduction study involving exposure of rats to ethylene oxide vapor for 6 hrs/day, 5 days/week, there was parental toxicity at 33 ppm and 100 ppm. Post implantation losses with reduction in litter size and offspring body weight were found at 33 ppm and 100 ppm. The no-observable effect concentration for adult toxicity, offspring effect and reproductive effect was 10 ppm. TERATOLOGY: Inhalation development toxicity studies with rats exposed to ethylene oxide vapor at concentrations of 50 ppm, 125 ppm and 225 ppm showed that maternal toxicity occurred at 125 and 225 ppm. Fetotoxicity, evidenced by reduced fetal body weight, occurred at all concentrations. At 225 ppm and

ARC
SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

	to a lesser extent at 125 ppm an increased incidence of skeletal variants was found. There was no evidence of embryotoxicity or malformations. TARGET ORGANS: Overexposure to this product may affect the skin, eyes, respiratory system, liver, kidneys, brain, blood, reproductive system and central nervous system.

12. ECOLOGICAL INFORMATION	
12.1. Ecotoxicity (aquatic and terrestrial, where available).	AQUATIC TOXICITY: Acute 96-hr. LC_{50} data: 57-84 mg/L, fathead minnow (Pimephales promelas) 90 mg/L, goldfish (Carassius auratus) 137-300 mg/L, water flea (Daphnia magna) Material is slightly toxic to marine invertebrates. 48 hr. LC_{50} in brine shrimp: 490 mg/L
12.2. Persistence and degradability.	CHEMICAL FATE INFORMATION: BOD_5: 0.35 p/p. BOD_{10}: 1.1 p/p. BOD_{20}: 1.3 p/p.
12.3. Bioaccumulative potential.	Log octanol/water partition coefficient (log Kow) is low. Partitioning from water to oil is low. Bioconcentration is not expected to occur due to high water solubility and a low log Kow. Ethylene oxide hydrolyzes to ethylene glycol. Biodegradation of ethylene oxide occurs at a moderate rate after acclimation (3-20% degradation after 5 days; 70% after 20 days). Biodegradation is expected in a wastewater treatment plant. Ethylene oxide has an estimated half life in the atmosphere of 105 days. EO does not readily absorb into sediments or soils and does not persist in soils; if absorbed, soil organisms will over time convert EO to glycols eliminating any persistence in the soil.
12.4. Mobility in soil.	EO does not readily absorb into sediments or soils.
12.5. Results of PBT and vPvB	No applicable information found.
12.6. Other adverse effects.	No applicable information found.

13. DISPOSAL CONSIDERATIONS	
13.1. Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging.	WASTE MANAGEMENT/DISPOSAL: When disposed, ethylene oxide is a RCRA hazardous waste with waste code U115 (Commercial chemical product - listed for toxicity and ignitability). Waste ethylene oxide may be incinerated in an approved hazardous waste incinerator or can be biologically treated in an approved facility. **DO NOT INCINERATE ANY ETHYLENE OXIDE CONTAINERS.** Ethylene oxide is banned from land disposal. Dispose of waste materials in accordance with all applicable Federal, State and local laws and regulations.

14. TRANSPORT INFORMATION	
14.1. UN number.	UN 1040
14.2. UN proper shipping name.	Ethylene Oxide

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

14.3. Transport hazard class (es).	DOT Primary: 2.3 (Poison Gas); Secondary: 2.1 (Flammable Gas) Poison-Inhalation Hazard Zone D Reportable Quantity 10 lb (4.54 kg) IMO Primary: 2.3 (Toxic Gas); Secondary: 2.1 (Flammable Gas) TDG (from or within Canada) Primary: 2.3 (Toxic Gas); Secondary: 2.1 (Flammable Gas) Shipments of residual amounts of ethylene oxide are considered hazardous material. All facilities shipping or receiving ethylene oxide are subject to registration as a shipper of hazardous material (49 CFR 107, Subpart G). All facilities handling ethylene oxide must also maintain a written security plan (49 CFR 172.00 – 804, 49 CFR 172.704)
14.4. Packing group, if applicable.	Not applicable
14.5. Marine pollutant (Yes/No).	No
14.6. Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises.	See Section 7.2
14.7. Transportation in bulk according to Annex II of MARPOL 73/78 and the IBC Code.	Product is not supplied in bulk

15. REGULATORY INFORMATION		
15.1. Safety, health and environmental regulations specific for the product in question.		
US Federal:	CERCLA:	Section 103: Reportable Quantity – 10 lb (40 CFR 302.4)
	CWA:	Release into a waterway may require reporting to the National Response Center @ 800-424-8802 (40 CFR 116.4).
	FIFRA	If this chemical is a pesticide product registered by the United States Environmental Protection Agency, it is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. EPA Registration No. 36736-2 and EPA Registration No. 36736-8 **DANGER!** Causes eye and skin burns. Harmful if inhaled. May cause nervous system damage. Cancer hazard and reproductive hazard. May be fatal if inhaled in high concentrations. May cause irritation of the respiratory tract. May cause immediate or delayed skin irritation or blisters. May cause allergic skin reaction. Do not breathe vapor. Highly flammable liquid and gas under pressure.
	RCRA:	If discarded in purchased form, this product is a listed and characteristic hazardous waste. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified

ARC SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

		as a hazardous waste (40 CFR 261.20-24).
	RMP:	Listed under the EPA Chemical Accidental Prevention Provisions (Risk Management Plan: 40 CFR 68.130) as a Toxic with a 10000 lb Threshold Quantity
	SARA TITLE III:	Section 302 Extremely Hazardous Substances – Listed; 1000 lb Threshold Planning Quantity (40 CFR 355 Appendix A) Section 304 – Listed 10 lb Reportable Quantity (40 CFR 302.4) Section 311/312 Hazard Categories – Acute, Chronic, Fire, Reactive, Sudden Release (40 CFR 370.66) Section 313 Toxic Chemicals – Listed (40 CFR 372.65)
	TSCA:	On TSCA inventory.
	Other EPA	EPA list of Hazardous Air Contaminants: Listed EPA Organic Hazardous Air Pollutant (HAP) list (40 CFR 61.01): Listed EPA list of Pesticide Chemicals (40 CFR 180.151): Listed EPA NESHAPS (40 CFR 63.360) VOC Rule: 100% VOC
	FDA/USDA:	Not applicable.
	OSHA:	This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200. Ethylene Oxide Standard 29 CFR 1910.1047
	Other OSHA:	Listed under the Process Safety Management standard (29 CFR 1910.119) with 5000 lb Threshold Quantity.
US State:	California Proposition 65: Listed; cancer hazard; reproductive hazard California Director's List: Listed Florida Hazardous Substance List: Listed Massachusetts Extraordinarily Hazardous Substance List: Listed Minnesota Hazardous Substance List: Listed New Jersey Hazardous Substance List: Listed sn 0882 (Special Hazardous Substance; Environmental Hazardous Substance) Pennsylvania Right-to-know List: Listed	
Canadian:	DSL:	Listed as Oxirane (published 5 April 1994)
	WHMIS:	Ingredient Disclosure List: Listed 0.1%, item 725 (1310) Classification: A; B1; D1A; D2A; D2B; F This MSDS complies with the Canadian Controlled Product Regulations.
EU:	CLP: EINECS: REACH: Safety Data Sheets:	This product is not sold into the European Union.

16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION		
Last Revision Date:	See top of each page under 'Effective Date'	
Reason for Issue:	Rev A supersedes Rev. 22 Jul 2009	Reformatted per OSHA GHS. Added part 10.1. Changed 11.4 Acute Ingestion LD50 from 72 to 330 mg/kg (no evidence located to support 72; web review, including IPCS. 2003. Ethylene Oxide. Geneva, World Health Organization, International Program on Chemical Safety, Concise International Chemical Assessment Document 54, p 1-57. http://www.inchem.org/documents/cicads/cicads/cicad54.htm.
	B	Correct flash point temperature from 18°C to -18°C
	C	Remove Canutec phone contact information
	D	Added Corrosivity to section 9 physical and chemical properties to support 29 CFR 1910.119(d)(1)
Risk Phrases Used:	See Section 2.	

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

Hazard Ratings:	See Section 5.2

THE FOLLOWING ABBREVIATIONS MAY BE USED IN THIS DOCUMENT:	
ACGIH	American Council of Governmental Industrial Hygienists
AICS	Australian Inventory of Chemical Substances
BOD 5, 10, 20	Biochemical Oxygen Demand, 5, 10 or 20 day
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
CLP	Classification, Labeling and Packaging
CNS	Central nervous system
CWA	Clean Water Act
D.O.T. or DOT	Department of Transportation
DSL	Domestic Substance List (Canada)
EC_{50}	Effective concentration which induces a response halfway between the baseline and maximum.
EC	European Community
ECL	Existing Chemicals List (Korea)
EINECS	European Inventory of Existing Commercial Substances
EPA	Environmental Protection Agency
EU	European Union
FDA	Food and Drug Administration
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
GHS	Globally Harmonized System
HAP	Hazardous Air Pollutant
HMIS	Hazardous Materials Information System
IARC	International Agency for Research on Cancer
IBC	International Bulk Chemical Code
IDL	Ingredient disclosure list
IDLH	Immediately Dangerous to Life and Health
IMO	International Maritime Organization
K_{St}	Deflagration Index
LC_{50}	Median lethal concentration for 50% mortality of subject species by the inhalation route
LD_{50}	Median lethal dose for 50% mortality of subject species by the oral or dermal route
LD_{Lo}	Median lethal dose low; the lowest dose of a substance introduced by any route other than inhalation reported to have caused death in humans or animals.
LEL / LFL	Lower Explosive Limit / Lower Flammable Limit
MARPOL	International Convention for the Prevention of Pollution from Ships
MSHA	Mine Safety Health Administration
NESHAPS	National Emission Standards for Hazardous Air Pollutants
NFPA	National Fire Protection Association
NIOSH	National Institute of Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PBT	Persistent Bioaccumulative Toxic
PEL	Permissible Exposure Limit (default 8 hour day, 40 hour week TWA)
p/p	Parts per part
Ppm	Parts per million
p.s.i.g. or psig	Pounds per square inch (gauge pressure)
PSM	Process Safety Management
PVC	Polyvinyl chloride
RCRA	Resource Conservation and Recovery Act
REACH	Registration, Evaluation, Authorization and Restriction of Chemical Substances

SPECIALTY PRODUCTS

SAFETY DATA SHEET

Effective Date: 05-09-2014	Revision: D	ARC	Language: EN

REL	Recommended Exposure Limit (default 10 hour day, 40 hour week TWA)
RMP	Risk Management Plan
SARA	Superfund Amendment and Reauthorization Act of 1990
SCBA	Self-contained breathing apparatus
STEL	Short Term Exposure Limit (default 15 minute TWA)
TD_{Lo}	Lowest dose to which humans or animals have been exposed and reported to produce a toxic effect other than cancer
TDG	Transportation of Dangerous Goods
TLV	Threshold limit value
TSCA	Toxic Substance Control Act
TWA	Time Weighted Average
UFL	Upper Flammable Limit
USDA	United States Department of Agriculture
VOC	Volatile organic chemical
vPvB	Very Persistent, Very Bioaccumulative
WHMIS	Workplace Hazardous Material Information System Regulations

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

EXHIBIT L

Ö Hoffman, Kathy <KHoffman@sterigenics.com>
÷ Monday, April 27, 2020 12:41 PM
è Hays, Karen
÷ FW: Sterigenics Atlanta Facility

ÐÂ–èÞ\^ This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Karen:

Given the negative pressure capture and emissions control system operation, we estimate the amount of EO discharge post-control to the environment to be about one quarter of one ounce or less.

Regards,
Kathy Hoffman

õ¸•] ĸHoffman, Kathy
W@:ĸSaturday, April 25, 2020 10:53 AM
X•ĸkaren.hays@dnr.ga.gov
W ^{@:ĸSterigenics Atlanta Facility

Karen:

We had elevated internal EO readings within our chamber room at the Atlanta facility yesterday at about 1pm ET. All of the EO was captured within the negative pressure system and controlled with the new emission controls. There were no uncontrolled EO emissions to the environment.

The increased internal EO readings resulted from our Chamber #2 vacuum pump system when we were starting up Chamber #2 for the first routine production cycle since we temporarily suspended operations in August. Upon further investigation, we identified a minor maintenance issue with the oil/water separator tank that is connected to Chamber #2 vacuum pump. We have not had this issue with any other chamber during our startup period and inspected all other chambers to ensure that there are no similar issues. We estimate the increased EO contributions within the internal negative pressure system to be about 0.8 to 1.8 pounds of EO. Again, we confirmed that the new negative pressure capture and control system was working properly at the time and that there were no uncontrolled EO emissions to the environment.

Kathleen Hoffman
Senior Vice President - Global Environmental, Health & Safety
Sotera Health

2015 Spring Road, Suite 650
Oak Brook, IL 60523
Office: 630.928.1758
khoffman@soterahealth.com

Sotera Health

This e-mail and any files transmitted with it may contain privileged and/or confidential information. If you believe this e-mail or any of its attachments were not intended for you, you must not use, distribute, forward, print or copy this e-mail or any attached files. If you have received this e-mail in error, please notify the sender by reply e-mail and then immediately delete the email and all attachments.

EXHIBIT M1

Georgia Department of Natural Resources

Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

FEB 17 2015

MEMORANDUM:

TO: Sean Taylor
THROUGH: Ross Winne, Richard Taylor
FROM: Anna Gray
SUBJECT: SOURCE TEST REPORT REVIEW

The following test has been reviewed and was conducted in an acceptable fashion for the purpose intended.

COMPANY NAME	Sterigenics U.S. LLC
COMPANY LOCATION	Smyrna, GA
SOURCE TESTED	Areation Room/Advanced Air Technologies (AAT) emission control system
POLLUTANT DETERMINED	Ethylene Oxide
REPORT REVIEWED BY	Anna Gray
TEST WITNESSED BY	Anna Gray
DATE(S) OF TEST	October 23, 2014 to October 24, 2014
DATE RECEIVED BY APB	January 8, 2015
APPLICABLE REGULATION	Permit No. 7389-067-0093-S-05-0, Conditions 2.3, 6.2 and 6.3
MEMORANDUM	The reduction efficiency test of the Two stage Advanced Air Technologies (AAT) emission control system, which controls the emissions from the aeration room, was conducted in accordance o USEPA CFR 40, Part 63.365. The emissions reduction should be at least 99%. Average EtO concentration on inlet= 27.94 ppm Average EtO concentration on outlett= 0.0122 ppm Average EtO Control Efficiency: 99.95% Aeration time on each run: 60 min Average flow on the outlet: 9831 dscfm EtO average mass flow on the outlet: 0.000824 lbs/hr The inlet flow was assumed the same as the outlet. Each test run was performed with freshly sterilized product in the aeration chambers. Parameters during test: Scrubber flow rate= 1537 gpm; 0.9 pH; Storage tank level for the scrubber: 108"; Glycol concentration=30.4%

:c: Ross Winne
Reference Number: 201500164

AIRS Number: 06700093
Printed: 2/17/2015

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

FEB 17 2015

MEMORANDUM:

TO: Sean Taylor
THROUGH: Ross Winne, Richard Taylor
FROM: Anna Gray
SUBJECT: SOURCE TEST REPORT REVIEW

The following test has been reviewed and was conducted in an acceptable fashion for the purpose intended.

COMPANY NAME	Sterigenics U.S. LLC
COMPANY LOCATION	Smyrna, GA
SOURCE TESTED	10-Sterilizer Chambers/Ceilcote Scrubber
POLLUTANT DETERMINED	Ethylene Oxide
REPORT REVIEWED BY	Anna Gray
TEST WITNESSED BY	Anna Gray
DATE(S) OF TEST	October 23, 2014
DATE RECEIVED BY APB	January 8, 2015
APPLICABLE REGULATION	Permit No. 7389-067-0093-S-05-0, Conditions 2.3, 6.2 and 6.3
MAXIMUM EXPECTED OPERATING CAPACITY	12,000 ACFM
OPERATING CAPACITY	N/A
ALLOWABLE EMISSION RATE	99 % DRE
CONTROL EQUIPMENT AND MONITORING DATA	Scrubber flow rate= 155 gpm; 1.7 pH; Storage tank level for the scrubber: 185"; Glycol concentration=35.7%

cc: Ross Winne
Reference Number: 201500030

AIRS Number: 06700093
Printed: 2/17/2015

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

MEMORANDUM

The reduction efficiency test of the Ceilcote packed tower scrubber emission control system was conducted in accordance o USEPA CFR 40, Part 63.365. At least one of the test runs was performed using emissions from the new 30-pallet sterilizer.

Run #1 Inlet EtO= 27.4 lbs
Outlet EtO= 0.0010212 lbs
EtO Control Efficiency= 99.996%
Minutes/cycle= 22

Run #2 Inlet EtO=61.0 lbs
Outlet EtO= 0.0041159 lbs
EtO Control Efficiency= 99.993%
Minutes/cycle= 23

Run #3 Inlet EtO= 218.1 lbs
Outlet EtO= 0.0189873 lbs
EtO Control Efficiency= 99.991%
Minutes/cycle= 27
Average EtO Control Efficiency: 99.993%

The amount of ethylene oxide used during each sterilization cycle was calculated by the Gas law and the conditions at the beginning and the end of every exhaust phase. All exhaust phase testing wsa conducted during normal process load conditions, but with an empty sterilization chamber to facilitate inlet mass calculation and the performance of multiple test runs.

TEST REPORT TRANSMISSION SUMMARY
(Submit separate summary sheet for each pollutant test report)

Submit to:
Ross Winne, Program Manager
Industrial Source Monitoring Program
4244 International Parkway, Suite 120
Atlanta, GA 30354

RECEIVED
JAN 29 2015
ISMP

ISMP Database
(Air Protection Branch use only)
No. 2015 00164

Facility Name: Sterigenics U.S. LLC

Facility Address: 2973 Olympic Industrial Blvd., Smyrna, Georgia 30080
(Address / City / Zip)

Facility Contact: Daryl Mosby – General Manager Phone No. 404.355.4485

PART A

Emission Point (one only): AAT Emission Control System

Pollutant (one only): Ethylene Oxide Date test performed: 24 Oct.14

Applicable Rule(s), Regulation(s) or Permit Conditions (Indicate Permit # and Condition #'s): NESHAP regulation for AAT Safe Cell, Permit # 7389-067-0093-S-05-0, Requirements 6.2 and 6.3

Maximum expected operating capacity: 12,000 cfm

Operating capacity during test: 99.96%

Computed allowable emission rate(s) or limitation(s): ≥ 99% or ≤ 1 ppm
(Determined for each applicable rule, regulation or permit condition using same units)

Reported emissions to atmosphere: 5.03 pounds (2013)
(In same units as rule, regulation or permit condition)

The test report should include a compilation of all CEMS data, control devise parameters and process operating data related to the test.

PART B

For any facility operating under a Part 70 Permit, Condition 8.8.3 of that permit requires the following certification should be signed by a responsible official and included with the report:

I certify that based on my information and belief formed after reasonable inquiry, the statements and information in this report are true, accurate, and complete.

Kathleen Hoffman	KA Hoffman	SVP - Global EHS	23 - Jan-2015
NAME	**SIGNATURE**	**TITLE**	**DATE**

RECEIVED
DEC 23 2014
AIR PROTECTION
BRANCH

REPORT OF AIR POLLUTION SOURCE TESTING OF AN ETHYLENE OXIDE EMISSION-CONTROL SYSTEM OPERATED BY STERIGENICS, INC. IN SMYRNA, GEORGIA ON OCTOBER 24, 2014

#2015 00064

Submitted to:

GEORGIA DEPARTMENT OF NATURAL RESOURCES
Environmental Protection Division
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Submitted by:

STERIGENICS U.S., LLC.
2973 Olympic Industrial Boulevard
Smyrna, Georgia 30080-7322

GDNR Permit Number 7839-067-0093-S-05-0

Prepared by:

ECSI, INC.
PO Box 848
San Clemente, California 92674-0848

December 7, 2014

ECSi

CONTACT SUMMARY

CLIENT

Ms. Sue Reinhardt
EHS Manager
STERIGENICS U.S., LLC.
2015 Spring Road, Suite 650
Oak Brook, Illinois 60523

Phone: (630)928-1768
FAX: (630)928-1701
Email: sreinhardt@sterigenics.com

FACILITY

Mr. Daryl Mosby
General Manager
STERIGENICS U.S., LLC.
2973 Olympic Industrial Boulevard
Smyrna, Georgia 30080

Phone: (404)355-4485
FAX: (404)355-4852
Email: dmosby@sterigenics.com

TEST DATE

October 24, 2014

REGULATORY AGENCY

Mr. Don Holder
Principal Environmental Engineer
Stationary Source Compliance Program
GEORGIA DEPARTMENT OF NATURAL RESOURCES
Environmental Protection Division, Air Protection Branch
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Phone: (404)363-7000
FAX: (404)363-7100
Email: don_holder@dnr.state.ga.us

TESTING CONTRACTOR

Daniel P. Kremer
Project Manager
ECSi, Inc.
PO Box 848
San Clemente, California 92674-0848

Phone: (949)400-9145
FAX: (949)281-2169
email: dankremer@ecsi1.com

TABLE OF CONTENTS

		PAGE NO.
CONTACT SUMMARY		i
TABLE OF CONTENTS		ii
LIST OF TABLES		iii
LIST OF APPENDICES		iv
1.0	INTRODUCTION	1
2.0	EQUIPMENT	2
3.0	TESTING	3
4.0	RULE/COMPLIANCE REQUIREMENTS	4
5.0	TEST METHOD REFERENCE	5
5.1	Introduction	5
5.2	Volumetric Flow Measurement	5
5.3	Mass-Emissions Measurement	6
5.4	Sample Transport	6
5.5	GC Injection	6
5.6	GC Conditions	6
5.7	Calibration Standards	7
5.8	Sampling Duration	7
5.9	Control Efficiency/Mass-Emissions Calculations	8
6.0	TEST SCENARIO	9
7.0	QA/QC	10
7.1	Field Testing Quality Assurance	10
7.2	Calibration Procedures	10
8.0	TEST RESULTS	11
TABLES		12
APPENDICES		14

ECSi

LIST OF TABLES

TABLE	DESCRIPTION	PAGE NO.
1	Ethylene Oxide Control Efficiency - Aeration	13

ECSi

LIST OF APPENDICES

APPENDIX	DESCRIPTION	PAGE NO.
A	Calibration Data	A-1
B	Run#1 Chromatograms	B-1
C	Run#2 Chromatograms	C-1
D	Run#3 Chromatograms	D-1
E	Field Data and Calculation Worksheets	E-1
F	Gas Certifications	F-1
G	Parametric Monitoring Data	G-1

ECSi

1.0 INTRODUCTION

On Friday, October 24, 2014, ECSi, Inc. performed air pollution source testing of an ethylene oxide (EtO) emission-control device operated by Sterigenics, Inc. in Smyrna, Georgia. The control device tested was a two-stage Advanced Air Technologies Safe Cell emission-control system, which is currently used to control emissions from one aeration room. The purpose of the testing program was to demonstrate continued compliance with the conditions established in the Air Quality Permit granted to Sterigenics by the Georgia Department of Natural Resources, Environmental Protection Division (GDNR).

ECSi

2.0 EQUIPMENT

The EtO gas-sterilization system is comprised of nine commercial sterilizers, which are discharged through liquid-ring vacuum pumps to a Ceilcote packed tower scrubber emission-control system, nine sterilizer exhaust vents (backvents), which are currently discharged to atmosphere, and one aeration room, which is discharged to a two-stage Advanced Air Technologies (AAT) Safe Cell emission-control system. As an alternative emission-control scenario, the facility also has the capability to discharge the sterilization chamber vacuum pumps to the AAT Safe Cell system. The gas-sterilization and emission-control equipment consist of the following:

- Nine Gas Sterilizers, two 5-pallet, two 6-pallet, four 13-pallet, and one new 30-pallet capacity, each comprised of a steam-heated sterilization chamber, a recirculating vacuum pump chamber evacuation system, a backdraft valve, and a fugitive emissions exhaust hood;

- One aeration room (AR-1), 152,400 cubic feet capacity, comprised of a heated aeration chamber and a chamber exhaust system.

Sterilizer vacuum pump emissions are be controlled by:

- One Ceilcote packed tower chemical scrubber, equipped with: a reaction/interface column, 27' 4" high, 42" in diameter, with a 20' bed of #1 Tellerette packing; a 115 GPM scrubber fluid recirculation system; and two 28,000 gallon reaction/storage tanks.

Sterilizer aeration emissions are controlled by:

- One two-stage Advanced Air Technologies Safe Cell emission-control system, comprised of a packed-tower chemical scrubber (SC1), equipped with a packed reaction/interface column, a scrubber fluid recirculation system, and a scrubber fluid reaction/storage tank, and a dry bed reactor/scrubber (SC2), comprised of a bank of solid-bed reaction vessels, connected in parallel, installed downstream of SC1 and upstream of a dedicated blower exhaust system.

ECSi

3.0 TESTING

EtO source testing was conducted in accordance with the procedures outlined in USEPA CFR40, Part 63.365. EtO emissions monitoring was conducted simultaneously at the inlet and outlet of the AAT Safe Cell System during a one-hour interval of the 24-hour aeration process. A total of three test runs were performed.

During aeration testing, EtO emissions at the inlet and the outlet of the AAT Safe Cell System were determined using direct source sample injection into the gas chromatograph (GC). All aeration testing was performed using freshly sterilized product. The testing program was conducted in accordance with the procedures outlined in the following sections.

ECSi

4.0 RULE/COMPLIANCE REQUIREMENTS

The EtO gas-sterilization system at Sterigenics was tested to demonstrate compliance with the EPA requirements, as specified in the GDNR Air Quality Permit. The following requirements must be met:

- The emissions from the aeration process must be discharged to control equipment with an EtO emission-reduction efficiency of at least 99.0% by weight.

Testing is required to demonstrate compliance with these requirements. Source testing of the AAT Safe Cell System is required initially, and may be required periodically thereafter.

ECSi

5.0 TEST METHOD REFERENCE

5.1 INTRODUCTION

EtO source testing was conducted in accordance with the procedures outlined in USEPA CFR40, Part 63.365. EtO emissions monitoring was conducted simultaneously at the inlet and outlet of the AAT Safe Cell System during a one-hour interval of the 24-hour aeration process. A total of three test runs were performed.

During aeration testing, EtO emissions at the inlet and the outlet of the AAT Safe Cell System were determined using direct source sample injection into the gas chromatograph (GC). All aeration testing was performed using freshly sterilized product. The testing program was conducted in accordance with the procedures outlined in the following sections.

Operation and documentation of process conditions was performed by personnel from Sterigenics, Inc. using existing monitoring instruments installed by the manufacturer on the equipment to be tested. In accordance with the procedures established in USEPA CFR40, Part 63, Subpart O, scrubber liquor level was recorded. This parametric monitoring data is attached as Appendix G.

5.2 VOLUMETRIC FLOW MEASUREMENT

Exhaust gas flow at the outlet of the scrubber was determined by 40 CFR 60, Appendix A, Method 2, using an s-type pitot tube and an inclined-oil manometer. Sampling ports were located in accordance with 40 CFR 60, Appendix A, Method 1. The test ports were located far enough from any flow disturbances to permit accurate flow measurement.

Temperature measurements were obtained from a type K thermocouple and thermometer attached to the sampling probe. Exhaust gas composition was assumed to be air and small amounts of water vapor. Water vapor was negligible and, based on previous test data, a value of 2 percent was used for flow calculations.

5.3 CONTROL EFFICIENCY AND MASS EMISSIONS MEASUREMENT

During the aeration process, EtO emissions at the inlet and outlet of the AAT Safe Cell System were determined using direct source sample injection into the GC. The mass of EtO emitted from the outlet was determined using Equation 2, shown below in Section 5.9. Mass-mass control-efficiency of EtO during the aeration process was calculated by comparing the mass of EtO vented to the system inlet to the mass of EtO vented from the system outlet.

During aeration, vented gas was analyzed by an SRI, Model 8610, portable gas chromatograph (GC), equipped with the following: dual, heated sample loops and injectors; dual columns; and dual detectors. A flame ionization detector (FID) was used to quantify inlet EtO emissions, and a photoionization detector (PID) was used to quantify low-level EtO emissions at the emission-control system outlet.

5.4 SAMPLE TRANSPORT

Source gas was pumped to the GC at approximately 500-1000 cubic centimeters per minute (cc/min) from the sampling ports through two lengths of Teflon® sample line, each with a nominal volume of approximately 75 cubic centimeters (cc) and an outer diameter of 0.25 inch. At the inlet of the Safe Cell System, the sampling port was located in the plenum immediately upstream packed tower scrubber. At the outlet of the Safe Cell System, sampling ports were located in the exhaust stack downstream of the dry bed reactors.

5.5 GC INJECTION

Source-gas samples were then injected into the GC which was equipped with two heated sampling loops, each containing a volume of approximately 2cc and maintained at 100 degrees Celsius (C). Injections occurred at approximately five-minute intervals during aeration testing. Helium was the carrier gas for both the FID and the PID.

5.6 GC CONDITIONS

The packed columns for the GC were both operated at 80 degrees C. The columns were stainless steel, 6 feet long, 0.125 inch outer diameter, packed with 1 percent SP-1000 on 60/80 mesh Carbopack B.

ECSi

During the analysis, the FID was operated at 250 degrees C. The support gases for the FID were hydrogen (99.995% pure) and air (99.9999% pure). Any unused sample gas was vented from the GC system back to the inlet of the control device being tested.

5.7 CALIBRATION STANDARDS

The FID was calibrated for mid-range part-per-million-by-volume (ppmv) level analysis using gas proportions similar to the following:

1) 100 ppmv EtO, balance nitrogen
2) 50 ppmv EtO, balance nitrogen (audit gas)
3) 10 ppmv EtO, balance nitrogen
4) 1 ppmv EtO, balance nitrogen

The PID was calibrated for low-range ppmv level analyses using gas proportions similar to the following:

1) 100 ppmv EtO, balance nitrogen
2) 50 ppmv EtO, balance nitrogen (audit gas)
3) 10 ppmv EtO, balance nitrogen
4) 1 ppmv EtO, balance nitrogen

Each of these calibration standards was in a separate, certified manufacturer's cylinder. Copies of the calibration gas laboratory certificates are attached as Appendix F.

5.8 SAMPLING DURATION

Since aeration is a 24-hour process at this facility, with constant discharge flow from the aeration chambers to the emission-control system, aeration testing consisted of three 1-hour test runs. Each test run was performed with freshly sterilized product in the aeration chambers.

ECSi

5.9 CONTROL-EFFICIENCY/MASS-EMISSIONS CALCULATIONS

Mass emissions of EtO during aeration were calculated using the following equation:

MassRate = (VolFlow)(MolWt)(ppmv EtO/10^6)/(MolVol)

Where:

MassRate	=	EtO mass flow rate, pounds per minute
VolFlow	=	Corrected volumetric flow rate, standard cubic feet per minute at 68 degrees F
MolWt	=	44.05 pounds EtO per pound mole
ppmv EtO	=	EtO concentration, parts per million by volume
10^6	=	Conversion factor, ppmv per "cubic foot per cubic foot"
MolVol	=	385.32 cubic feet per pound mole at one atmosphere and 68 degrees F

Results of the control-efficiency testing are presented in Section 8.0 and in Table 1.

ECSi

6.0 TEST SCENARIO

The aeration testing was performed during normal process load conditions. Three aeration test runs were conducted in series to verify the performance of the emission-control system. The testing schedule was as follows:

1) Testing equipment was set up and calibrated.
2) Aeration Phase Test Run #1 was conducted with freshly sterilized product in aeration. Sampling was performed at the inlet and the outlet of the Safe Cell System.
3) Aeration Phase Test Run #2 was conducted with freshly sterilized product in aeration. Sampling was performed at the inlet and the outlet of the Safe Cell System.
4) Aeration Phase Test Run #3 was conducted with freshly sterilized product in aeration. Sampling was performed at the inlet and the outlet of the Safe Cell System.
5) Post calibration check was performed, testing equipment was packed.

ECSi

7.0 QA/QC

7.1 FIELD TESTING QUALITY ASSURANCE

At the beginning of the test, the sampling system was leak checked at a vacuum of 15 inches of mercury. The sampling system was considered leak free when the flow indicated by the rotameters fell to zero.

At the beginning of the test, a system blank was analyzed to ensure that the sampling system was free of EtO. Ambient air was introduced at the end of the heated sampling line and drawn through the sampling system line to the GC for analysis. The resulting chromatogram also provided a background level for non-EtO components (i.e. ambient air, carbon dioxide, water vapor) which are present in the source gas stream due to the ambient dilution air which is drawn into the emission-control device, and due to the destruction of EtO by the emission-control device which produces carbon dioxide and water vapor. This chromatogram, designated AMB, is included with the calibration data in Appendix A.

7.2 CALIBRATION PROCEDURES

The GC system was calibrated at the beginning and conclusion of each day's testing. Using the Peaksimple II analytical software, a point-to-point calibration curve was constructed for each detector. A gas cylinder of similar composition as the calibration gases, but certified by a separate supplier, was used to verify calibration gas composition and GC performance.

All calibration gases and support gases used were of the highest purity and quality available. A copy of the laboratory certification for each calibration gas is attached as Appendix F.

ECSi

8.0 TEST RESULTS

The AAT Safe Cell System demonstrated an EtO control efficiency of 99.96 percent. In accordance with EPA requirements, as specified in the GDNR Air Quality Permit, this control equipment must have an EtO control efficiency of 99 percent or more in control of emissions from the aeration process. The AAT Safe Cell System met this requirement.

The test results are summarized in Table 1. This table includes results for EtO control efficiency of the emission-control device. Chromatograms and chromatographic supporting data are attached as Appendices A through D. Copies of field data and calculation worksheets are attached as Appendix E.

ECSi

TABLES

ECSi

TABLE 1
ETHYLENE OXIDE CONTROL EFFICIENCY - AERATION OF AN ETHYLENE OXIDE EMISSION CONTROL DEVICE OPERATED BY STERIGENICS, INC. IN SMYRNA, GEORGIA ON OCTOBER 24, 2014

RUN NUMBER	INJECTION TIME	INLET ETO CONC. (PPM)(1)	OUTLET ETO CONC. (PPM)(2)	ETO CONTROL EFFICIENCY
1(3)	942	25.9	0.02	99.9228
1	947	26.5	0.01	99.9623
1	952	24.8	0.03	99.8790
1	957	25.8	0.01	99.9612
1	1002	25.9	0.03	99.8842
1	1007	24.9	0.01	99.9598
1	1012	25.2	0.04	99.8413
1	1017	25.2	0.01	99.9603
1	1022	25.3	0.01	99.9605
1	1027	25.3	0.01	99.9605
1	1032	25.4	0.01	99.9606
1	1037	26.6	0.01	99.9624
2(4)	1042	25.8	0.01	99.9612
2	1047	25.1	0.01	99.9602
2	1052	26.4	0.01	99.9621
2	1057	26.2	0.01	99.9618
2	1102	26.3	0.01	99.9620
2	1107	25.7	0.01	99.9611
2	1112	24.5	0.01	99.9592
2	1117	26.9	0.01	99.9628
2	1122	27.6	0.01	99.9638
2	1127	28.9	0.01	99.9654
2	1132	29.0	0.01	99.9655
2	1137	28.3	0.01	99.9647
3(5)	1142	29.6	0.01	99.9662
3	1147	30.1	0.01	99.9668
3	1152	29.7	0.01	99.9663
3	1157	30.6	0.01	99.9673
3	1202	31.1	0.01	99.9678
3	1207	31.0	0.01	99.9677
3	1212	30.9	0.01	99.9676
3	1217	32.9	0.01	99.9696
3	1222	31.7	0.01	99.9685
3	1227	33.2	0.01	99.9699
3	1232	33.1	0.01	99.9698
3	1237	34.5	0.01	99.9710
TIME-WEIGHTED AVERAGE:		**27.94**	**0.0122**	**99.9551**
		GDNR REQUIRED CONTROL EFFICIENCY:		**99%**

Notes:
(1) - PPM = parts per million by volume
(2) - 0.01 ppm is the quantification limit for the detector used at the outlet.
(3) - Aeration Phase Test Run #1 started at 9:40, ended at 10:40.
(4) - Aeration Phase Test Run #2 started at 10:40, ended at 11:40.
(5) - Aeration Phase Test Run #3 started at 11:40, ended at 12:40.

ECSi

APPENDICES

ECSi

APPENDIX A

Calibration Data

ECSi

ık	Name	Start	End	Calibration	Int.Std	Units
	Dead Vol / Air	0.000	0.350		0.000	
	Ambient H2O	0.350	0.500		0.000	
	Ethylene Oxide	0.500	0.600	C:\peak359\1Ster	0.00014	ppm
	Acetaldehyde	0.600	0.800		0.000	
	CO2	0.800	1.000		0.000	

ibration file: C:\peak359\1SterGA2014.cal



slope of curve: 0.37
ds intercept: 0.00
arity: 1.00
nber of levels: 4
rel SD of CF's: 0.2/66.7
.3715X
rated: Thu Oct 23 12:52:16 2014

Area/ht.	Amount	CF	Current	Previous #1	Previous #2
0.000	0.000	0.000	0.000	N/A	N/A
0.405	1.100	0.368	0.405	N/A	N/A
3.750	10.100	0.371	3.750	N/A	N/A
37.500	100.000	0.375	37.500	N/A	N/A

k	Name	Start	End	Calibration	Int.Std	Units
	Dead Vol / Air	0.000	0.350		0.000	
	Ambient H2O	0.350	0.500		0.000	
	Ethylene Oxide	0.500	0.600	C:\peak359\2Ster	0.00014	cpm
	Acetaldehyde	0.600	0.800		0.000	
	CO2	0.800	1.000		0.000	

ibration file: C:\peak359\2SterGA2014.cal



slope of curve: 1.79
xis intercept: 0.00
arity: 1.00
nber of levels: 4
rel SD of CF's: 0.9/66.8
.7897X
rated: Thu Oct 23 12:51:40 2014

Area/ht.	Amount	CF	Current	Previous #1	Previous #2
0.000	0.000	0.000	0.000	N/A	N/A
1.900	1.100	1.727	1.900	N/A	N/A
18.500	10.100	1.832	18.500	N/A	N/A
181.000	100.000	1.810	181.000	N/A	N/A

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:01:43
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-Amb.CHR (c:\peak359)
Sample: Ambient Background
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	1.9780	0.0000	
bient H2O	0.400	0.1285	0.0000	
		2.1065	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:01:43
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-Amb.CHR (c:\peak359)
Sample: Ambient Background
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.083	9.2950	0.0000	
Ambient H2O	0.466	105.0780	0.0000	
		114.3730	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:14:35
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
. prog: eto-100.tem
onents: eto1-100.cpt
Data file: 1SterGA2014-C01.CHR (c:\peak359)
Sample: 1.10 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.316	0.5110	0.0000	
ylene Oxide	0.550	0.3970	0.0000	ppm
		0.9080	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:14:35
Method: Direct Injection
Description: CHANNEL 2 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C01.CHR (c:\peak359)
Sample: 1.10 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	2.3075	0.0000	
Ambient H2O	0.400	1.6430	0.0000	
Ethylene Oxide	0.583	1.9345	0.0000	ppm
Acetaldehyde	0.633	3.4585	0.0000	
		9.3435	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:16:10
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C02.CHR (c:\peak359)
Sample: 1.10 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ıd Vol / Air	0.316	0.3805	0.0000	
ylene Oxide	0.550	0.4145	0.0000	ppm
		0.7950	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:16:10
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C02.CHR (c:\peak359)
Sample: 1.10 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Ambient H2O	0.383	2.4265	0.0000	
Ethylene Oxide	0.566	1.8730	0.0000	ppm
Acetaldehyde	0.700	5.3380	0.0000	
		9.6375	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:20:41
Method: Direct Injection
Description: CHANNEL 1 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C03.CHR (c:\peak359)
Sample: 10.1 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ylene Oxide	0.550	3.7680	0.0000	ppm
		3.7680	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:20:41
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C03.CHR (c:\peak359)
Sample: 10.1 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.083	3.3920	0.0000	
Ambient H2O	0.400	0.9460	0.0000	
Ethylene Oxide	0.566	18.4285	0.0000	ppm
Acetaldehyde	0.766	0.0380	0.0000	
CO2	0.883	0.0650	0.0000	
		22.8695	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:23:25
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C04.CHR (c:\peak359)
Sample: 10.1 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ylene Oxide	0.550	3.7290	0.0000	ppm
		3.7290	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:23:25
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C04.CHR (c:\peak359)
Sample: 10.1 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Ambient H2O	0.400	1.2570	0.0000	
Ethylene Oxide	0.550	18.6475	0.0000	ppm
Acetaldehyde	0.766	0.2010	0.0000	
CO2	0.816	0.2260	0.0000	
		20.3315	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:31:29
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C05.CHR (c:\peak359)
Sample: 100 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.316	0.3740	0.0000	
ylene Oxide	0.550	37.2455	0.0000	ppm
		37.6195	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:31:29
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C05.CHR (c:\peak359)
Sample: 100 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.083	4.8440	0.0000	
Ethylene Oxide	0.550	180.5070	0.0000	ppm
		185.3510	0.0000	

Client: Sterigenics Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:34:41
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C06.CHR (c:\peak359)
Sample: 100 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.316	0.2780	0.0000	
ylene Oxide	0.550	37.6660	0.0000	ppm
		37.9440	0.0000	

Client: Sterigenics Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:34:41
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C06.CHR (c:\peak359)
Sample: 100 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.316	1.8350	0.0000	
Ethylene Oxide	0.550	181.4205	0.0000	ppm
		183.2555	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:51:00
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C07.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
d Vol / Air	0.233	0.3590	0.0000	
lene Oxide	0.533	18.2340	49.0835	ppm
		18.5930	49.0835	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/23/2014 12:51:00
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C07.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.083	4.1320	0.0000	
Ambient H2O	0.416	0.4210	0.0000	
Ethylene Oxide	0.550	88.2850	49.3308	ppm
CO2	0.883	0.1590	0.0000	
		92.9970	49.3308	

Client: Sterigenics - Smyrna, GA
Client ID: PostCal
Analysis date: 10/23/2014 16:04:33
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C08.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ylene Oxide	0.550	18.1380	48.8250	ppm
		18.1380	48.8250	

Client: Sterigenics - Smyrna, GA
Client ID: PostCal
Analysis date: 10/23/2014 16:04:33
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C08.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	1.4520	0.0000	
Ethylene Oxide	0.550	87.3580	48.8128	ppm
CO2	0.933	0.1180	0.0000	
		88.9280	48.8128	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/24/2014 09:35:14
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-C09.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ead Vol / Air	0.016	0.4380	0.0000	
ylene Oxide	0.566	18.0390	48.5586	ppm
		18.4770	48.5586	

Client: Sterigenics - Smyrna, GA
Client ID: PreCal
Analysis date: 10/24/2014 09:35:14
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C09.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	1.8955	0.0000	
Ambient H2O	0.383	1.6910	0.0000	
Ethylene Oxide	0.566	87.3570	48.8123	ppm
CO2	0.916	2.2040	0.0000	
		93.1475	48.8123	

Client: Sterigenics - Smyrna, GA
Client ID: PostCal
Analysis date: 10/24/2014 12:41:43
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
T[illegible]. prog: eto-100.tem
[illegible]nents: eto1-100.cpt
Data file: 1SterGA2014-C10.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
ylene Oxide	0.550	18.0080	48.4751	ppm
		18.0080	48.4751	

Client: Sterigenics - Smyrna, GA
Client ID: PostCal
Analysis date: 10/24/2014 12:41:43
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-C10.CHR (c:\peak359)
Sample: 48.8 ppm EtO std
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.300	0.8970	0.0000	
Ethylene Oxide	0.566	87.4670	48.8737	ppm
CO2	0.900	0.4440	0.0000	
		88.8080	48.8737	

APPENDIX B

Run#1 Chromatograms

ECSi

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
nalysis date: 10/24/2014 09:42:27
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
, prog: eto-100.tem
onents: eto1-100.cpt
Data file: 1SterGA2014-1A01.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.7420	0.0000	
ylene Oxide	0.566	9.6135	25.8782	ppm
)2	0.933	0.2765	0.0000	
		12.6320	25.8782	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 09:42:27
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A01.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.066	6.8430	0.0000	
Ambient H2O	0.450	3.6890	0.0000	
Ethylene Oxide	0.566	0.0370	0.0207	ppm
		10.5690	0.0207	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
nalysis date: 10/24/2014 09:47:38
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
T[illegible]. prog: eto-100.tem
[illegible]nents: eto1-100.cpt
Data file: 1SterGA2014-1A02.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6645	0.0000	
ıbient H2O	0.416	0.1535	0.0000	
ıylene Oxide	0.566	9.8560	26.5310	ppm
		12.6740	26.5310	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 09:47:38
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A02.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	6.4935	0.0000	
		6.4935	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
nalysis date: 10/24/2014 09:52:24
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
. prog: eto-100.tem
...onents: eto1-100.cpt
Data file: 1SterGA2014-1A03.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6095	0.0000	
ylene Oxide	0.550	9.2220	24.8244	ppm
		11.8315	24.8244	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 09:52:24
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A03.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.050	6.2325	0.0000	
Ethylene Oxide	0.533	0.0530	0.0296	ppm
		6.2855	0.0296	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
nalysis date: 10/24/2014 09:58:02
Method: Direct injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
. prog: eto-100.tem
onents: eto1-100.cpt
Data file: 1SterGA2014-1A04.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6590	0.0000	
ıbient H2O	0.416	0.1270	0.0000	
ıylene Oxide	0.550	9.5810	25.7908	ppm
		12.3670	25.7908	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 09:58:02
Method: Direct injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A04.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.116	6.4520	0.0000	
Ethylene Oxide	0.550	0.0105	0.0059	ppm
		6.4625	0.0059	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
nalysis date: 10/24/2014 10:02:05
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
). prog: eto-100.tem
onents: eto1-100.cpt
Data file: 1SterGA2014-1A05.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.5910	0.0000	
ıbient H2O	0.433	0.2070	0.0000	
ıylene Oxide	0.550	9.6150	25.8823	ppm
		12.4130	25.8823	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:02:05
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A05.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	6.6520	0.0000	
Ethylene Oxide	0.533	0.0560	0.0313	ppm
		6.7080	0.0313	

Client: Sterigenics
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:07:06
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A06.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.3815	0.0000	
ıylene Oxide	0.550	9.2330	24.8540	ppm
		11.6145	24.8540	

Client: Sterigenics, Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:07:06
Method: Direct Injection
Description: CHANNEL 2 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A06.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	7.7810	0.0000	
Ambient H2O	0.483	8.4330	0.0000	
Ethylene Oxide	0.533	0.0260	0.0145	ppm
		16.2400	0.0145	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:12:06
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A07.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.8070	0.0000	
ıbient H2O	0.383	0.2250	0.0000	
ıylene Oxide	0.550	9.3690	25.2201	ppm
		12.4010	25.2201	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:12:06
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A07.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.150	6.8425	0.0000	
Ambient H2O	0.466	11.1735	0.0000	
Ethylene Oxide	0.533	0.0630	0.0352	ppm
Acetaldehyde	0.766	0.0615	0.0000	
CO2	0.816	0.1280	0.0000	
		18.2685	0.0352	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:17:05
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A08.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.8370	0.0000	
ıbient H2O	0.433	0.2390	0.0000	
ıylene Oxide	0.550	9.3760	25.2389	ppm
		12.4520	25.2389	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:17:05
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A08.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	7.6560	0.0000	
		7.6560	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:22:23
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A09.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.9165	0.0000	
ıbient H2O	0.400	0.1540	0.0000	
ylene Oxide	0.550	9.4020	25.3089	ppm
		12.4725	25.3089	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:22:23
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A09.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	7.8700	0.0000	
Ambient H2O	0.483	93.9995	0.0000	
		101.8695	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:27:14
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A10.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6495	0.0000	
ıbient H2O	0.433	0.2040	0.0000	
ylene Oxide	0.550	9.4025	25.3103	ppm
		12.2560	25.3103	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:27:14
Method: Direct Injection
Description: CHANNEL 2 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A10.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	7.2440	0.0000	
Ambient H2O	0.466	95.6265	0.0000	
		102.8705	0.0000	

Client: Sterigenics-Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:32:02
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A11.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.7075	0.0000	
ıbient H2O	0.400	0.1160	0.0000	
ıylene Oxide	0.550	9.4495	25.4368	ppm
		12.2730	25.4368	

Client: Sterigenics-Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:32:02
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A11.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	7.2850	0.0000	
Ambient H2O	0.466	103.4570	0.0000	
		110.7420	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:37:26
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-1A12.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.7520	0.0000	
ıbient H2O	0.400	0.1480	0.0000	
ıylene Oxide	0.550	9.8690	26.5660	ppm
		12.7690	26.5660	

Client: Sterigenics - Smyrna, GA
Client ID: Run#1Aer
Analysis date: 10/24/2014 10:37:26
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-1A12.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	8.1200	0.0000	
Ambient H2O	0.450	101.4605	0.0000	
		109.5805	0.0000	

APPENDIX C

Run#2 Chromatograms

ECSi

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:42:05
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A01.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.7530	0.0000	
ıbient H2O	0.383	0.1690	0.0000	
ylene Oxide	0.550	9.5780	25.7827	ppm
		12.5000	25.7827	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:42:05
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A01.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.083	9.3350	0.0000	
Ambient H2O	0.433	107.5765	0.0000	
		116.9115	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:47:57
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A02.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6780	0.0000	
ylene Oxide	0.550	9.3370	25.1339	ppm
		12.0150	25.1339	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:47:57
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A02.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Ambient H2O	0.450	111.4055	0.0000	
		111.4055	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:52:08
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A03.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.8245	0.0000	
ibient H2O	0.416	0.1430	0.0000	
ylene Oxide	0.550	9.7970	26.3722	ppm
		12.7645	26.3722	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:52:08
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A03.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.150	9.3700	0.0000	
Ambient H2O	0.433	110.2515	0.0000	
		119.6215	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:57:12
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A04.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	2.6615	0.0000	
ylene Oxide	0.566	9.7265	26.1824	ppm
		12.3880	26.1824	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 10:57:12
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A04.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.063	8.1645	0.0000	
Ambient H2O	0.466	108.0370	0.0000	
		116.2015	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:02:30
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A05.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	4.2870	0.0000	
ibient H2O	0.383	0.1160	0.0000	
ylene Oxide	0.550	9.7550	26.2591	ppm
		14.1580	26.2591	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:02:30
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A05.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.033	7.8790	0.0000	
Ambient H2O	0.433	113.5945	0.0000	
		121.4735	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:07:15
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A06.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	2.5630	0.0000	
ıylene Oxide	0.566	9.5415	25.6844	ppm
		12.1045	25.6844	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:07:15
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A06.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	8.3315	0.0000	
Ambient H2O	0.433	111.3250	0.0000	
		119.6565	0.0000	

Client: Sterigenics, Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:12:58
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A07.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	2.6320	0.0000	
ıbient H2O	0.400	0.1210	0.0000	
ylene Oxide	0.566	9.0850	24.4556	ppm
		11.8380	24.4556	

Client: Sterigenics, Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:12:58
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A07.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.150	10.5275	0.0000	
Ambient H2O	0.466	113.2650	0.0000	
		123.7925	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
nalysis date: 10/24/2014 11:17:12
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
:p. prog: eto-100.tem
ponents: eto1-100.cpt
Data file: 1SterGA2014-2A08.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6330	0.0000	
ylene Oxide	0.550	10.0100	26.9456	ppm
		12.6430	26.9456	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:17:12
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A08.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	11.3160	0.0000	
Ambient H2O	0.450	121.3980	0.0000	
		132.7140	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:27:02
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A10.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.5265	0.0000	
ylene Oxide	0.550	10.7350	28.8972	ppm
		13.2615	28.8972	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:27:02
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A10.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	11.4950	0.0000	
Ambient H2O	0.450	134.0975	0.0000	
		145.5925	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:32:07
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A11.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6120	0.0000	
ylene Oxide	0.550	10.7810	29.0210	ppm
		13.3930	29.0210	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:32:07
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A11.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.150	11.3750	0.0000	
Ambient H2O	0.450	131.2145	0.0000	
		142.5895	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:37:22
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-2A12.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.5510	0.0000	
ylene Oxide	0.550	10.5225	28.3251	ppm
		13.0735	28.3251	

Client: Sterigenics - Smyrna, GA
Client ID: Run#2Aer
Analysis date: 10/24/2014 11:37:22
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-2A12.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	10.9495	0.0000	
Ambient H2O	0.466	126.9590	0.0000	
		137.9085	0.0000	

APPENDIX D

Run#3 Chromatograms

ECSi

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
nalysis date: 10/24/2014 11:42:28
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
ıp. prog: eto-100.tem
ponents: eto1-100.cpt
Data file: 1SterGA2014-3A01.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ıad Vol / Air	0.216	2.6900	0.0000	
ıylene Oxide	0.550	10.9940	29.5944	ppm
		13.6840	29.5944	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:42:28
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A01.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Ambient H2O	0.450	125.1690	0.0000	
		125.1690	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:47:31
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A02.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	3.5710	0.0000	
ıbient H2O	0.383	0.1160	0.0000	
ıylene Oxide	0.550	11.1945	30.1341	ppm
		14.8815	30.1341	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:47:31
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A02.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	9.9875	0.0000	
Ambient H2O	0.450	129.2430	0.0000	
		139.2305	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:52:02
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A03.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.3935	0.0000	
ylene Oxide	0.550	11.0300	29.6913	ppm
		13.4235	29.6913	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:52:02
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A03.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	10.1770	0.0000	
Ambient H2O	0.466	126.8115	0.0000	
		136.9885	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:57:25
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A04.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.6035	0.0000	
ıbient H2O	0.383	0.1075	0.0000	
ylene Oxide	0.550	11.3715	30.6105	ppm
		14.0825	30.6105	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 11:57:25
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A04.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.166	11.7570	0.0000	
Ambient H2O	0.450	128.8280	0.0000	
		140.5850	0.0000	

Client: Sterigenics, Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:02:07
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A05.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	2.8030	0.0000	
ylene Oxide	0.550	11.5430	31.0722	ppm
		14.3460	31.0722	

Client: Sterigenics, Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:02:07
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A05.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.150	12.1580	0.0000	
Ambient H2O	0.466	129.1600	0.0000	
		141.3180	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:07:31
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A06.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	4.0225	0.0000	
ibient H2O	0.383	0.1050	0.0000	
ylene Oxide	0.550	11.5200	31.0103	ppm
		15.6475	31.0103	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:07:31
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A06.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	9.7405	0.0000	
Ambient H2O	0.466	136.2060	0.0000	
		145.9465	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:12:03
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A07.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.9800	0.0000	
ylene Oxide	0.550	11.4790	30.8999	ppm
		14.4590	30.8999	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:12:03
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A07.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	11.6880	0.0000	
Ambient H2O	0.450	126.9770	0.0000	
		138.6650	0.0000	

Client: Sterigenics Smyrna, GA
Client ID: Run#3Aer
alysis date: 10/24/2014 12:17:39
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
prog: eto-100.tem
nents: eto1-100.cpt
Data file: 1SterGA2014-3A08.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.7220	0.0000	
ylene Oxide	0.550	12.2260	32.9107	ppm
		14.9480	32.9107	

Client: Sterigenics Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:17:39
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A08.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	11.1635	0.0000	
Ambient H2O	0.433	126.7935	0.0000	
		137.9570	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:22:08
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A09.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	3.0985	0.0000	
ylene Oxide	0.550	11.7620	31.6617	ppm
		14.8605	31.6617	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:22:08
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A09.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	10.8800	0.0000	
Ambient H2O	0.450	125.8205	0.0000	
		136.7005	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:27:19
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A10.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.216	2.8980	0.0000	
ylene Oxide	0.550	12.3160	33.1530	ppm
		15.2140	33.1530	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:27:19
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A10.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	9.8380	0.0000	
Ambient H2O	0.450	128.9100	0.0000	
		138.7480	0.0000	

Client: Sterigenics, Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:32:11
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A11.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	3.0020	0.0000	
ylene Oxide	0.566	12.3085	33.1328	ppm
		15.3105	33.1328	

Client: Sterigenics, Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:32:11
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A11.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Dead Vol / Air	0.016	10.1490	0.0000	
Ambient H2O	0.450	117.3660	0.0000	
		127.5150	0.0000	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:37:20
Method: Direct Injection
Description: CHANNEL 1 - FID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto1-100.cpt
Data file: 1SterGA2014-3A12.CHR (c:\peak359)
Sample: AAT Safe Cell Inlet
Operator: D. Kremer



Component	Retention	Area	External	Units
ad Vol / Air	0.233	3.4285	0.0000	
ylene Oxide	0.566	12.8190	34.5070	ppm
		16.2475	34.5070	

Client: Sterigenics - Smyrna, GA
Client ID: Run#3Aer
Analysis date: 10/24/2014 12:37:20
Method: Direct Injection
Description: CHANNEL 2 - PID
Column: 1% SP-1000, Carbopack B
Carrier: HELIUM
Temp. prog: eto-100.tem
Components: eto2-100.cpt
Data file: 2SterGA2014-3A12.CHR (c:\peak359)
Sample: AAT Safe Cell Outlet
Operator: D. Kremer



Component	Retention	Area	External	Units
Ambient H2O	0.433	117.7610	0.0000	
		117.7610	0.0000	

APPENDIX E

Field Data and Calculation Worksheets

ECSi

ECSi, Inc.

Ethylene Oxide Mass Emissions Data and Calculations - Aeration

Sterigenics, Inc. - Smyrna, Georgia - October 24, 2014
AAT Safe Cell System

DeltaP	SqRtDeltaP	Temp (F)	ppm EtO
	Run #1		
0.37	0.6083	91	0.02
0.37	0.6083	91	0.01
0.37	0.6083	91	0.03
0.37	0.6083	91	0.01
0.37	0.6083	91	0.03
0.37	0.6083	91	0.01
0.37	0.6083	92	0.04
0.37	0.6083	92	0.01
0.37	0.6083	92	0.01
0.37	0.6083	92	0.01
0.37	0.6083	92	0.01
0.37	0.6083	92	0.01
	Run #2		
0.37	0.6083	92	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
0.37	0.6083	93	0.01
	Run #3		
0.37	0.6083	93	0.01
0.37	0.6083	94	0.01
0.37	0.6083	94	0.01
0.37	0.6083	94	0.01
0.37	0.6083	94	0.01
0.37	0.6083	94	0.01
0.37	0.6083	95	0.01
0.37	0.6083	95	0.01
0.37	0.6083	95	0.01
0.37	0.6083	95	0.01
0.37	0.6083	95	0.01
0.37	0.6083	95	0.01
Average =			
0.37	0.6083	92.9	**0.0122**
		= 553	degR

stack ID =	28	in.
stack area =	4.276	sq. in.
press =	29.20	in. Hg
Tstd =	528	deg R
Pstd =	29.92	in Hg
Cp =	0.99	
Kp =	85.49	
Velocity =	42.0	ft/sec
Flow =	**9831**	**dscfm**
MWeto =	44.05	
MolVol =	385.32	
ppmv/ft3 =	1000000	
EtO Mass Flow =	**0.000014**	**lbs/min**
EtO Mass Flow =	**0.000824**	**lbs/hr**

ETHYLENE OXIDE SOURCE TEST/CALIBRATION DATA

Client: Sterigenics-Smyrna, GA

Source Tested: Ceilcote Packed Power Scrubber and an AAT Safe Cell system

Date: 10/23-24/14

PRE CALIBRATION

	Calibration Gas Conc. (ppmv)	1.10 ppm EtO	10.1 ppm EtO	100 ppm EtO	1000 ppm EtO	10080 ppm EtO			
Inlet (FID)	Area Counts #1	.40	3.77	372					
	Area Counts #2	.41	3.73	327					
	Average Area	.405	3.75	325					
	Audit Standard (48.8 ppmv) Result					49.1 ✓			
Outlet (PID)	Calibration Gas Conc. (ppmv)	1.10 ppm EtO	10.1 ppm EtO	100 ppm EtO					
	Area Counts #1	1.93	18.4	181					
	Area Counts #2	1.87	18.6	181					
	Average Area	1.90	18.5	181					
	Audit Standard (48.8 ppmv) Result					49.3 ✓			

	Ch.1	Ch.8	Ch.10			
	Run #1	Run #2	Run #3			
Ceilcote start/stop:	1335/1357	1413/1435	1521/1548	P_{bar}:	29.20	EtO Usage (lbs/yr): —
AAT start/stop:	940/1040	1040/1140	1140/1240	$\%H_2O$:	3	Cycles Per Week: —

POST CALIBRATION

	Calibration Gas Conc. (ppmv)	1.10 ppm EtO	10.1 ppm EtO	100 ppm EtO	1000 ppm EtO	10080 ppm EtO			
Inlet (FID)	Area Counts #1					✓	✓	✓	
	Area Counts #2								
	Average Area		✓			10/23/14 PM	10/24/14 AM	10/24/14 PM	
	Audit Standard (48.8 ppmv) Result					48.8	48.6	48.5	
Outlet (PID)	Calibration Gas Conc. (ppmv)	1.10 ppm EtO	10.1 ppm EtO	100 ppm EtO					
	Area Counts #1					✓	✓	✓	
	Area Counts #2								
	Average Area		✓			10/23/14 PM	10/24/14 AM	10/24/14 PM	
	Audit Standard (48.8 ppmv) Result					48.8	48.8	48.9	

ECSi

ECSI, INC. - VELOCITY TRAVERSE DATA

Client: Sterigenics, Inc. Run #: 1 Date: 10/24/2014 Port Sketch:

Location: Smyrna, Georgia Probe Type: Std. Baro Press: 29.20

Source: AAT Safe Cell System Outlet Stack I.D.: 28 in. DSCFM: 9860



	Port 1							Port 2						
Inches From Port	Point#	Delta P Low	Delta P High	Delta P Average	Delta P Sq Root	Stack Temp (F)	Cyclonic Angle	Point#	Delta P Low	Delta P High	Delta P Average	Delta P Sq Root	Stack Temp (F)	Cyclonic Angle
0.6	1	0.35	0.35	0.35	0.5916	90	0	1	0.35	0.35	0.35	0.5916	90	0
1.8	2	0.35	0.36	0.355	0.5958	90	0	2	0.35	0.36	0.355	0.5958	90	0
3.2	3	0.36	0.36	0.36	0.6000	90	0	3	0.36	0.36	0.36	0.6000	90	0
5.0	4	0.37	0.37	0.37	0.6083	90	0	4	0.36	0.37	0.365	0.6042	90	0
7.0	5	0.38	0.38	0.38	0.6164	90	0	5	0.37	0.37	0.37	0.6083	90	0
10.0	6	0.39	0.39	0.39	0.6245	90	0	6	0.38	0.39	0.385	0.6205	90	0
18.0	7	0.39	0.39	0.39	0.6245	91	0	7	0.39	0.39	0.39	0.6245	90	0
21.0	8	0.38	0.38	0.38	0.6164	91	0	8	0.38	0.39	0.385	0.6205	91	0
23.0	9	0.37	0.38	0.375	0.6124	91	0	9	0.38	0.38	0.38	0.6164	91	0
24.8	10	0.36	0.37	0.365	0.6042	91	0	10	0.37	0.38	0.375	0.6124	91	0
26.2	11	0.35	0.36	0.355	0.5958	91	0	11	0.36	0.37	0.365	0.6042	91	0
28.4	12	0.35	0.35	0.35	0.5916	91	0	12	0.36	0.36	0.36	0.6000	91	0
	13							13						
	14							14						
	15							15						
	16							16						
	17							17						
	18							18						
	19							19						
	20							20						
	21							21						
	22							22						
	23							23						
	24							24						
								Average Values:			0.3692	0.6075	90.5	0.0

Case 1:22-cv-00928-JMA-ARL Document 68-4 Filed 03/22/22 Page 6 of 15 PageID #: 1339

APPENDIX F

Gas Certifications

ECSi

CERTIFIED WORKING CLASS

Single-Certified Calibration Standard

Scott Specialty Gases
2600 CAJON BLVD., SAN BERNARDINO, CA 92411
Phone: 909-887-2571 Fax: 909-887 0549

CERTIFICATE OF ACCURACY: Certified Working Class Calibration Standard

Product Information
Project No.: 02-57164-001
Item No.: 020200013107CL
P.O. No.: VBL – J. KREMER

Cylinder Number: CAL4448
Cylinder Size: CL
Certification Date: 14Apr2014

Customer

SCSI -NC
PO BOX 648
SAN CLEMENTE, CA 92672

CERTIFIED CONCENTRATION

Component Name	Concentration (Moles)		Accuracy (+/-%)
ETHYLENE OXIDE	1.10	PPM	5
NITROGEN		BALANCE	

TRACEABILITY

Traceable To

Scott Reference Standard

APPROVED BY: _____ DATE: 4-14-14

CERTIFIED WORKING CLASS

Single-Certified Calibration Standard

Scott Specialty Gases

2600 CAJON BLVD. SAN BERNARDINO CA 92411 Phone: 909-887-2571 Fax: 909-887-0543

CERTIFICATE OF ACCURACY: Certified Working Class Calibration Standard

Product Information
Project No.: 02-57184 C83
Item No.: 0300300132OTCL
P.O. No.: VAL-D KREMER

Cylinder Number: CLM003232
Cylinder Size: CL
Certification Date: 14Apr2014

Customer

ECOLINC
PO BOX 848
SAN CLEMENTE, CA 92672

CERTIFIED CONCENTRATION

Component Name	Concentration (Moles)		Accuracy (+/-%)
ETHYLENE OXIDE	10.1	PPM	5
NITROGEN		BALANCE	

TRACEABILITY

Traceable To

Scott Reference Standard

APPROVED BY: _____ DATE: 14Apr14

CERTIFIED WORKING CLASS

Single-Certified Calibration Standard

Scott Specialty Gases

6141 CAJON BLVD., SAN BERNARDINO, CA 92411 Phone 909-887-2571 Fax 909 887 0549

CERTIFICATE OF ACCURACY: Certified Working Class Calibration Standard

Product Information
Project No.: 02-37184-004
Item No.: 020020001330TCL
P.O. No.: VS_-D -REMER

Cylinder Number: CLM011385
Cylinder Size: CL
Certification Date: 14Apr2014

Customer

BCSI, INC
PO BOX 848
SAN CLEMENTE, CA 92672

CERTIFIED CONCENTRATION

Component Name	Concentration (Moles)		Accuracy (+/-%)
ETHYLENE OXIDE	100	PPM	5
NITROGEN		BALANCE	

TRACEABILITY

Traceable To

Scott Reference Standard

APPROVED BY: _____ DATE 4-14-14

CERTIFIED WORKING CLASS

Single-Certified Calibration Standard

Scott Specialty Gases

2600 CAJON BLVD., SAN BERNARDINO, CA 92411

Phone: 909 887 2571 Fax: 909 887 2649

CERTIFICATE OF ACCURACY: Certified Working Class Calibration Standard

Product Information
Project No.: 02-57164-005
Item No.: 020200Y340TCL
P.O. No.: VEL-0-4782/69

Cylinder Number: CLM003810
Cylinder Size: CL
Certification Date: 14Apr2014

Customer

ECSI, INC
PO BOX 805
SAN CLEMENTE, CA 92672

CERTIFIED CONCENTRATION

Component Name	Concentration (Moles)		Accuracy (+/-%)
ETHYLENE OXIDE	1.000	PPM	5
NITROGEN		BALANCE	

TRACEABILITY

Traceable To

Scott Reference Standards

APPROVED BY: _____ DATE: 4-14-14

CERTIFIED WORKING CLASS

Single-Certified Calibration Standard

Scott Specialty Gases
2600 CAJON BLVD SAN BERNARDINO CA 92411
Phone: 909-887-2571 Fax: 909 887-2345

CERTIFICATE OF ACCURACY: Certified Working Class Calibration Standard

Product Information
Project No.: 02-57164-000
Item No.: 020200013407CL
P.O. No.: VEL – S KREMER

Cylinder Number: CLM005787
Cylinder Size: CL
Certification Date: 14Apr20[illegible]4

Customer

SCS, INC
PO BOX 908
SAN CLEMENTE CA 92672

CERTIFIED CONCENTRATION

Component Name	Concentration (Moles)		Accuracy (+/-%)
ETHYLENE OXIDE	10.089	PPM	5
NITROGEN		BALANCE	

TRACEABILITY

Traceable To

Scott Reference Standard

APPROVED BY: [signature] RM

DATE: 4-14-14

CERTIFICATE OF ANALYSIS

Customer Name:	[illegible] Inc.
Stock or Analyzer Tag Number:	[illegible]
Customer Reference:	[illegible]
MESA Reference:	[illegible]
Date of Certification:	[illegible]
Recommended Shelf Life:	[illegible]
Cylinder Number:	SA25925
Product Class:	Certified Standard
Cylinder - Contents[1]:	[illegible]
Cylinder-CGA:	[illegible]
Analysis Method:	[illegible]
Preparation Method:	[illegible]

Component	Requested Concentration[2]	Reported Concentration[2,3]
[illegible]	50 ppm	48.8 ppm
Nitrogen	Balance	Balance

Authorized Signature: [illegible]

[illegible]

MESA Specialty Gases & Equipment
[illegible]

APPENDIX G

Parametric Monitoring Data

ECSi

Sterigenics

UNCONTROLLED COPY

Weekly Scrubber Preventive Maintenance

SCRUBBER DOWN TIME IS NOT REQUIRED

Scrubber Type: AAT Number/Location: EC2

	Description		Inspectors Initials/Date
1	Check and record flow rate to Absorption Tower. Flow Rate = 1537 **Note: Acceptable Flow ranges - Environmental permit may dictate.**	OK☑ N/A☐ C/A☐	24oct14
2	Perform alarm light test.	OK☑ N/A☐ C/A☐	24oct14
3	Check the scrubber liquor and record the following values: • Storage Tank level 108 In or Gal **(If liquor is shipped for recycling, record in MP2)** • 0.9 pH **(Range ~ 0.5 to 1.0; Environmental permit may dictate)** • Inlet Temperature 72 °F N/A☐ - System does not monitor this parameter • Outlet Temperature 82 °F N/A☐ - System does not monitor this parameter **Note: Acceptable ranges - Environmental permit may dictate. System capabilities determine parameters.**	OK☑ N/A☐ C/A☐	24oct14
4	Check all pumps, pipes, seals, and rings for leaks.	OK☑ N/A☐ C/A☐	24oct14
5	Check pressure relief valve for leaks or discharge.	OK☑ N/A☐ C/A☐	24oct14
6	Record Glycol concentration 30.4 %. **Note: Ensure concentration does NOT exceed permit conditions.**	OK☑ N/A☐ C/A☐	24oct14
7	Check scrubber EO Levels. Wet scrubber outlet/dry bed inlet 0.00 PPM EO **(High flow system only)** Dry bed outlet 0.00 PPM EO **Note: If dry bed outlet concentration reaches permitted maximum levels make the necessary arrangements for dry bed absorbent replacement.**	OK☑ N/A☐ C/A☐	24oct14

Instructions:

- Write the scrubber type and number/location on the line provided above.
- If the inspection shows the item does not need further inspection or attention then mark the [OK] Checkbox.
- If a particular equipment item is not present, the inspector will mark the [N/A] Checkbox.
- If corrective action is required, mark the [C/A] Checkbox and then record the corrective action or Work Order # below.
- Work Order number must be recorded below whenever possible.

CA - Corrective Action: (Include item #, and action, i.e. W.O # or other)

Reviewed by: [signature] Date: 24-Oct-14

EXHIBIT M2

Sterigenics.

RECEIVED
OCT 05 2015
AIR PROTECTION BRANCH

October 1, 2015

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Notification: Chamber 11 – Anticipated Date of Start-Up**
Permit No. 7389-067-0093-S-05-3

Dear Mr. Holder:

As required by our air permit, section 7.8, Sterigenics is providing notification of the anticipated date of start-up of Chamber 11 (SEV-11).

Chamber 11 (SEV-11)
The Atlanta facility anticipates a start-up date for Chamber 11 in early to mid-November 2015, (Condition 7.8-b). An letter of initial start-up will follow when the chamber is placed into production per permit condition 7.8-c.

Please do not hesitate to contact me with questions. You can reach me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

pc:

Kathy Hoffman – Sr. VP, EH&S
Daryl Mosby - Smyrna General Manager
Juan Segovia – VP – EO Operations
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

Mr. Michael Odom, Unit Manager
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Sean Taylor
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00095

Sterigenics.

RECEIVED
SEP 11 2015
AIR PROTECTION
BRANCH

September 9, 2015

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Notification: Chamber 11 – Commencement of Construction**
Permit No. 7389-067-0093-S-05-3

Dear Mr. Holder:

As required by our air permit, section 7.8, Sterigenics is providing notification of construction commencement of Chamber 11 (SEV-11).

Chamber 11 (SEV-11)
Construction was started on Chamber 11 on August 1, 2015. (Condition 7.8-a).

The Atlanta facility currently anticipates start-up date for Chamber 11 in late October or early November 2015, (Condition 7.8-b). I will follow-up in a few weeks with an update to provide a more accurate projection.

Please do not hesitate to contact me with questions. You can reach me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

pc:

Kathy Hoffman – Sr. VP, EH&S
Daryl Mosby - Smyrna General Manager
Juan Segovia – VP – EO Operations
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

Mr. Michael Odom, Unit Manager
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Sean Taylor
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00093

Holder, Don

From: Holder, Don
Sent: Tuesday, January 27, 2015 11:30 AM
To: sreinhardt@sterigenics.com
Subject: 2nd semi-annual report 2014

The Division received the semi-annual report dated January 12, 2015 for your facility for the July through December 2014 reporting period. The report, received on January 26, 2015, appears to satisfy the requirements of Condition 7.7 of Georgia Air Quality Permit 7389-067-0093-S-5-0, as amended, and Condition 6.1.4 of the previous Permit No. 7389-067-0093-S-05-0.

If you have any questions about compliance with your permit, please contact me at 404/362-4846 or by email at: don.holder@dnr.state.ga.us.

AIRS # 067-00093

Sterigenics.

September 9, 2015

RECEIVED
SEP 11 2015
AIR PROTECTION BRANCH

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Notification: Chamber 11 – Commencement of Construction**
Permit No. 7389-067-0093-S-05-3

Dear Mr. Holder:

As required by our air permit, section 7.8, Sterigenics is providing notification of construction commencement of Chamber 11 (SEV-11).

Chamber 11 (SEV-11)
Construction was started on Chamber 11 on August 1, 2015. (Condition 7.8-a).

The Atlanta facility currently anticipates start-up date for Chamber 11 in late October or early November 2015, (Condition 7.8-b). I will follow-up in a few weeks with an update to provide a more accurate projection.

Please do not hesitate to contact me with questions. You can reach me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

pc:

Kathy Hoffman – Sr. VP, EH&S
Daryl Mosby - Smyrna General Manager
Juan Segovia – VP – EO Operations
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

Mr. Michael Odom, Unit Manager
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Sean Taylor
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00075

Georgia Department of Natural Resources
Environmental Protection Division • Air Protection Branch
4244 International Parkway • Suite 120 • Atlanta • Georgia 30354
404/363-7000 • Fax: 404/363-7100
Judson H. Turner, Director

AUG 27 2015

Susan M. Reinhardt
EH&S Manager
Sterigenics U.S. LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523

Re: SM, Application Nos. 23461, 23229, & 22970, Dated August 3, 2015, April 27, 2015 and November 18, 2014
Facility AIRS No. : 067-00093

Dear Ms. Reinhardt:

Enclosed please find Air Quality Permit No. 7389-067-0093-S-05-3 for the installation and operation of a new 30-pallet chamber and vacuum pump (Chamber 11: SEV-11 and CEV-11), the change in ownership and facility address, and the routing of the sterilization chamber back vents to the existing AAT scrubber (EC2) at the Sterigenics facility located in Atlanta, Georgia.

Note that any future modifications that might affect potential emissions from your facility will require review and possible permitting through this office.

The following types of correspondence should be sent to the Division personnel indicated:

- Testing: Ross Winne – Program Manager, Industrial Source Monitoring Program
- Monitoring and Compliance (reports): Sean Taylor - Program Manager, Stationary Source Compliance Program.

Thank you for your cooperation. If you have any questions or need more information, please contact me at (404) 363-7135 or via email at *chan.spraley@dnr.state.ga.us*.

Sincerely,

Chan Spraley

Chan Spraley
Environmental Engineer
Stationary Source Permitting Program

Enclosure

AIRS # 067-00093

Sterigenics.

July 14, 2015

RECEIVED
JUL 16 2015
AIR PROTECTION BRANCH

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of January 01, 2015 to June 30, 2015

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, Inc.'s Atlanta, Georgia facility covering the period from January 1, 2015 through June 30, 2015. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 of Part 70 operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1, AR-11 through AR-13) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1- SEV-10):

a. Aeration room vents: AR-1, AR-11 through AR-13 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. Facilities complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	We did not exceed 0.9 ppm or greater in the outlet.
ii. Facilities complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	Performance testing conducted on October 24, 2014 indicated efficiency for the AAT scrubber at 99.96%.

AIRS # 067-00093

b. Aeration room vents (AR-1, AR-11 – AR-13) and sterilization chamber vents (SEV-1 through SEV-10) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	N/A
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	N/A

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. AAT Scrubber (EC2): List any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	N/A Dry Bed Testing is available upon department request
b. For the AAT Scrubber System (EC2), list any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A

d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	N/A
e. For the acid-water scrubbers (AAT Scrubber System EC2) and Ceilcote Scrubber EC3, any occurrence wh4en the scrubbing liquor pH rises above the manufacturers recommended level of 2.	N/A
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9 ppmv, but is less than or equal to 1 ppmv.	N/A
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but he dry bed material is not replace within 30 days.	N/A

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

4,320 hours (180 days)

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit.

There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from January 01, 2015 through June 30, 2015.

KA Hoffman — 13-Jul-2015

Kathleen Hoffman
Senior Vice President, Environment, Health and Safety

Date

If you have any questions regarding this submittal, please call me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt

Susan M. Reinhardt
Manager
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Kathleen Hoffman, Senior Vice-President- EHS
Juan Segovia – Vice President, Operations
Daryl Mosby – Smyrna, Georgia General Manager
Kevin Wagner, Director EH&S

SMR:cmq

Sterigenics.

June 30, 2015

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of January 01, 2015 to June 30, 2015

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, Inc.'s Atlanta, Georgia facility covering the period from January 1, 2015 through June 30, 2015. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 of Part 70 operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1, AR-11 through AR-13) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1- SEV-10):

a. Aeration room vents: AR-1, AR-11 through AR-13 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. Facilities complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	We did not exceed 0.9 ppm or greater in the outlet.
ii. Facilities complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	Performance testing conducted on October 24, 2014 indicated efficiency for the AAT scrubber at 99.96%.

b. Aeration room vents (AR-1, AR-11 – AR-13) and sterilization chamber vents (SEV-1 through SEV-10) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	N/A
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	N/A

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. AAT Scrubber (EC2): List any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	N/A Dry Bed Testing is available upon department request
b. For the AAT Scrubber System (EC2), list any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A

d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	N/A
e. For the acid-water scrubbers (AAT Scrubber System EC2) and Ceilcote Scrubber EC3, any occurrence wh4en the scrubbing liquor pH rises above the manufacturers recommended level of 2.	N/A
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9 ppmv, but is less than or equal to 1 ppmv.	N/A
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but he dry bed material is not replace within 30 days.	N/A

7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

   There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

   4,344 hours (181 days)

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

   There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit.

There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from January 01, 2015 through June 30, 2015.

Daryl Mosby
General Manager

06 Jul 2015
Date

If you have any questions regarding this submittal, please call me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Kathleen Hoffman, Senior Vice-President- EHS
Juan Segovia – Vice President, Operations
Daryl Mosby – Smyrna, Georgia General Manager
Kevin Wagner, Director EH&S

Holder, Don

From: Holder, Don
Sent: Thursday, July 23, 2015 10:01 AM
To: sreinhardt@sterigenics.com
Subject: 1st semi-annual report 2015

The Division received the semi-annual report dated July 14, 2015 for your facility for the January through June 2015 reporting period. The report, received on July 16, 2015, appears to satisfy the requirements of Condition 7.7 of Georgia Air Quality Permit 7389-067-0093-S-5-0, as amended.

If you have any questions about compliance with your permit, please contact me at 404/362-4846 or by email at: don.holder@dnr.state.ga.us.

Sincerely,

Don Holder
Principal Environmental Engineer
Stationary Source Compliance Program

AIRS # 067-00093

Georgia Department of Natural Resources
Environmental Protection Division • Air Protection Branch
4244 International Parkway • Suite 120 • Atlanta • Georgia 30354
404/363-7000 • Fax: 404/363-7100
Judson H. Turner, Director

Compliance Monitoring Report

1. General Information

Date of Inspection:	June 25, 2015
Date of Report Completed:	July 2, 2015
Compliance Monitoring Category:	Unannounced Inspection
Inspector Name:	Don Holder DH
Reviewing Manager:	Michael Odom MO

2. Facility Information

Facility Name:	Sterigenics U.S. LLC
Facility AIRS No.:	067-00093
Facility Location:	2973 Olympic Industrial Park Smyrna, Georgia, 30080, Cobb County
Facility Mailing Address:	2015 Spring Road, Suite 650 Oak Brook, Illinois 60523
Facility Contact:	Darayl Mosby, General Manager 404-355-4485 [email]
CMS Designation:	Synthetic Minor Source

Air Quality Permit No. 7389-067-0093-S-01-0 **Effective Date: May 27, 2014**

Issued for the operation of an ethylene oxide and propylene oxide sterilization facility. The Permit is also for the installation and operation of a 30-pallet sterilization chamber and an aeration room.

Air Quality Permit Amendment No. 7389-067-0093-S-01-1 **Effective Date: November 17, 2014**

Issued for change of address from Smyrna to Atlanta.

Air Quality Permit Amendment No. 7389-067-0093-S-01-2 **Effective Date: April 1, 2015**

Issued for the installation and operation of a new 30-pallet chamber and vacuum pump.

Permit(s) can be accessed at www.georgiaair.org

3. Inspection Summary / Recommended Actions:

The facility appeared to be in compliance with the permit at the time of the inspection. Facility issued a new Synthetic Minor permit on April 1, 2015.

4. Previous Enforcement Actions and Inspections:

There have been no enforcement actions for this facility during the previous five years. See attached Full Compliance Evaluation (FCE) Report for details.

5. Complaint Investigations since last Full Compliance Evaluation:

There have been no complaints received for this facility during the previous five years. See Complaint Tracking System (CTS) for further details.

6. Applicable Requirements, Description of Regulated Emission Units, and Inspection Determinations:

Table 6

Emission Units		Corresponding Permit Conditions	Air Pollution Control Devices		Inspection	
ID No.	Description		ID No.	Description	Evaluated During Inspection?	Inspection Determination
SEV-1	Six-pallet Sterilization Chamber 1 vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-2	Six-pallet Sterilization Chamber 2 vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-3	Nine-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-4	Five-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-5	Thirteen-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.

Table 6						
Emission Units		Corresponding Permit Conditions	Air Pollution Control Devices		Inspection	
ID No.	Description		ID No.	Description	Evaluated During Inspection?	Inspection Determination
SEV-6	Thirteen-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-7	Thirteen-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-8	Thirteen-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
SEV-9	Fifteen-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	Out of commission. To be removed from service..
SEV-10	Thirty-pallet Sterilization Chamber vacuum pump	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.3, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 8.1, 8.2, 8.3	EC2 EC3	AAT Scrubber System (with Dry Bed Adsorber) Ceilcote Scrubber	Yes	No issues noted.
CEV-1	Back vent for Chamber 1	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-2	Back vent for Chamber 2	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-3	Back vent for Chamber 3	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-4	Back vent for Chamber 4	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-5	Back vent for Chamber 5	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-6	Back vent for Chamber 6	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-7	Back vent for Chamber 7	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-8	Back vent for Chamber 8	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
CEV-9	Back vent for Chamber 9	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--

Table 6						
Emission Units		Corresponding Permit Conditions	Air Pollution Control Devices		Inspection	
ID No.	Description		ID No.	Description	Evaluated During Inspection?	Inspection Determination
CEV-10	Back vent for Chamber 10	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 3.1, 4.1, 4.2, 4.3	NA	None	No	--
AR-11	Aeration Room 11	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.4, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.4, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2	AAT Scrubber System (with Dry Bed Adsorber)	Yes	No issues noted.
AR-12	Aeration Room 12	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.4, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.4, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2	AAT Scrubber System (with Dry Bed Adsorber)	Yes	No issues noted.
AR-13	Aeration Room 13	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.4, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.4, 6.1, 7.1, 7.2, 7.3, 7.4, 7.6, 7.7, 8.1, 8.2, 8.3	EC2	AAT Scrubber System (with Dry Bed Adsorber)	Yes	No issues noted.
AR-1	Aeration Room 1	1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 2.4, 2.5, 3.1, 4.1, 4.2, 4.3, 5.1, 5.4, 6.1, 6.3, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 8.1, 8.2, 8.3	EC2	AAT Scrubber System (with Dry Bed Adsorber)	Yes	No issues noted.

7. Compliance Monitoring Activities – Details not included in table above:

a. Describe any deviation from compliance noted during the inspection listed on Table 6:

No deviations noted.

b. Describe any compliance assistance provided during inspection:

No compliance assistance was required.

c. Describe any action taken by the facility to come back into compliance during the inspection:

None.

d. Deviations noted during the inspection, not previously listed. Include equipment ID or equipment description and condition number:

No deviations noted during the inspection.

8. Additional Permit Requirements:

a. Periodic Reports:
All semi-annual reports submitted as required.
See attached Full Compliance Evaluation (FCE) Report for details.

b. Permit Fees:
All fees paid as required.
See attached Full Compliance Evaluation (FCE) Report for details.

c. Permit Renewal and Expiration:
Not Applicable.

d. For any overall emission/production/usage limit:

Table 8.d.

Permit Condition	Permit Limit	Actual
2.1, 2.2, 2.3, 2.4	Meet requirements of Ethylene Oxide Emission Standards for Sterilization Facilities. Reduce emissions from each Sterilization Vent by 99%. Reduce emissions from each Aeration Vent to 1 ppm or by 99%, whichever is less stringent.	Last tested on October 23, 2014 following new chamber installation. EC-2 efficiency – 99/95% EC-3 efficiency – 99.993%
2.6	Fire only natural gas in all fuel burning units.	Facility only uses natural gas.

9. Attachments:

a. Inspection Observations:
See attachment

b. Performance Tests:
See attachment or not applicable

c. Full Compliance Evaluation (FCE) Report:
See attachment

Attachment: Inspection Observations

Fugitive Emissions

Permit Condition	Permit Limit	Observation
3.1	Minimize fugitive emissions.	None observed.

Process & Control Equipment

Permit Condition	Permit Limit	Observation
4.1	Conduct routine maintenance as needed. Maintain maintenance records.	Preventive maintenance program in place. Results maintained on file.
4.2	A spare parts inventory for control equipment shall be maintained.	Spare parts for control systems maintained on site.
4.3	Implement repairs to control equipment as expeditiously as possible.	Repairs conducted within minimal times.

Monitoring

Permit Condition	Monitoring Requirement	Observation
5.1	All monitoring systems shall be in continuous operation. Maintenance and repair shall be conducted to minimize periods of non-service.	All monitors in place and operational.
5.2, 5.3	For the AAT Scrubber (Source Code EC2) and the Ceilcote Scrubber (Source Code EC3) install and maintain monitoring devices for the measurement of scrubber liquor level in the recirculation tank (a liquid level indicator) and the pH of the scrubber liquor for each of the scrubbers. Maintain the level of the scrubber liquor at or below the levels established during the initial performance testing. The pH levels of the scrubber liquor shall be maintained in accordance with the pH levels recommended by the manufacturers. Measurements shall be made weekly.	All data on file. All monitoring devices in place and operational. pH levels below 2. Tank levels on EC-2 at maximum levels – facility has reduced levels by 5% for buffer with operating limits established during testing.

5.4	Maintain and operate the AAT Scrubber System (Source Code: EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (Source Codes: AR-1, AR-11 through AR-13) and a reduction efficiency of 99% for sterilization chamber vents (Source Codes SEV-1 through SEV-10).	
	a. For Source Codes AR-1, AR-11 through AR-13, collect and record the concentrations of a 15-minute ethylene oxide bag sample from both the inlet and the outlet of the dry bed adsorber monthly. i. When complying with the 1 ppmvd standard, if the concentration of ethylene oxide in the outlet sample of the dry bed adsorbers increases to 0.9 ppmv or greater, replace the dry bed material within 30 days. ii. When complying with the 99% reduction efficiency standard, if the AAT Scrubber System reduction efficiency decreases to 99.1% or less, replace the dry bed material within 30 days. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers.	Monthly bag sampling conducted all results on file. All exhaust gasses at 100% reduction.
	b. For Source Codes AR-1, AR-11 through AR-13 and Source Codes SEV-1 through SEV- 10, when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, comply with the 99% reduction efficiency standard. Collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of the changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency for the AAT Scrubber System is less than 99.1%, the	Facility has not operated in this manner.

	Permittee shall not route any sterilization chamber exhausts through the AAT Scrubber System until the dry bed material has been replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (Source Code: EC3) to the AAT Scrubber System.	
	c. For a and b above, the AAT Scrubber System reduction efficiency shall be recorded for each sampling event.	Reduction efficiency recorded with each sampling event.
	d. The dates of dry bed material replacement shall be recorded and maintained on file.	Dry beds last replaced on August 15, 2014.

Notification, Reporting and Record Keeping

Permit Condition	Permit Limit	Observation
7.1	Maintain records of any startup, shutdown, or malfunction, any malfunction of the air pollution control equipment or any periods during which a continuous monitoring system or monitoring device is inoperative. Retain records for a period of five years.	All records on file as required.
7.2	Maintain a file of all measurements required by this permit, including continuous monitoring system, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part recorded in a permanent form suitable for inspection for five years.	All records on file as required.
7.3	Maintain general records and CMS records as specified by 40 CFR 63.10(b)(2) and (c), respectively, and Table 1 of 40 CFR 63 Subpart O.	All records on file as required.

7.4	Include the following information in the semiannual report. a. For the AAT Scrubber System (Source Code EC2), any occurrence when analysis of the dry bed adsorber outlet sample indicates that the concentration exceeds 1 ppmv. b. For the AAT Scrubber System (Source Code EC2), any occurrence when AAT Scrubber System reduction efficiency indicates that the efficiency is less than 99%. c. For the acid-water scrubbers [AAT Scrubber System (Source Code EC2) and Ceilcote Scrubber (Source Code EC3)], any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing. d. For the acid-water scrubbers [AAT Scrubber System (Source Code EC2) and Ceilcote Scrubber (Source Code EC3)], any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing. e. For the acid-water scrubbers [AAT Scrubber System (Source Code EC2) and Ceilcote Scrubber (Source Code EC3)], any occurrence when the scrubbing liquor pH rises above the manufacturers' recommended level of 2. f. For the AAT Scrubber System (Source Code EC2), any occurrence when analysis of the dry bed adsorber outlet sample indicates that the concentration exceeds 0.9 ppmv, but is less than or equal to 1 ppmv. g. For the AAT Scrubber System (Source Code EC2), any occurrence when AAT Scrubber System reduction efficiency	No violations reported for operations.

	indicates that the efficiency is less than 99.1%, but is greater than or equal to 99%. h. For the AAT Scrubber System (Source Code EC2), any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but the dry bed material is not replaced within 30 days.	
7.5	Submit the following reports for Sterilization Chamber SEV-10 and Aeration Room AR-1: a. A notification of the date when construction commenced, not later than 30 days after such date. b. A notification of the anticipated date of startup, not more than 60 days nor less than 30 days before such date; and c. A notification of the actual date of initial startup, within 15 calendar days after that date.	Construction completed
7.6	Submit the following reports as per Subpart O: a. Deviation reports; and b. Continuous Monitoring System performance and summary reports	All reports submitted as required.

Attachment: Performance Tests

Previous test results

Source Tested	Pollutant	Date of Test	Required Testing Frequency	Limit	Actual	Percent of Allowable
Sterilization Chamber SEV-10 Scrubber EC-2	EtO	October 23, 2014	Upon startup	99% DRE	99.95% DRE	N/A
Aeration Chamber AR-1 Scrubber EC-3	EtO	October 23, 2014	Upon startup	99% DRE	99.993% DRE	N/A

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

Full Compliance Evaluation (FCE) Report

Fiscal Year Ending:	Sep 30, 2015
Facility AIRS Number:	06700093
Facility Name:	Sterigenics U.S. LLC
Facility Address:	2973 Olympic Industrial Drive
Compliance Engineer:	Don Holder
Unit:	Air Toxics

SIP Subject

MACT 63 Subject

Title V Subject

Final Compliance Status

Date Full Compliance Evaluation Completed: 02-Jul-2015

Comments: In compliance

Inspection(s)

GA EPD Tracking Number: 57862
Staff Responsible: Holder, Don
Inspection Date: 25-Jun-2015
Reason for Inspection: Planned Unannounced
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 47683
Staff Responsible: Holder, Don
Inspection Date: 11-Apr-2013
Reason for Inspection: Planned Unannounced
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 38826
Staff Responsible: Holder, Don
Inspection Date: 22-Jun-2011
Reason for Inspection: Planned Unannounced
Follow Up Action Taken: No
Comments:
In compliance.

Performance Test(s) - 5 year history if available

GA EPD Reference Number: 201500164
Date Test Performed: 10/23/2014
Follow Up Action Taken: No
SSCP Comments:
In compliance. Re-establish scrubber flow rate at 1537 gpm and storage tank level of 108"

Test Type: SOURCE TEST - Memorandum (Standard)
Emission Source: Areation Room/Advanced Air Technologies (AAT) emission control system

Full Compliance Evaluation (FCE) Report

Fiscal Year Ending:	Sep 30, 2015
Facility AIRS Number:	06700093
Facility Name:	Sterigenics U.S. LLC
Facility Address:	2973 Olympic Industrial Drive
Compliance Engineer:	Don Holder
Unit:	Air Toxics

Pollutant: Ethylene Oxide
ISMP Test Status: In Compliance
ISMP Comments:
N/A

GA EPD Reference Number: 201500030
Date Test Performed: 10/23/2014
Follow Up Action Taken: No
SSCP Comments:
In compliance. Re-establish scrubber flow rate of 155 gpm and storage tank level of 185"

Test Type: SOURCE TEST - PTE (Perminate Total Enclosure)
Emission Source: 10-Sterilizer Chambers/Ceilcote Scrubber
Pollutant: Ethylene Oxide
ISMP Test Status: In Compliance
ISMP Comments:
N/A

Report(s)

GA EPD Tracking Number: 57863
Type of Report: First Semiannual
Date Report Received: 08-Jul-2014
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 55176
Type of Report: Second Semiannual
Date Report Received: 26-Jan-2015
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 50191
Type of Report: Second Semiannual
Date Report Received: 08-Jan-2014
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 46451
Type of Report: Second Semiannual
Date Report Received: 14-Jan-2013
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 42065
Type of Report: Second Semiannual
Date Report Received: 25-Jan-2012
Follow Up Action Taken: No

Full Compliance Evaluation (FCE) Report

Fiscal Year Ending:	Sep 30, 2015
Facility AIRS Number:	06700093
Facility Name:	Sterigenics U.S. LLC
Facility Address:	2973 Olympic Industrial Drive
Compliance Engineer:	Don Holder
Unit:	Air Toxics

Comments:
In compliance.

GA EPD Tracking Number: 48455
Type of Report: First Semiannual
Date Report Received: 09-Jul-2013
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 44476
Type of Report: First Semiannual
Date Report Received: 18-Jul-2012
Follow Up Action Taken: No
Comments:
In compliance.

GA EPD Tracking Number: 39323
Type of Report: First Semiannual
Date Report Received: 01-Aug-2011
Follow Up Action Taken: No
Comments:
In compliance.

Title V Annual Certification(s)

GA EPD Tracking Number: 57266
Date Received: 11-Feb-2014
Date Report Completed: 29-Apr-2015
Follow Up Action Taken: No
Comments:
N/A

GA EPD Tracking Number: 55755
Date Received: 29-Jan-2015
Date Report Completed: 19-Feb-2015
Follow Up Action Taken: No
Comments:
In compliance.

Fees Data - 5 year history if available

Fee Year: 2013
Payment Stutus: Paid in Full
IAIP Status: Paid in Full
Invoiced Amount: $4,500.00
Payment Amount: $4,500.00

Fee Year: 2012
Payment Stutus: Paid in Full
IAIP Status: Paid in Full
Invoiced Amount: $4,500.00
Payment Amount: $4,500.00

Full Compliance Evaluation (FCE) Report

Fiscal Year Ending:	Sep 30, 2015
Facility AIRS Number:	06700093
Facility Name:	Sterigenics U.S. LLC
Facility Address:	2973 Olympic Industrial Drive
Compliance Engineer:	Don Holder
Unit:	Air Toxics

Fee Year: 2011
Payment Stutus: Paid in Full
IAIP Status: Paid in Full
Invoiced Amount: $4,100.00
Payment Amount: $4,100.00

Fee Year: 2010
Payment Stutus: Paid in Full
IAIP Status: Paid in Full
Invoiced Amount: $4,161.50
Payment Amount: $4,161.50

Sterigenics.

RECEIVED
APR 30 2015
AIR PROTECTION BRANCH

April 27, 2015

Mr. Chan Spraley
Environmental Engineer
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Address modification to the Air Quality Permit for Sterigenics, Atlanta Facility Permit No. 7389-067-0093-S-05-2, AIRS Number 067-00093**

Dear Mr. Spraley:

Thank you very much for the recent amendment to the Atlanta, Georgia air quality permit. We have been informed the facility address has changed to: 2971 Olympic Industrial Drive SE, Suite 116, Atlanta, Georgia 30339 and request this address modification be applied to our Air Quality Permit.

If you have any questions regarding this request, please call me at (630) 928-1768.

Sincerely,

Susan M. Reinhardt
Manager
Environment, Health and Safety

Copy: Daryl Mosby, Atlanta, Georgia General Manager
Kevin Wagner, Director EHS

Mr. Ross Winne
Program Manager
Air Protection Branch
Industrial Source Monitoring Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Michael Odom
Unit Manager
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

SMR:cmq

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS #067-00093

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

FEB 17 2015

MEMORANDUM:

TO: Sean Taylor
THROUGH: Ross Winne, Richard Taylor
FROM: Anna Gray
SUBJECT: SOURCE TEST REPORT REVIEW

The following test has been reviewed and was conducted in an acceptable fashion for the purpose intended.

COMPANY NAME	Sterigenics U.S. LLC
COMPANY LOCATION	Smyrna, GA
SOURCE TESTED	Areation Room/Advanced Air Technologies (AAT) emission control system
POLLUTANT DETERMINED	Ethylene Oxide
REPORT REVIEWED BY	Anna Gray
TEST WITNESSED BY	Anna Gray
DATE(S) OF TEST	October 23, 2014 to October 24, 2014
DATE RECEIVED BY APB	January 8, 2015
APPLICABLE REGULATION	Permit No. 7389-067-0093-S-05-0, Conditions 2.3, 6.2 and 6.3
MEMORANDUM	The reduction efficiency test of the Two stage Advanced Air Technologies (AAT) emission control system, which controls the emissions from the aeration room, was conducted in accordance o USEPA CFR 40, Part 63.365. The emissions reduction should be at least 99%. Average EtO concentration on inlet= 27.94 ppm Average EtO concentration on outlett= 0.0122 ppm Average EtO Control Efficiency: 99.95% Aeration time on each run: 60 min Average flow on the outlet: 9831 dscfm EtO average mass flow on the outlet: 0.000824 lbs/hr The inlet flow was assumed the same as the outlet. Each test run was performed with freshly sterilized product in the aeration chambers. Parameters during test: Scrubber flow rate= 1537 gpm; 0.9 pH; Storage tank level for the scrubber: 108"; Glycol concentration=30.4%

cc: Ross Winne
Reference Number: 201500164

AIRS Number: 06700093
Printed: 2/17/2015

FEB 17 2015

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

MEMORANDUM:

TO: Sean Taylor
THROUGH: Ross Winne, Richard Taylor
FROM: Anna Gray
SUBJECT: SOURCE TEST REPORT REVIEW

The following test has been reviewed and was conducted in an acceptable fashion for the purpose intended.

COMPANY NAME	Sterigenics U.S. LLC
COMPANY LOCATION	Smyrna, GA
SOURCE TESTED	10-Sterilizer Chambers/Ceilcote Scrubber
POLLUTANT DETERMINED	Ethylene Oxide
REPORT REVIEWED BY	Anna Gray
TEST WITNESSED BY	Anna Gray
DATE(S) OF TEST	October 23, 2014
DATE RECEIVED BY APB	January 8, 2015
APPLICABLE REGULATION	Permit No. 7389-067-0093-S-05-0, Conditions 2.3, 6.2 and 6.3
MAXIMUM EXPECTED OPERATING CAPACITY	12,000 ACFM
OPERATING CAPACITY	N/A
ALLOWABLE EMISSION RATE	99 % DRE
CONTROL EQUIPMENT AND MONITORING DATA	Scrubber flow rate= 155 gpm; 1.7 pH; Storage tank level for the scrubber: 185"; Glycol concentration=35.7%

cc: Ross Winne
Reference Number: 201500030

AIRS Number: 06700093
Printed: 2/17/2015

Georgia Department of Natural Resources
Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

MEMORANDUM

The reduction efficiency test of the Ceilcote packed tower scrubber emission control system was conducted in accordance o USEPA CFR 40, Part 63.365. At least one of the test runs was performed using emissions from the new30-pallet sterilizer.

Run #1 Inlet EtO= 27.4 lbs
Outlet EtO= 0.0010212 lbs
EtO Control Efficiency= 99.996%
Minutes/cycle= 22

Run #2 Inlet EtO=61.0 lbs
Outlet EtO= 0.0041159 lbs
EtO Control Efficiency= 99.993%
Minutes/cycle= 23

Run #3 Inlet EtO= 218.1 lbs
Outlet EtO= 0.0189873 lbs
EtO Control Efficiency= 99.991%
Minutes/cycle= 27
Average EtO Control Efficiency: 99.993%

The amount of ethylene oxide used during each sterilization cycle was calculated by the Gas law and the conditions at the beginning and the end of every exhaust phase. All exhaust phase testing wsa conducted during normal process load conditions, but with an empty sterilization chamber to facilitate inlet mass calculation and the performance of multiple test runs.

Holder, Don

From: Holder, Don
Sent: Thursday, February 19, 2015 10:39 AM
To: sreinhardt@sterigenics.com
Subject: 2014 ACC submittal

The Division received the 2014 Title V Annual Compliance Certification for your facility on January 29, 2015 for the period of January 1, 2014 through May 26, 2014. The submittal correctly reported the compliance status of all terms and conditions of the permit. This is consistent with the information available to the Division. The submittal appears to comply with the requirements of Condition 8.14.1 of Georgia Air Quality Permit No. 7389-067-0093-V-04-0 as issued on November 14, 2013, as amended.

Thank you for your cooperation in this matter. If you have any questions or comments concerning this letter or your air quality permit, please contact me at 404/362-4846 or by email at: don_holder@dnr.state.ga.us .

AIRS # 067-00093

Sterigenics.

RECEIVED
JAN 29 2015
AIR PROTECTION
BRANCH

January 22, 2015

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Annual Title V Compliance Certification for Sterigenics, Smyrna Facility – Part 70 Operating Permit No. 7389-067-0093-V-04-0**
AIRS Number 04-13-067-00093

Dear Mr. Holder:

Enclosed please find the Title V Annual Compliance Certification in place for our Smyrna facility for the first five months of 2014. All of the sections within this report have been reviewed and have been in continuous compliance with the exception of a late report filing in 2014.

If you have any questions regarding this submittal, please call me at (630) 928-1768.

Sincerely,

Susan M. Reinhardt
Manager
Environment, Health and Safety

Attachment: Annual 2014 Title V Compliance Certification

pc: Kathy Hoffman – Senior VP, EHS
Daryl Mosby - Smyrna General Manager
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch61 Forsyth Street
Atlanta, GA 30303

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00093

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 1 – FACILITY INFORMATION AND CERTIFICATION

FACILITY INFORMATION							
Period Covered By Report:	1-1-14 to 5-26-14						
Facility Name:	Sterigenics U.S., LLC			AIRS Number:	04-13-067-00093		
Facility Physical Address:	2973 Olympic Industrial Drive						
City:	Smyrna	State:	GA	ZIP Code:	30080		
Facility Mailing Address:	2973 Olympic Industrial Drive						
City:	Smyrna	State:	GA	ZIP Code:	30080		
Responsible Official:	Kathleen Hoffman	Phone:	630-928-1758	FAX:	630-928-1701		
Environmental Contact:	Susan M. Reinhardt	Phone:	630-928-1768	FAX:	630-928-1701		
Permit and Amendment Number(s):	7389-067-0093-V-04-0	Permit and Amendment Effective Date(s):		V-04-0 5-19-2010 to 05-26-2014			

TRUTH, ACCURACY, AND COMPLETENESS CERTIFICATION BY RESPONSIBLE OFFICIAL		
I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in the attached annual compliance certification are true, accurate, and complete.		
Signature:	KA Hoffman	Date: 23-Jan-2015
Responsible Official Title:	Senior Vice-President EHS	

Number of Attached Pages:	9

For the purposes of this form, the term "deviation" includes any excess emissions, exceedance, or excursion identified in the permit or any non-compliance with any term or condition of the Title V Operating Permit including those attributable to equipment malfunction, breakdown, or upset condition. The acknowledgement of deviations from the specific permit requirements is not necessarily an acknowledgement of a violation. However, failure to report any and all deviations may constitute a violation of the Title V Operating Permit.

The Title V Annual Compliance Certification must be submitted to both the Georgia EPD and US EPA Region IV.

Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, GA 30354

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 3.3.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 3.3.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	ST	----	----	0
V-04-0 3.3.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 3.3.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 3.3.5	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 4.1.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 4.1.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 4.1.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 5.1.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 5.2.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 5.2.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 5.2.3a	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0
V-04-0 5.2.3b	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	----	----	0

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 5.2.3c	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 5.2.3d	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.5	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.6	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.1.7	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.2.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.2.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 6.2.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring;

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 6.2.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.1.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.2.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.2.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.10.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.11.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.11.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 7.12	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.1.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.1.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.2.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.2.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.2.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.3.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.3.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.3.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.3.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.4.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.5.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.5.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.5.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.6.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.7.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.8.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.8.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.8.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.8.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.9.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.9.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.10.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.5	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.11.6	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.12.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.13.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.13.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.13.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.13.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.14.1	☐ Continuous ☒ Intermittent ☐ Not Applicable	RR	---	The 2013 annual compliance report was completed on 11 February 2014.	1
V-04-0 8.14.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.14.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.14.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.15.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.16.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.16.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.17.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.17.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.18.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.19.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.19.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.19.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.20.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.21.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.22.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.22.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.23.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.24.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.25.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.26.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.27.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	-------

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

State of Georgia
Department of Natural Resources
Environmental Protection Division
Air Protection Branch

4244 International Parkway
Suite 120
Atlanta, Georgia 30354
(404) 363-7000
Fax: (404) 363-7100

TITLE V ANNUAL COMPLIANCE CERTIFICATION FORM
PART 2 – COMPLIANCE STATUS

Facility Name:	Sterigenics U.S., LLC		
AIRS Number:	04-13-067-00093	For Reporting Period:	1-1-14 to 5-26-14

Permit Number & Condition Number	Compliance Status	Monitoring Method	Identification of Deviations		
			Previously Reported	Not Previously Reported (See Part 3)	Total
V-04-0 8.24.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.2	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.3	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.24.4	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.25.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.26.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0
V-04-0 8.27.1	☒ Continuous ☐ Intermittent ☐ Not Applicable	RR	---	---	0

Monitoring Method Abbreviations: RR = Record keeping Requirement; ST = Source Testing; CEMS = Continuous Emissions Monitoring System; COMS = Continuous Opacity Monitoring System; CFM = Continuous Fuel Monitoring; VE = Visible Emissions Monitoring; PEMS = Predictive Emissions Monitoring System; CERMS = Continuous Emission Rate Monitoring System; PMS = Parametric Monitoring System; OMP = Operations and Maintenance Plan; IN = Inspection; Other = Method not listed, provide description.

Sterigenics.

RECEIVED
JAN 26 2015
AIR PROTECTION
BRANCH

January 12, 2015

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semi-annual Synthetic Minor Operating Permit No. 7389-067-0093-S-05-0 for the period of July 1, 2014 to December 31, 2014

This letter provides information for the semi-annual report for the Synthetic Minor Operating Permit for the period July 1, 2014 through December 31, 2014. This report is intended to satisfy all requirements of Condition 7.7 of operating permit number No. 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semi-annual Reporting Requirements

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-3-.2(6)(b)1.; 40CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

4,392 hours (183 days)

AIRS # 067-00093

Sterigenics.

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of occurrence.

There were no excess emissions, exceedances or excursions during the report period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no excess emissions, exceedances or excursions during the report period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Per Permit Section 7.4, we have enclosed copies of the monthly testing the Dry Beds for the period July 1, 2014 to December 31, 2014. We did not exceed 0.9 ppm or greater in the outlet.

g. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement
Sterigenics U.S., LLC has reviewed all applicable provisions of the Synthetic Minor operating permit.

There have not been deviations from applicable limitations, standards or monitor malfunctions during the reporting period from July 1, 2014 through December 31, 2014.

KA Hoffman — 13-Jan-2015

Kathleen Hoffman
Senior Vice President, Environment, Health and Safety

Date

If you have any questions regarding this submittal, please call me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt

Susan M. Reinhardt
Manager
Environment, Health and Safety

Sterigenics

Enclosure: Dry Bed Tests – July 1, 2014 – December 31, 2014

Pc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Kathleen Hoffman, Senior Vice-President- EHS
Juan Segovia, Vice-President - Operations
Daryl Mosby – General Manager – Smyrna, Georgia
Kevin Wagner, Director EH&S

SMR:cmq

Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 25/July/2014	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 19:09 GMT – 19:27 GMT	
Type of bag used and amount of gas collected: SKC	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 25/July/2014 @ 19:36 GMT	
Sample results: ☐ Inlet Run 1: 0.86 Run 2: 1.76 Run 3: 4.36 Average: 2.33	
Sample results: ☐ Outlet Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Comments: Test performed in accordance with FWI-SM-025.	

Reviewed By: D. Mof Date: 25 Jul 2014

Monitor Single Plot

Plot

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Jul 25,2014 19:05
End Time: Jul 26,2014 19:59
Number of points: 3
Average Value: 2.33



Monitor Single Port

Outlet

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Jul 25,2014 20:04
End Time: Jul 25,2014 20:09
Number of points: 3
Average Value: 0.00



Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 28 August 2014	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 15:47 GMT – 16:05 GMT	
Type of bag used and amount of gas collected: SKC	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 28 August 2014 @ 16:10GMT	
Sample results: ☐ Inlet Run 1: 0.00 Run 2: 0.37 Run 3: 0.77 Average: 0.38	
Sample results: ☐ Outlet Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Comments: Test performed in accordance with SM-WI-025.	

Reviewed By: _____ Date: 28 Aug 2014

Test: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Aug 28,2014 10:2A
End Time: Aug 28 2014 10:20
Number of points: 3
Average Value: 0.00



Marker Image Plot

Outlier

Plot: Diagnostic
Comparing: STATESHIS DATA
Start Time: Aug 25,2014 18:38
End Time: Aug 25,2014 18:40
Number of points: 5
Average Value: 0.00



Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 30-Sep-14	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 14:35 GMT – 14:53 GMT	
Type of bag used and amount of gas collected: Flexfoil	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 30-Sep-14 @ 14:55	
Sample results: ☐ Inlet Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Sample results: ☐ Outlet Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Comments: Test performed and completed in accordance with FWI-SM-025.	

Reviewed By: [signature] Date: 30 Sep 2014

Monitor Single Port

Outlet

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Sep 30,2014 14:57
End Time: Sep 30,2014 15:02
Number of points: 3
Average Value: 0.00



Monitor Single Port

Inlet

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Sep 30,2014 14:46
End Time: Sep 30,2014 14:51
Number of points: 3
Average Value: 0.00



Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 31/ OCT /2014	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 17:47 GMT – 18:09	
Type of bag used and amount of gas collected: SKC	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 31/October/2014 @ 18:19 GMT	
Sample results: ☐ Inlet	
Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Sample results: ☐ Outlet	
Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Comments: Test performed in accordance with FWI-SM-025.	

Reviewed By: _____ Date: 31 Oct 2014

Monitor Single Part

Outlet

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Oct 31,2014 18:41
End Time: Oct 31,2014 18:46
Number of points: 3
Average Value: 0.00



Monitor Single Port

Inlet

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Oct 31,2014 18:30
End Time: Oct 31,2014 18:35
Number of points: 3
Average Value: 0.00



Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 26-November-2014	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 22:09 GMT -22:27 GMT	
Type of bag used and amount of gas collected: SKC	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 26-November-14 @ 22:30 GMT	
Sample results: ☐ Inlet	
Run 1: 3.75 Run 2: 3.75 Run 3: 3.85 Average: 2.84	
Sample results: ☐ Outlet	
Run 1: 0.00 Run 2: 0.00 Run 3: 0.00 Average: 0.00	
Comments: Test performed in accordance with FWI-SM-025.	

Reviewed By: D J Mayo Date: 30 Nov 2014

Monitor Single Port

~~INLET~~ Km
Outlet 13-JAN-15

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Nov 26,2014 22:35
End Time: Nov 26,2014 22:40
Number of points: 3
Average Value: 0.00



Monitor Single Port

~~OUTLET~~ Inlet
Inlet 13-JAN-15

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Nov 26,2014 22:46
End Time: Nov 26,2014 22:53
Number of points: 4
Average Value: 2.84



Sterigenics

AAT Sampling Log

Emission samples of the AAT will be recorded below. The sample will be taken once each month or when needed as per permit.

Date of sample collection/testing: 23-December-2014	
Location / Emission type tested: (Aeration) Chamber	Position tested: (Inlet) (Outlet)
☑ Aeration ☐ 1 Chamber Vacuum	
Person collecting the sample: Ken Martin	
Collection time (15 minute minimum): 19:38 GMT to 19:56 GMT	
Type of bag used and amount of gas collected: SKC	
Analysis system used: ☑ In-house Perkin-Elmer ☐ Other:	
Last system calibration Date & Time: 23-December-2014 @ 19:59 GMT	
Sample results: ☐ Inlet Run 1: 5.19 Run 2: 5.04 Run 3: 3.94 Average: 4.72	
Sample results: ☐ Outlet Run 1: 0.00 Run 2: 0.65 Run 3: 0.42 Average: 0.36	
Comments: Test conducted in accordance with FWI-SM-025.	

Reviewed By: _____ Date: 29 Dec 2014

Monitor Single Port

~~Inlet~~ Outlet

Km
13-Jan-15

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Dec 23,2014 20:06
End Time: Dec 23,2014 20:11
Number of points: 3
Average Value: 0.36



Monitor Single Port

~~Outlet~~ Kw
~~Inlet~~ 13-JAN-15

Port: Diagnostic
Component: ETHYLENE OXIDE
Start Time: Dec 23,2014 20:18
End Time: Dec 23,2014 20:23
Number of points: 3
Average Value: 4.72



Sterigenics.

RECEIVED
AUG 14 2014
AIR PROTECTION
BRANCH

August 11, 2014

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Notification: Completion of Construction**
Permit No. 7389-067-0093-S-05-0

Dear Mr. Holder:

As required by our air permit, section 7.5, Sterigenics is providing construction completion notification of Chamber 10 (SEV-10) and Aeration Room 1 (AR-1).

Chamber 10 (SEV-10)
Construction was completed on Chamber 10 on August 7, 2014. (Condition 7.5-a) The current anticipated start-up date for Chamber 10 is October 10, 2014. (Condition 7.5-b)

Aeration Room 1(AR-1)
The Aeration Room 1 construction was completed and placed into service on June 6, 2014 (Condition 7.5, a-c).

Please do not hesitate to contact me with questions. You can reach me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

pc:

Kathy Hoffman – Sr. VP, EH&S
Daryl Mosby - Smyrna General Manager
Juan Segovia – VP – EO Operations
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

Mr. Michael Odom, Unit Manager
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Heather Cottrell
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00093

Holder, Don

From: Holder, Don
Sent: Monday, July 25, 2016 11:58 AM
To: sreinhardt@sterigenics.com
Subject: March 2016 Ceilcote Scrubber System testing
Attachments: Ceilcote Packed Tower Scrubber March 2016.pdf

The Industrial Source Monitoring Program of the Air Protection Branch has reviewed the Performance Test Report for the Sterigenics, U.S., LLC Ceilcote Scrubber System conducted on March 17-18, 2016.

The review of the report indicates an average destruction efficiency of 99.9999%. The test results appear to comply with the requirements of Part 7.0 Permit 7389-067-0093-S-05-3. A copy of the test report review is attached for your files.

If you have any questions concerning this letter or compliance with your air quality permits, please contact me at 404/362-4846 or by e-mail at don_holder@mail.dnr.state.ga.us.

AIRS # 067-00093

Georgia Department of Natural Resources

Environmental Protection Division · Air Protection Branch
4244 International Parkway · Suite 120 · Atlanta · Georgia 30354
Telephone: 404/363-7000 · Fax: 404/363-7100
Judson H. Turner, Director

JUL 18 2016

MEMORANDUM:

TO: Michael Odom
THROUGH: Ross Winne, Marcus Cureton
FROM: Anna Gray
SUBJECT: SOURCE TEST REPORT REVIEW

The following test has been reviewed and was conducted in an acceptable fashion for the purpose intended.

COMPANY NAME	Sterigenics U.S. LLC
COMPANY LOCATION	Atlanta, GA
SOURCE TESTED	10-Sterilizer Chambers/Ceilcote Packed Tower Scrubber
POLLUTANT DETERMINED	Ethylene Oxide
REPORT REVIEWED BY	Anna Gray
TEST WITNESSED BY	Ross Winne
DATE(S) OF TEST	March 17, 2016 to March 18, 2016
DATE RECEIVED BY APB	May 24, 2016
APPLICABLE REGULATION	Permit No. 7389-067-0093-S-05-3, Condition 2.3
MEMORANDUM	The reduction efficiency test of the Ceilcote packed tower scrubber emission control system was conducted in accordance with USEPA CFR 40, Part 63.365. At least one of the test runs was performed using emissions from the new30-pallet sterilizer (Chamber#11). The other two chambers were: #3 and #8. Run #1 Inlet EtO= 44.9 lbs Outlet EtO= 0.0000065 lbs EtO Control Efficiency= 99.9999% Minutes/cycle= 24 Run #2 Inlet EtO=61.9 lbs Outlet EtO= 0.0000141 lbs EtO Control Efficiency= 99.9999% Minutes/cycle= 23 Run #3 Inlet EtO= 76.1 lbs Outlet EtO= 0.0000076 lbs EtO Control Efficiency= 99.9999% Minutes/cycle= 20 Average EtO Control Efficiency: 99.9999% Required EtO Control Efficiency: 99% The amount of ethylene oxide used during each sterilization cycle was calculated by the Gas law and the conditions at the beginning and the end of every exhaust phase. All exhaust phase testing wsa conducted during normal process load conditions, but with an empty sterilization chamber to facilitate inlet mass calculation and the performance of multiple test runs. Parameters during test: Ceilcote scrubber readings: pH= 1.2 ; Storage tank level=: 186 inches ;Glycol concentration=36.3% AAT scrubber readings: pH=0.9; Tank level= 105 inches; Glycol concentration=36.8%

cc: Ross Winne
Reference Number: 201600650

AIRS Number: 06700093
Printed: 7/12/2016

Sterigenics.

RECEIVED
MAR 14 2016
AIR PROTECTION
BRANCH

March 8, 2016

Mr. Don Holder
Georgia EPD
Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

POSTMARK
MAR 11 2016
DATE

Subject: **Notification: Chamber 11 – Initial Date of Start-Up**
Permit No. 7389-067-0093-S-05-3

Dear Mr. Holder:

As required by our air permit, section 7.8, Sterigenics is providing notification of the initial start-up date of Chamber 11 (SEV-11).

Chamber 11 (SEV-11)
The Atlanta facility began production with the use of Chamber 11 today, March 8, 2016, (Condition 7.8-c). Performance testing is scheduled to begin the afternoon of March 17, through March 18, 2016 and Mr. Ross Winne is aware and invited to attend the testing.

Please do not hesitate to contact me with questions. You can reach me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt
Manager
Environment, Health and Safety

pc:

Kathy Hoffman – Sr. VP, EH&S
Daryl Mosby - Smyrna General Manager
Juan Segovia – VP – EO Operations
Kevin Wagner – Director, EHS

US EPA Region IV
Air and EPCRA Enforcement Branch
61 Forsyth Street
Atlanta, GA 30303

Mr. Michael Odom, Unit Manager
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Mr. Sean Taylor
Georgia EPD, Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Sterigenics International LLC
2015 Spring Road, Suite 650 • Oak Brook, IL 60523
Tel 630.928.1700 • Fax 630.928.1701 • www.sterigenics.com

AIRS # 067-00093

Holder, Don

From: Holder, Don
Sent: Friday, January 29, 2016 12:40 PM
To: sreinhardt@sterigenics.com
Subject: 2nd semiannual report 2015

The Division received the semi-annual report dated January 14, 2016 for your facility for the July through December 2015 reporting period. The report, received on January 20, 2016, appears to satisfy the requirements of Condition 7.7 of Georgia Air Quality Permit 7389-067-0093-S-5-0, as amended, and Condition 6.1.4 of the previous Permit No. 7389-067-0093-S-05-0.

If you have any questions about compliance with your permit, please contact me at 404/362-4846 or by email at: don.holder@dnr.state.ga.us.

AIRS # 067-00093

Sterigenics.

RECEIVED
MAY 27 2015
AIR PROTECTION
BRANCH

January 14, 2016

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of July 01, 2015 to December 31, 2015

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, Inc.'s Atlanta, Georgia facility covering the period from January 1, 2015 through June 30, 2015. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 of Part 70 operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1, AR-11 through AR-13) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1- SEV-10):

a. Aeration room vents: AR-1, AR-11 through AR-13 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. Facilities complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	We did not exceed 0.9 ppm or greater in the outlet.
ii. Facilities complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	Performance testing conducted on October 24, 2014 indicated efficiency for the AAT scrubber at 99.96%.

AIRS # 067-00093

b. Aeration room vents (AR-1, AR-11 – AR-13) and sterilization chamber vents (SEV-1 through SEV-10) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	N/A
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	N/A

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. AAT Scrubber (EC2): List any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	N/A Dry Bed Testing is available upon department request
b. For the AAT Scrubber System (EC2), list any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A

d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3, list any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	N/A
e. For the acid-water scrubbers (AAT Scrubber System EC2) and Ceilcote Scrubber EC3, any occurrence wh4en the scrubbing liquor pH rises above the manufacturers recommended level of 2.	N/A
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9 ppmv, but is less than or equal to 1 ppmv.	N/A
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but he dry bed material is not replace within 30 days.	N/A

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

4,416 hours (184 days)

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit.

There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from July 01, 2015 through December 31, 2015.

/KA Hoffman — 15-Jun-2016

Kathleen Hoffman
Senior Vice President, Environment, Health and Safety

Date

If you have any questions regarding this submittal, please call me at (630) 928-1768.

Kind Regards,

Susan M. Reinhardt

Susan M. Reinhardt
Manager
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Kathleen Hoffman, Senior Vice-President- EHS
Juan Segovia – Vice President, Operations
Daryl Mosby – Smyrna, Georgia General Manager
Kevin Wagner, Director EH&S

SMR:cmq

EXHIBIT M3

Waldron, Sherry

From:	Waldron, Sherry
Sent:	Thursday, August 9, 2018 10:50 AM
To:	Mosby, Daryl (DMosby@sterigenics.com)
Subject:	40 CFR 63 Subpart O report, Sterigenics in Atlanta, Georgia

The Division has reviewed the above referenced report, received on July 25, 2018. The report met the reporting requirements of Georgia Air Permit No. 7389-067-0093-S-05-0, as amended. No deviations were reported.

Thank you for your timely and complete submittal.

Sherry Waldron
Environmental Engineer
Georgia Environmental Protection Division
Air Protection Branch
4244 International Pkwy.
Ste. 120
Atlanta, Georgia 30354
(404)362-4569

6700093

Sterigenics
A Sotera Health company

July 25, 2018

RECEIVED
JUL 27 2018
Air Protection Branch

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of January 01, 2018 to June 30, 2018

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, Inc.'s Atlanta, Georgia facility covering the period from January 1, 2018 through June 30, 2018. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 in operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1, SEV-2, SEV-3, SEV-4, SEV-5, SEV-6, SEV-7 SEV-8, SEV-10, SEV-11):

a. Aeration room vents: AR-1 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. If the facility is complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	Dry Bed outlet concentration did not exceed 0.9 ppm during this reporting period.
ii. If the facility is complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	N/A
b. Aeration room vents (AR-1) and sterilization chamber vents (SEV-1	N/A

AIRS # 067-00093

through SEV-9, and SEV-10 through SEV-11) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	Records are maintained

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a.i and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. For AAT Scrubber (EC2), any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	None
b. For the AAT Scrubber System (EC2), any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A
d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	None
e. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the scrubbing liquor pH rises above the manufacturers recommended level of 2.	None
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9	None

ppmv, but is less than or equal to 1 ppmv.	
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but the dry bed material is not replace within 30 days.	N/A

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

   There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

   4,302hours

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

   There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

   There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit. There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from July 01, 2017 through December 31, 2017.

KA Hoffman — 25-Jul-2018

Kathleen Hoffman
Senior VP, EH&S and Tech Services

Date

If you have any questions regarding this submittal, please call me at (630) 928-1724.

Kind Regards,

Laura Hartman
Manager
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Daryl Mosby – Atlanta General Manager
Juan Segovia – VP of Operations

Waldron, Sherry

From: Waldron, Sherry
Sent: Wednesday, February 07, 2018 12:40 PM
To: 'Mosby, Daryl'
Subject: Semiannual air report for the second half of 2017

The Division received the semiannual report for the July 1, 2017 through December 31, 2017 reporting period for the Sterigenics - Atlanta Facility on January 31, 2018. The report submitted satisfies the reporting requirements of the permit for the reporting period.

Thank you for your timely submittal. If you have any questions about compliance with your permit, please feel free to contact me at 404/362-4569 or by e-mail.

Sincerely,

Sherry Waldron
Environmental Engineer
Georgia Environmental Protection Division
Air Protection Branch
Stationary Source Compliance Program
4244 International Pkwy., Suite 120
Atlanta, GA 30354
404-362-4569

06700093

Sterigenics
A Sotera Health company

RECEIVED
JAN 31 2018
AIR PROTECTION BRANCH

JAN 30 2018

January 29, 2018

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of July 01, 2017 to December 31, 2017

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, Inc.'s Atlanta, Georgia facility covering the period from July 1, 2017 through December 31, 2017. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 in operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1, SEV-2, SEV-3, SEV-4, SEV-5, SEV-6, SEV-7 SEV-8, SEV-10, SEV-11):

a. Aeration room vents: AR-1 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. If the facility is complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	Dry Bed outlet concentration did not exceed 0.9 ppm during this reporting period.
ii. If the facility is complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	N/A
b. Aeration room vents (AR-1) and sterilization chamber vents (SEV-1	N/A

PSD-067-00093

through SEV-9, and SEV-10 through SEV-11) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	Records are maintained

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a.i and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. For AAT Scrubber (EC2), any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	None
b. For the AAT Scrubber System (EC2), any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A
d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	None
e. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the scrubbing liquor pH rises above the manufacturers recommended level of 2.	None
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9	None

ppmv, but is less than or equal to 1 ppmv.	
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but the dry bed material is not replace within 30 days.	N/A

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

   There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

   4,416 hours

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

   There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

   There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit. There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from July 01, 2017 through December 31, 2017.

Kathleen Hoffman — 30-Jun-2018

Kathleen Hoffman
Senior Vice President, Environment, Health and Safety

Date

If you have any questions regarding this submittal, please call me at (630) 928-1724.

Kind Regards,

Laura Hartman
Manager
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Daryl Mosby – Atlanta General Manager
Juan Segovia – VP of Operations

EXHIBIT M4

Waldron, Sherry

From:	Waldron, Sherry
Sent:	Tuesday, March 5, 2019 2:30 PM
To:	'lhartman@sterigenics.com'
Subject:	Semiannual Subpart O and deviation report, Sterigenics, Atlanta, Georgia

The Division has reviewed the above referenced reports, received on February 5, 2019. The report met the reporting requirements of Georgia Air Permit No. 7389-067-0093-S-05-0, as amended, and 40 CFR 63 Subpart O. No deviations were reported.

Thank you for your timely and complete submittal.

Sherry Waldron
Environmental Engineer
Georgia Environmental Protection Division
Air Protection Branch
4244 International Pkwy.
Ste. 120
Atlanta, Georgia 30354
(404)362-4569

06700093

Sterigenics
A Sotera Health company

RECEIVED
FEB 05 2019
Air Protection Branch
pm 1/31/19

January 29, 2019

Georgia Department of Natural Resources
Environmental Protection Division
Stationary Source Compliance Program
Air Protection Branch
Atlanta Tradeport, Suite 120
4244 International Parkway
Atlanta, Georgia 30354-3908

Attention: Ms. Karen Hays, Unit Manager

Subject: Semiannual Synthetic Minor Deviation Report for Sterigenics, U.S., LLC, Atlanta, Georgia Facility Operating **Permit No. 7389-0670093-S-05-0** for the period of July 01, 2018 to December 31, 2018

This letter provides information for the semi-annual Synthetic Minor Permit Deviation Report for Sterigenics, US LLC Atlanta, Georgia facility covering the period from July 1, 2018 through December 31, 2018. This report is intended to satisfy the monitoring and reporting requirements of Condition 5.4, 7.4 and 7.7 in operating permit number 7389-067-0093-S-05-0. For ease of reference, this report is organized by permit condition.

Semiannual Deviation Reporting Requirements

Condition 5.4 requires:

The Permittee shall maintain and operate the AAT Scrubber System (EC2) to ensure a maximum emission level of 1 ppmv or a reduction of 99% for aeration room vents (AR-1) and a reduction efficiency of 99% for sterilization chamber vents (SEV-1, SEV-2, SEV-3, SEV-4, SEV-5, SEV-6, SEV-7 SEV-8, SEV-10, SEV-11):

a. Aeration room vents: AR-1 – Once per month the Permittee shall simultaneously collect and record the concentration of a 15-minute ethylene oxide bag sample from both the inlet and outlet of the dry bed absorbers:	
i. If the facility is complying with the 1ppmvd standard, as specified in condition No. 2.4, and the concentration of ethylene oxide in the outlet sample of the dry bed absorbers increases to 0.9 ppmv or greater, the Permittee shall replace the dry bed material within 30 days, prior to the next scheduled aeration room exhaust sampling event.	Dry Bed outlet concentration did not exceed 0.9 ppm during this reporting period.
ii. If the facility is complying with the 99% reduction efficiency standard, as specified in Condition No. 2.4, and the AAT Scrubber System reduction efficiency decreases to 99.1% or less, the Permittee shall replace the dry bed material within 30 days prior to the next scheduled aeration exhaust sampling event. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed absorbers.	N/A
b. Aeration room vents (AR-1) and sterilization chamber vents (SEV-1	N/A

067-00093

through SEV-9, and SEV-10 through SEV-11) – any instance when sterilization chamber exhausts and aeration room exhausts are simultaneously vented through the AAT Scrubber System, the Permittee shall comply with the 99% reduction efficiency standard. During any such event, the Permittee shall collect and record the concentration of a 15-minute ethylene oxide bag sample from the outlet of the dry bed adsorbers within 96 hours of changeover. The AAT Scrubber System reduction efficiency shall be calculated by comparing the ethylene oxide loading into the AAT Scrubber System to the ethylene oxide mass exiting the dry bed adsorbers. If the reduction efficiency of the AAT Scrubber System is less than 99.1%, the Permittee shall not route any sterilization replaced. Bag testing shall continue at a sampling frequency of once per week during the changeover of the sterilization chamber vents from the Ceilcote Scrubber (EC3) to the AAT Scrubber System.	
c. When the Permittee is sampling in accordance with Condition Number 5.3a or 5.3b, the ethylene oxide loading to the AAT Scrubber System, the ethylene oxide mass out of the AAT dry adsorbers and the AAT Scrubber System reduction efficiency shall be recorded for each sampling event. These records shall be kept in a form suitable for inspection or submission to the Division. Methods of calculation for these measurements shall be submitted in the site-specific monitoring plan.	N/A
d. The dates of dry bed material placement shall be recorded and kept in a form suitable for inspection or submission to the Division.	Records are maintained. Dry bed material replaced on Dec 3, 2018

Reporting Requirements

Condition 7.4 For each monthly sampling event conducted in accordance with conditions 5.4.a.i and 5.4.b, the Permittee shall include the following information in the semi-annual report required by Condition 7.8.

a. For AAT Scrubber (EC2), any occurrence when analysis of the dry bed adsorber outlet sample concentration exceeded 1 ppmv.	None
b. For the AAT Scrubber System (EC2), any occurrence when the AAT Scrubber reduction efficiency indicates that the efficiency is less than 99%.	N/A
c. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the ethylene glycol concentration in the acid-water scrubber liquor is in excess of the maximum ethylene glycol concentration established during initial performance testing.	N/A
d. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the liquor recirculation tank level of the acid-water scrubber is in excess of the maximum liquor tank level established during initial performance testing.	None
e. For the acid-water scrubbers (AAT Scrubber System EC2 and Ceilcote Scrubber EC3), any occurrence when the scrubbing liquor pH rises above	None

the manufacturers recommended level of 2.	
f. For the AAT Scrubber System (EC2) list any occurrence when analysis of the dry bed adsorber outlet sample indicates the concentration exceeds 0.9 ppmv, but is less than or equal to 1 ppmv.	None
g. For the AAT Scrubber System (EC2), list any occurrence when AAT Scrubber System reduction efficiency indicates the efficiency is less than 99.1%, but is greater than or equal to 99%.	N/A
h. For the AAT Scrubber System, (EC2), list any instance when the AAT Scrubber System breaches a dry bed adsorber material replacement threshold, but the dry bed material is not replace within 30 days.	N/A

Condition 7.7 requires:

The Permittee shall submit a written report containing any excess emissions, exceedances, and/or excursions as described in this permit and any monitor malfunctions for each semiannual period ending January 1 and June 30 of each year. All reports shall be postmarked by the 30th day following the end of each reporting period, July 30 and January 30, respectively. In the event that there have not been any excess emissions, exceedances, excursions or malfunctions during a reporting period, the report should so state. Otherwise, the contents of each report shall be as specified by the Division's Procedures for Testing and Monitoring sources of Air Pollutants and shall contain the following: [391-3-1-.02(6)(b) 1 and 40 CFR 63.10 (e)]

a. A Summary report of excess emissions, exceedances and excursions, and monitor downtime, deviations and monitor downtime in accordance with Section 1.5 (c) and (d) of the above referenced document, including any failure to follow required work practice procedures.

There were no recordkeeping/ procedural deviations or excess emissions or excursions associated with section 7.7.

b. Total process operating time during each reporting period. Total processing time was:

4,408 hours

c. The magnitude of all excess emissions, exceedances and excursions computed in accordance with the applicable definitions as determined by the Director, and any conversion factors used, and the date and time of the commencement and completion of each time period of such occurrence.

There were no deviations during the period.

d. Specific identification of each period of such excess emissions, exceedances, and excursions that occur during startups, shutdowns, or malfunctions of the affected facility. Include the nature and cause of any malfunction (if known), the corrective action taken or preventative measures adopted.

There were no deviations during the period.

e. The date and time identifying each period during which any required monitoring system or device was inoperative (including periods of malfunction) except for zero and span checks, and

the nature of the repairs, adjustments, or replacement. When the monitoring system or device has not been inoperative, repaired, or adjusted, such information shall be stated in the report.

There were no breakdowns of the monitoring system or devices during the reporting period.

f. Certification by a Responsible Official, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

Required Statement

Sterigenics U.S. LLC has reviewed all applicable provisions of the Atlanta Synthetic Minor operating permit. There have not been deviations from applicable limitations or standards or monitor malfunctions during the reporting period from July 01, 2018 through December 31, 2018.

KA Hoffman — 29-Jun-2019

Kathleen Hoffman
Senior VP, EH&S and Tech Services

Date

If you have any questions regarding this submittal, please call Laura Hartman at (630) 928-1724.

Kind Regards,

Kevin Wagner
Director
Environment, Health and Safety

cc: Air and EPCRA Enforcement Branch, U.S. EPA Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Daryl Mosby – Atlanta General Manager
Juan Segovia – VP of Operations

EXHIBIT N1

GEORGIA
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

Air Protection Branch
4244 International Parkway
Suite 120
Atlanta, Georgia 30354
404-363-7000

October 9, 2019

Kathleen Hoffman
Sr. Vice President of EH&S
Sterigenics U.S., LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523

Re: Request for additional information regarding
Application No. 27153 received July 31, 2019
Sterigenics U.S., LLC, Atlanta, AIRS No: 06700093

Dear Kathy Hoffman:

I write to notify you that the Division requires additional information to evaluate the modifications Sterigenics proposed in Application No. 27153. Specifically, emissions testing under the new controls configuration is required as detailed in this letter and as authorized by Georgia Rules for Air Quality Control Chapter 391-3-1-.03(2)(c)[1] prior to issuance of a permit authorizing the proposed modifications. The Division also requires certain engineering analyses and documentation as detailed below. Please submit test plans to the Division for our review and approval. Upon receipt of the Division's approval of the test plans, and any necessary approvals from Cobb County, please conduct and complete the following testing/engineering analyses and provide written results/reports to the Division within 30 days after completion.

1. Ethylene oxide performance testing of the sterilization chamber vents. Conduct ethylene oxide (EtO) performance testing of the sterilization chamber vents (Source Codes SEV-1, SEV-2, SEV-3, SEV-4, SEV-5, SEV-6, SEV-7, SEV-8, SEV-10, SEV-11). Conduct the performance testing according to: the procedures listed in 40 CFR 63.7, the applicability of 40 CFR Part 63, Subpart O as identified in Table 1 of 40 CFR 63.360, the procedures listed in 40 CFR 63.363, and the test methods listed in 40 CFR 63.365. The test results will be used to establish the maximum ethylene glycol concentration, the maximum liquor tank levels, and maximum pH for the scrubbers. The test report shall list the control efficiency of the Ceilcote Scrubber, the AAT Scrubber System with Dry Bed Adsorber, and the total system. The test report shall

[1] *See* Ga. Comp. R. & Regs. 391-3-1-.02 (c) which provides in relevant that, "as a condition for the issuance of an operating permit, the Director may require the applicant to conduct performance tests and monitoring and provide reports concerning operations, to demonstrate compliance with the Act and the rules and regulations. Such tests and monitoring shall be conducted, and such required reports submitted, in accordance with methods and procedures approved by the Director."

list the final exhaust mass emission rate of ethylene oxide. The tests for each system (Ceilcote and AAT) shall be conducted simultaneously.

a. Testing of the chamber vents should occur at the maximum loading. When you submit the test plan prior to testing, explain what conditions constitute "maximum loading." Sterigenics should expect that the chamber operating scenario during testing may be used to establish an operational limit in the permit (i.e. – limit the number of chambers operating at any given time). Record or otherwise document the maximum airflow of each chamber vacuum pump to ensure that combined airflow shall not exceed 1200 ACFM.

b. Explain why direct testing of the vacuum pump stream prior to the Ceilcote scrubber is not feasible.

2. Ethylene oxide performance testing on the sterilization chamber back vents and the aeration room vent. Conduct ethylene oxide performance testing on the sterilization chamber back vents (Source Codes CEV-1, CEV-2, CEV-3, CEV-4, CEV-5, CEV-6, CEV-7, CEV-8, CEV-10, CEV-11) and the aeration room vent (Source Code AR-1). The testing shall be conducted according to: the procedures listed in 40 CFR 63.7, the applicability of 40 CFR Part 63, Subpart O as identified in Table 1 of 40 CFR 63.360, the procedures listed in 40 CFR 63.363, and the test methods listed in 40 CFR 63.365. The test shall be used to establish the maximum ethylene glycol concentration, the maximum liquor tank level, and maximum pH for the AAT scrubber (Source Code EC2). The test report shall list the final exhaust mass emission rate of ethylene oxide.

   a. Testing of the back vents and aeration room should occur at the maximum airflow, and loading, if possible.

3. Ethylene oxide performance testing of the Indoor Air System. Conduct ethylene oxide performance testing of the Indoor Air System (IA-1) according to: the procedures listed in 40 CFR 63.7, the applicability of 40 CFR Part 63, Subpart O as identified in Table 1 of 40 CFR 63.360, the procedures listed in 40 CFR 63.363, and the test methods listed in 40 CFR 63.365. The test report shall list the final exhaust mass emission rate of ethylene oxide.

4. Provide support for the assumption that at least 95% of the ethylene oxide used is exhausted through the vacuum pumps. Conduct testing and/or provide engineering analysis to support the assumption that at least 95% of the ethylene oxide used is exhausted through the vacuum pumps (aka chamber vents routed to the Ceilcote Scrubber and AAT Scrubber). These tests shall be conducted using the "worst case" batch cycle recipe. The worst case will result in the lowest percentage of EtO usage being routed to the vacuum pumps and generally means shorter wash times leaving more EtO in product and chamber air. The company shall provide a reasoned explanation for their choice as worst case.

5. Demonstrate that the Indoor Air System enclosure meets 100% capture. Conduct testing to demonstrate that the indoor air system enclosure meets 100% capture and provide operating parameters that reflect such conditions (e.g. – fan amps, pressure across enclosure, air flow direction at openings).

6. Determine the highest level of sensitivity of the Gas Chromatograph mass spectrometer used for the periodic bag sample monitoring, in terms of ppm ethylene oxide. Conduct testing and/or provide engineering analysis that determines the highest level of sensitivity of the Gas Chromatograph mass spectrometer used for the periodic bag sample monitoring, in terms of ppm of ethylene oxide Explain if the unit can achieve a 0.01 ppm detection limit or lower and determine the accuracy at levels below 0.1 ppm. If the unit cannot achieve a detection level of 0.01 ppm, explain why not. For reference, stack exhaust concentrations of 0.01 ppm equate to roughly 10 pounds per year for each stack.

7. Determine the highest level of sensitivity achievable by the stack testing laboratory. Provide documentation of the sensitivity achievable by the laboratory selected to analyze the performance testing data.

8. Verify the stack height, airflow, and diameter of each stack. Provide documentation verifying the stack height, airflow, and diameter of each stack, and explain how each value was determined.

The Division expects that testing of the operations should be completed within 20 days after testing has begun. If Sterigenics believes a longer test period will be required, submit a detailed justification for a longer test period as part of the test plans submitted to the Division for review. The length of the test period may not extend beyond what is specifically approved by the Division. The test plan submitted for review must also include details regarding Sterigenics' possible sterilization of products during testing. Tests and monitoring shall be conducted only upon the Division's approval of the testing methods and procedures.

An Operating (SIP) Permit Amendment shall be obtained prior to operation of this facility for production purposes. If you have any questions or concerns, please contact me at (404) 363-7020 or via e-mail at eric.cornwell@dnr.ga.gov.

Sincerely,

Eric Cornwell

Eric Cornwell
Manager
Stationary Source Permitting Program

EXHIBIT N2

GEORGIA
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

Air Protection Branch
4244 International Parkway
Suite 120
Atlanta, Georgia 30354
404-363-7000

OCT 3 1 2019

Ms. Kathleen Hoffman
Senior Vice President – Global Environmental, Health & Safety and Technical Services
Sterigenics U.S. LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523

RE: **Consent Order No. EPD-AQC-6980**
Sterigenics, U.S. LLC, Atlanta, Georgia

Dear Ms. Hoffman:

On October 22, 2019, the Division received the revised Work Practice Plan for the Sterigenics Atlanta facility required by Consent Order No. EPD-AQC-6980. The Work Practice Plan originally received on September 9, 2019 was updated to reflect the Division's requested changes. The revised Work Practice Plan meets the requirements of Condition No. 3 of the Consent Order.

Sterigenics must update the Work Practice Plan to be consistent with the amended air quality permit, when issued. Additional changes may be needed to the plan at that time and, if amended, should also be submitted to the Division for approval within fifteen days of such date.

Thank you for your cooperation. If you have any questions concerning this correspondence, please feel free to contact Sherry Waldron at 404-362-4569 or Sherry.Waldron@dnr.ga.gov.

Sincerely,

Sean Taylor
Program Manager
Stationary Source Compliance Program

SMT:sgw

c: Daryl Mosby, Sterigenics

Sterigenics
A Sotera Health company

October 21, 2019

Mr. Sean Taylor, Program Manager
Georgia EPD – Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Sterigenics Atlanta facility Work Practice Plan – Requested Revisions**

Dear Mr. Taylor

In response to your request, Sterigenics is providing an updated work practice plan for the Sterigenics Atlanta facility located at 2971 Olympic Industrial Drive, Suite 116, in Atlanta, Georgia.

Sterigenics reviewed your requested changes to the work practice plan and is submitting an updated work practice plan to address those items that are applicable to the negative pressure system. Two proposed changes refer to the entire facility; however, the proposed negative pressure system includes areas within the facility where ethylene oxide could be present. Specifically, as stated in the permit application, the negative pressure system is proposed to capture air internally from chamber rooms, work aisles, processed product storage, and shipping areas. Therefore the following two comments are only relevant to the negative pressure area and not the facility.

Letter states "*Addition of daily negative pressure verifications along all outside walls of the facility, either by airflow observations using a smoke test or similar visual method or using permanently installed differential pressure gauges.* "

Letter states "*Addition of specifying the protocol for the sequence of using dock door seals and opening rollup doors during offloading/loading operations and associated training of affected employees.*"

Please contact me at lhartman@sterigenics.com or 630-928-1700 for questions or additional information.

Regards,

Laura Hartman
Manager, Environmental Health and Safety

Attachment: Work Practice Plan

CC: General Manager, Sterigenics Atlanta Facility

Sterigenics Atlanta

EO Fugitives – Work Practice Plan

DRAFT

I. PURPOSE

This work instruction describes the practices taken to help limit fugitive emissions from the EO sterilization process

II. SCOPE

Covers the routine sterilization processing as well as non-routine tasks which could generate leaks, releases, or fugitive emissions of EO.

III. PROCESS OWNER

Atlanta EO facility management

IV. APPLICATION

This procedure applies to operations and areas of the facility where EO is used or contains sources which could emit EO including Chamber room, work aisle, emission control areas, aeration room, and the processed storage/shipping warehouse.

V. IMPLEMENTATION REQUIREMENTS

All requirements of this procedure will be implemented on the effective date

VI. PROCEDURE

REQUIREMENTS

A. Employees will ensure work practices are followed to minimize generation of EO fugitive emissions.

B. Emission control systems will be utilized to capture and control EO fugitive emissions to the extent practical.

C. The Advanced Air Technologies (AAT) scrubber/dry bed system will be inspected and tested frequently to ensure required efficiency is maintained.

D. Enhanced reporting of confirmed Lower Explosive Limit (LEL) or Gas Chromatograph (GC) alarms which show a released amount of EO to the environment to local agencies will be followed.

E. Initial and refresher training is required.

F. The facility will implement practices to ensure 100% of emissions in accordance with EPA procedures are captured and all dry bed systems reduce emissions to an acceptable level:

   1. Outlet reading of AAT dry beds will not exceed 1ppm
   2. Outlet reading of the Negative pressure system dry beds will not exceed 1ppm.

PROCEDURE

A. Minimizing EO Fugitives

   1. Upon receipt of EO drums from the supplier, employees will use existing work practices (as described in G-WI-EO-OPS-013, EO Drums: Safe Storage and Handling) to ensure drums are leak free

and in good condition prior to being brought into the facility.

2. The monitoring devices in the EO drum storage area will be operational to monitor for leaks.
3. The setting for Chamber Door Interlock/VAPORS will be set to 5% or less.
4. At the end of the sterilization cycle, the chamber door will be opened slightly and the operator must allow the backvents to run for a minimum of 15-minutes prior to unloading the sterile product.
5. When unloading sterilization chambers of product, remove and immediately transport pallets directly to the aeration room, and do not stage pallets in the aisle before transporting to aeration.
6. Maximize, to the extent practicable, the duration that a product remains in aeration before removal, consistent with customer approvals and customer shipping demands for each particular product
7. The Shipping warehouse doors will remain closed unless in use for loading trailers.
8. Maintenance personnel will ensure safe practices for isolating EO lines and inspecting equipment are followed to prevent leaks/releases.
9. Enhance the current capture and control equipment:
   i. The AAT drybed unit will be tested weekly using current sample bags and analysis with GC. The measured level cannot exceed 1ppm.
   ii. The barometric dampers in the sterilization chamber room exhaust to the AAT. The dampers will be used to the extent possible to capture any fugitive emissions in the area.
   iii. Maintenance to ensure any deviations to scrubber or dry bed operation are reported immediately to Corporate EH&S (scrubber tank level, pH, flow, EO concentration)

B. Reporting of EO Leaks and Releases

1. In addition to current procedures for detecting and assessing leaks or releases, the facility will immediately notify corporate EH&S of any high level EO alarms so a joint investigation can be completed to determine quantity of the leak.
2. The affected part of the process will be stopped until the investigation is complete to ensure safety.
3. If the leaked amount of EO is determined to be > 10 lbs.or unknown within 15-minutes then an immediate notification to the National Response Center, Georgia EPD, the LEPC (Cobb County Fire Department) will be made.
4. When safe to do so, a complete investigation for each incident will be conducted to determine root cause with corrective actions
5. Follow-up reporting with each respective agency will be completed to report the final investigation report.

C. Training

1. Training is to be provided to all employees on this work instruction within 30 days.
2. Annual training is required.

D. Operation and Maintenance of Negative Pressure System and Dry Beds

1. Negative pressure system:
   i. Upon startup of the negative pressure system, demonstrate capture within the negative pressure area. The demonstration will determine the number of rollup doors that can be opened in the negative pressure area. See *Appendix 1* for diagram of the negative pressure enclosure.
   ii. On a daily basis, verify and record the pressure within the negative pressure area.
   iii. Calibrate pressure measuring device(s) for the negative pressure area annually.
2. All facility dry beds:
   i. Dry bed media will be tracked to predict end of useful life in accordance with manufacturers recommendations based on EO usage.
   ii. In addition to the above, each dry bed system will be monitored weekly by taking an outlet sample with a Tedlar bag for 15-minutes. The sample will be analyzed with the GC and shall not exceed 1ppm
   iii. If a sample exceeds 1ppm a notification will be made to Corporate EH&S. A plan will be implemented to resample the system. If two consecutive samples are > 1ppm then the dry bed media will be changed out.
   iv. When dry bed media is changed out, each dry bed cell will be isolated from the system via damper valves. This will ensure the system can still operate with expected efficiency. The changeout of each bed will continue until all are complete.
3. Facility doors
   i. Doors located in the negative pressure area will remain closed when not in use to ensure the negative pressure system is effective.
   ii. The facility will limit the number of dock doors that can be opened at a time within the negative pressure area based on the demonstration per D1. Dock seals will be installed to limit any openings around the docks while trailers are actively being loaded.
   iii. Prior to opening a dock door, operators will ensure the trailer is aligned correctly with the dock door seals.
   iv. Dock door seals will be visually inspected weekly to check the integrity and these inspections will be recorded.

4. Special emission control work practices in case of breakdown
   i. If the sterilization chamber emission control system unexpectedly fails the chamber cycles will be suspended.
   ii. If the negative dry bed system fan fails the secondary blower fan will be put online to ensure continued operation of the system.
   iii. Verifications of negative pressure within the affected operational areas will be conducted while any portion of those systems affecting air flow are inoperable.
   iv. If the facility loses power, then *EOP-001 Power Outages* will be followed and handheld monitors will be used throughout the facility to measure any EO levels.
   v. All doors and openings in the negative pressure area will remain closed during power outages.

VII. DEFINITIONS/ABBREVIATIONS

N/A

VIII. REVISION HISTORY

Revision	Section	Description of Change
1	ALL	New work instruction

OVERALL PRESSURE PLAN
STERIGENICS ATLANTA



Sterigenics
A Sotera Health company

RECEIVED
SEP 09 2019
Air Protection
Branch

September 6, 2019

Mr. Sean Taylor, Program Manager
Georgia EPD – Air Protection Branch
Stationary Source Compliance Program
4244 International Parkway, Suite 120
Atlanta, Georgia 30354

Subject: **Sterigenics Atlanta facility Work Practice Plan**

Dear Mr. Taylor

In accordance with Order Number EPD-AQC-6980, Sterigenics is providing a work practice plan for the Sterigenics Atlanta facility located at 2971 Olympic Industrial Drive, Suite 116, in Atlanta, Georgia.

Please contact me at kwagner@sterigenics.com or 630-928-1771 for questions or additional information.

Regards,

Kevin Wagner
Director, Environmental Health and Safety

Attachment: Work Practice Plan

CC: General Manager, Sterigenics Atlanta Facility

2015 Spring Road, Suite 650, Oak Brook, IL 60523
630-928-1700 | sterigenics.com

06700093

Sterigenics Atlanta
EO Fugitives – Work Practice Plan

I. PURPOSE

This work instruction describes the practices taken to help limit fugitive emissions from the EO sterilization process

II. SCOPE

Covers the routine sterilization processing as well as non-routine tasks which could generate leaks, releases, or fugitive emissions of EO.

III. PROCESS OWNER

Atlanta EO facility management

IV. APPLICATION

This procedure applies to operations and areas of the facility where EO is used or contains sources which could emit EO including Chamber room, work aisle, emission control areas, aeration room, and the processed storage/shipping warehouse.

V. IMPLEMENTATION REQUIREMENTS

All requirements of this procedure will be implemented on the effective date

VI. PROCEDURE

REQUIREMENTS	The Work Practice Plan is divided into two phases for implementation according to construction of the negative air system. A. Prior to final construction of the negative air system employees will ensure work practices are followed to minimize generation of EO fugitive emissions. B. Emission control systems will be utilized to the extent practical to capture and control EO fugitive emissions. C. The Advanced Air Technologies (AAT) scrubber/dry bed system will be inspected and tested frequently to ensure required efficiency is maintained. D. Enhanced reporting of confirmed Lower Explosive Limit (LEL) or Gas Chromatograph (GC) alarms which show a released amount of EO to the environment to local agencies. E. Initial and refresher training is required. F. Once new emission controls and negative pressure systems are installed, the facility will implement practices to ensure 100% of emissions are captured and all dry bed systems reduce emissions to an acceptable level: 1. AAT dry beds will not exceed an outlet reading of 1ppm 2. Negative pressure system dry beds will not exceed an outlet reading of 1ppm.

Sterigenics Atlanta
EO Fugitives – Work Practice Plan

PROCEDURE	A. Prior to installation of negative pressure system and dry beds: 1. Upon receipt of EO drums from supplier, employees will use work practices already in place (as described in G-WI-EO-OPS-013, EO Drums: Safe Storage and Handling) to ensure drums are in good condition with no leaks prior to being brought into the facility. 2. The monitoring devices in the EO drum storage area will be operational to monitor for leaks. 3. Program the setting for Chamber Door Interlock/VAPORS to lowest levels (5% LEL/3% Release levels) 4. At the end of the sterilization cycle, the chamber door will be opened slightly and the operator must allow the backvents to run for a minimum of 15-minutes prior to unloading the sterile product. 5. During unloading of the sterile product and transfer to aeration pallets will not be staged and will be taken directly from chamber to aeration through the facility additional personnel will be used to decrease the time taken to move the product through uncontrolled areas. 6. When unloading sterilization chambers of product, remove and immediately transport pallets directly to the aeration room, and do not stage pallets in the aisle before transporting to aeration. 7. Maximize, to the extent practicable, the duration that a product remains in aeration before removal, consistent with customer approvals and customer shipping demands for each particular product 8. The Shipping warehouse doors will be kept closed unless in use for loading trailers. Only one dock door can be opened at a time. 9. Maintenance personnel will ensure safe practices for isolating EO lines, inspection of equipment, are followed to prevent leaks/releases. 10. Enhance the current capture and control equipment: i. The AAT drybed unit will be tested weekly using current sample bags and analysis with GC. The measured level cannot exceed 1ppm. ii. The barometric dampers in the sterilization chamber room exhaust to the AAT. The dampers will be used to the extent possible to capture any fugitive emissions in the area. iii. Maintenance to ensure any deviations to scrubber or dry bed operation are reported immediately to Corporate EH&S (scrubber tank level, pH, flow, EO concentration) B. Reporting of EO Leaks and Releases 1. In addition to current procedures for detecting and assessing leaks or releases, the facility will immediately notify corporate EH&S of any high

level EO alarms so a joint investigation can be completed to determine quantity of the leak.

2. The affected part of the process will be stopped until the investigation is complete to ensure safety.
3. If the leaked amount of EO is determined to be > 10 lbs.or unknown within 15-minutes then an immediate notification to the National Response Center, Georgia EPD, the LEPC (Cobb County Fire Department) will be made.

   a. Until the negative pressure system is installed, leaks will be reported to the LEPC and Georgia EPD regardless of amount.
4. When safe to do so, a complete investigation for each incident will be conducted to determine root cause with corrective actions
5. Follow-up reporting with each respective agency will be completed to report the final investigation report.

C. Training

1. Training to be provided to all employees on this work instruction within 30 days.
2. Annual training is required.

D. Operation and Maintenance of Negative Pressure System and Dry Beds

1. All facility dry beds:
   i. Dry bed media will be tracked to predict end of useful life in accordance with manufacturers recommendations based on EO usage.
   ii. In addition to the above, each dry bed system will be monitored weekly by taking an outlet sample with a Tedlar bag for 15-minutes. The sample will be analyzed with the GC and shall not exceed 1ppm
   iii. If a sample exceeds 1ppm a notification will be made to Corporate EH&S. A plan will be implemented to resample the system. If two consecutive samples are > 1ppm then the dry bed media will be changed out.
   iv. When dry bed media is changed out, each dry bed cell will be isolated from the system via damper valves. This will ensure the system can still operate with expected efficiency. The changeout of each bed will continue until all are complete.
2. Facility doors
   i. Doors to the facility will remain closed to ensure the negative pressure system is effective.
   ii. The facility will limit one dock door to be opened at a time. Dock seals will be installed to limit any openings around the docks while trailers are actively being loaded or unloaded.

	3. Special emission control work practices in case of breakdown i. If an emission control system unexpectedly fails the process will be cycle stoped. ii. If the negative dry bed system fan fails the secondary blower fan will be put online to ensure continued operation of the system. iii. If the facility loses power, then EOP-001 Power Outages will be followed and handheld monitors will be used throughout the facility to measure any EO levels.

VII. DEFINITIONS/ABBREVIATIONS

N/A

VIII. REVISION HISTORY

Revision	Section	Description of Change
1	ALL	New work instruction

EXHIBIT O

GEORGIA
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

Air Protection Branch
4244 International Parkway
Suite 120
Atlanta, Georgia 30354
404-363-7000

April 1, 2020

Ms. Kathleen Hoffman
Senior Vice President – Global Environmental, Health & Safety and Technical Services
Sterigenics U.S. LLC
2015 Spring Road, Suite 650
Oak Brook, IL 60523

RE: Georgia Air Quality Permit 7389-067-0093-S-05-0
Permit Application No. 27153
Sterigenics, U.S. LLC, Atlanta, Georgia

Dear Ms. Hoffman:

I write to notify you that Air Quality Permit 7389-067-0093-S-05-0 which was issued to Sterigenics U.S. LLC ("Sterigenics") on May 27, 2014, for the operation of Sterigenics' Atlanta facility in Cobb County, Georgia ("the Facility"), as amended, remains in effect until the Division has taken final action with regard to Permit Application No. 27153 submitted to the Division on July 31, 2019. *See* O.C.G.A. § 50-13-18(b) ("When a licensee has made timely and sufficient application for the renewal of a license or for a new license with reference to any activity of a continuing nature, the existing license does not expire until the application has been finally determined by the agency…").

As you know, on August 7, 2019, the Director executed Consent Order No. EPD-AQC-6980 with Sterigenics to establish an enforceable agreement whereby, among other things, Sterigenics would install new pollution control equipment to reduce its emissions of ethylene oxide at the Facility. The Division approved both a testing protocol for Sterigenics' new pollution control equipment and Sterigenics' Work Practice Plan on October 31, 2019. On March 24, 2020, EPD staff attended a negative pressure test at the Facility. While there, EPD staff observed that the new pollution control equipment has been installed and is operational.

EPD understands that Sterigenics intends to commence full operations as soon as possible in light of the Temporary Restraining Order (TRO) issued in the United States District Court for the Northern District of Georgia today.[1] The Division expects that Sterigenics will operate its facility at all times using the new pollution control equipment, the indoor air capture system including the dry bed system, and the modified control device configuration on the sterilization chambers. In addition, the Division expects that all emissions will be routed through the taller stacks at the Facility. These measures submitted as part of

[1] EPD is not a party to the litigation underlying the TRO and does not intend to imply with this letter that it takes any position with regard to the pending litigation. This letter is merely intended to provide guidance to Sterigenics regarding EPD's expectation for the operations of the Facility.

Sterigenics' permit application are designed to significantly reduce the Facility's ethylene oxide emissions.

The Division expects Sterigenics to implement the EPD-approved testing protocol. The Division is aware that, under the approved testing protocol, testing cannot commence until Sterigenics is sterilizing at the Facility's maximum loading. Sterigenics must commence testing as soon as the Facility is operating at maximum loading and must notify EPD prior to testing.

Lastly, the Division expects Sterigenics to report any spill or release of ethylene oxide, regardless of the amount, to the Division in writing within 24 hours of discovering such spill or release.

Thank you for your cooperation. If you have any questions concerning this correspondence, please feel free to contact Sean Taylor at 404-363-7047 or Sean.Taylor@dnr.ga.gov.

Sincerely,

Karen Hays

Karen D. Hays, P.E.
Chief
Air Protection Branch

KDH:sgw

c: Daryl Mosby, Sterigenics

EXHIBIT P

GEORGIA
DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

Air Protection Branch
4244 International Parkway
Suite 120
Atlanta, Georgia 30354
404-363-7000

May 12, 2020

Ms. Kathleen Hoffman
Senior Vice President-Global
Environmental, Health &
Safety and Technical Service
2015 Spring Road
Suite 650
Oak Brook, IL 60523

Mr. Daryl Mosby
General Manager
Sterigenics U.S. LLC
2971 Olympic Industrial Drive SE
Suite 116
Atlanta, GA 30339

RE: **Consent Order No. EPD-AQC-6980**
Sterigenics U.S. LLC
2971 Olympic Industrial Drive SE
Atlanta, GA 30339

Dear Ms. Hoffman and Mr. Mosby:

On August 7, 2019, Consent Order No. EPD-AQC-6980 was executed with Sterigenics U.S. LLC ("Sterigenics") related to the Georgia Air Quality Act, the Georgia Rules for Air Quality Control, and Air Quality Permit No. 7389-067-0093-S-05-0. The Order required the Company to commence construction on planned modifications to the above-referenced facility, ensure that all equipment listed in permit application 27153 was installed and operational within 24 weeks of commencing construction, and to provide and implement a Work Practice Plan.

Based on the information received by the Division, the Consent Order has been terminated by the full and complete performance of each condition. Please note that, in accordance with our letter of April 1, 2020 and to significantly reduce ethylene oxide emissions at the facility, the Division expects that Sterigenics will, at all times, operate the new pollution control equipment, indoor air capture system, and modified control device configuration on the sterilization chambers and that Sterigenics will route all emissions through the taller stacks at the facility. Further, the Division expects Sterigenics to implement the Division-approved testing protocol at the facility. If you have any questions concerning this issue, please feel free to contact me at 404-363-7047 or sean.taylor@dnr.ga.gov. Thank you for your cooperation in this matter.

Sincerely,

Sean Taylor
Program Manager
Stationary Source Compliance Program

AIRS No. 067-00093

EXHIBIT Q1

By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that:

Sotera Health LLC
2015 Spring Road
Suite 650
Oak Brook
Illinois
60523
USA

Holds Certificate No: **FM 545551**

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

The provision of ethylene oxide and radiation services. Chemistry, microbiology, and consulting services for the sterilization industry.

For and on behalf of BSI:

Carlos Pitanga, Chief Operating Officer Assurance – Americas

Original Registration Date: 2009-02-04
Effective Date: 2018-03-27
Latest Revision Date: 2019-12-19
Expiry Date: 2021-03-26

...making excellence a habit.™

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sotera Health LLC 2015 Spring Road Suite 650 Oak Brook Illinois 60523 USA	The provision of Ethylene Oxide and Radiation Sterilization and Radiation Dosimetry services.
Sterigenics UK Ltd Cotes Park Lane Somercotes Alfreton DE55 4NJ United Kingdom	The provision of Ethylene Oxide Sterilization services and associated Laboratory services
Sterigenics US, LLC 4900 Gifford Avenue Los Angeles California 90058 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 3125 Wichita Court Fort Worth Texas 76140 USA	Contract Gamma Irradiation
Sterigenics US, LLC 2971 Olympic Industrial Drive SE Suite 116 Atlanta Georgia 30339 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 10821 Withers Cove Park Drive Charlotte North Carolina 28278 USA	Contract Ethylene Oxide Sterilization.

Original Registration Date: 2009-02-04

Effective Date: 2018-03-27

Latest Revision Date: 2019-12-19

Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sterigenics US, LLC 5725 W. Harold Gatty Drive Salt Lake City Utah 84116 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 2400 Airport Road Santa Teresa New Mexico 88008 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 84 Park Road Queensbury New York 12804 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 1302 Avenue T Grand Prairie Texas 75050 USA	Contract Ethylene Oxide Sterilization
Sterigenics US, LLC 344 Bonnie Circle Corona California 92880 USA	Contract Gamma Irradiation
Sterigenics US, LLC 711 East Cooper Court Schaumburg Illinois 60173 USA	Contract Gamma Irradiation

Original Registration Date: 2009-02-04

Effective Date: 2018-03-27

Latest Revision Date: 2019-12-19

Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sterigenics US, LLC 305 Enterprise Drive Lewis Center Ohio 43035-9418 USA	Contract Gamma Irradiation
Sterigenics US, LLC 1401 Morgan Circle Tustin California 92780 USA	Contract Gamma Irradiation
Sterigenics US, LLC 1003 Lakeside Drive Gurnee Illinois 60031 USA	Contract Gamma Irradiation
Sterigenics US, LLC 2311 Lincoln Avenue Hayward California 94545 USA	Contract Gamma Irradiation
Sterigenics US, LLC 1148 Porter Avenue Haw River North Carolina 27258 USA	Contract Gamma Irradiation
Sterigenics US, LLC 75 Tilbury Road Salem New Jersey 08079 USA	Contract Gamma Irradiation

Original Registration Date: 2009-02-04

Effective Date: 2018-03-27

Latest Revision Date: 2019-12-19

Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sterigenics US, LLC 5900 Obata Way, Suite A Gilroy California 95020 USA	Contract Gamma Irradiation
Sterigenics US, LLC 108 Lake Denmark Road Rockaway New Jersey 07866 USA	Contract Gamma Irradiation
Sterigenics US, LLC 1700 College Blvd West Memphis Arkansas 72301 USA	Contract Gamma Irradiation
Sterigenics US, LLC 7695 Formula Place San Diego California 92121 USA	Contract Electron Beam Irradiation
Sterigenics EO Canada, Inc. 781 Pharmacy Avenue Toronto Ontario M1L3K2 Canada	Contract Ethylene Oxide Sterilization
Sterigenics S.de R.L de C.V. Calle Norte 7 s/n Parque Industrial Tepeji Tepeji del Rio de Ocampos Edo. de Hidalgo CP 42850 Mexico	Contract Gamma Irradation.

Original Registration Date: 2009-02-04

Effective Date: 2018-03-27

Latest Revision Date: 2019-12-19

Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sterigenics (Thailand) Ltd. 109/16 Eastern Seaboard Industrial Estate (Rayong), Moo 4 T. Pluakdaeng A. Pluakdaeng, Rayong Province 21140 Thailand	The provision of Gamma Irradiation
Sterigenics US, LLC 10811 Withers Cove Park Drive Charlotte North Carolina 28278 USA	Contract Gamma Irradiation.
Sterigenics Shanghai ETO Ltd. No. 333, Shuang Hui Road Yang Shan Free Port Shanghai 201308 China	The provision of Ethylene Oxide Sterilization services & associated Laboratory services
Sterigenics Shanghai E Beam Ltd. A603 Lane 108 No. 588, Chuantu Road, Chuan Sha, Pudong Shanghai 201202 China	The provision of Electron Beam Irradiation & associated Laboratory services
Sterigenics Belgium (Fleurus) SA Zoning Industriel de Fleurus Avenue De L'Esperance 1 Fleurus, Hainaut B-6220 Belgium	The provision of Gamma Irradiation Sterilization services
Sterigenics Germany GmbH Kasteler Straße 45 Wiesbaden 65203 Germany	The provision of Ethylene Oxide Sterilization services & associated Laboratory services

Original Registration Date: 2009-02-04
Effective Date: 2018-03-27
Latest Revision Date: 2019-12-19
Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sterigenics Belgium (Petit- Rechain) SA Zoning Industriel de Petit-Rechain Avenue Andre Ernst 21 Verviers, Liege B-4800 Belgium	The provision of Ethylene Oxide Sterilization services & associated Laboratory services
Sterigenics Denmark A/S Aa Louis-Hansens Alle 11 Espergaerde, Region Sjaelland DK-3060 Denmark	The provision of Electron Beam Irradiation & associated Laboratory services
Sterigenics SAS 8 Rue Parmentier Rantigny 60290 France	The provision of Ethylene Oxide Sterilization services & associated Laboratory services
Sotera Health LLC 303 Heron Drive Swedesboro New Jersey 08085 USA	Radiation Dosimetry Services.
Sterigenics Costa Rica S.R.L. Zona Franca PROPARK Calle Principal, Edificio 10 El Coyol Alajuela 20101 Costa Rica	The provision of ethylene oxide sterilization services.
Sterigenics US, LLC 687 S. Wanamaker Avenue Ontario California 91761 USA	The provision of ethylene oxide sterilization services.

Original Registration Date: 2009-02-04

Effective Date: 2018-03-27

Latest Revision Date: 2019-12-19

Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **FM 545551**

Location	Registered Activities
Sotera Health LLC James Watt No. 22 Parque Industrial Cuamatla Cuautitlan Izcalli Edo. de México CP 54730 Mexico	The provision of ethylene oxide sterilization services.
Sterigenics UK Limited Seymour Link Road Woodthorpe, Mastin Moor Chesterfield S43 3FG United Kingdom	The provision of radiation sterilization services. Chemistry, microbiology and consulting services for the sterilization industry.

Original Registration Date: 2009-02-04
Effective Date: 2018-03-27
Latest Revision Date: 2019-12-19
Expiry Date: 2021-03-26

This certificate remains the property of BSI and shall be returned immediately upon request.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory
To be read in conjunction with the scope above or the attached appendix.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

EXHIBIT Q2

By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016 & EN ISO 13485:2016

This is to certify that:

Sotera Health LLC
2015 Spring Road
Suite 650
Oak Brook
Illinois
60523
USA

Holds Certificate Number: **MD 544716**

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 & EN ISO 13485:2016 for the following scope:

The provision of ethylene oxide and radiation sterilization services in accordance with EN ISO 11135:2014 & EN ISO 11137-1:2015.

Chemistry, microbiology and consulting services for the sterilization industry.

For and on behalf of BSI:

Gary E Slack, Senior Vice President - Medical Devices

Original Registration Date: 2009-01-19
Latest Revision Date: 2020-01-14

Effective Date: 2018-03-27
Expiry Date: 2021-03-26

...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sotera Health LLC 2015 Spring Road Suite 650 Oak Brook Illinois 60523 USA	The provision of ethylene oxide and radiation sterilization services in accordance with EN ISO 11135:2014 & EN ISO 11137-1:2015. Chemistry, microbiology, consulting and associated laboratory services for the sterilization industry.
Sterigenics UK Ltd Cotes Park Lane Somercotes Alfreton DE55 4NJ United Kingdom	The provision of ethylene oxide sterilization services and associated laboratory services in accordance with EN ISO 11135:2014. Chemistry, microbiology and associated laboratory services for the sterilization industry.
Sterigenics US, LLC 4900 Gifford Avenue Los Angeles California 90058 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014
Sterigenics US, LLC 3125 Wichita Court Fort Worth Texas 76140 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 2971 Olympic Industrial Drive SE Suite 116 Atlanta Georgia 30339 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics US, LLC 10821 Withers Cove Park Drive Charlotte North Carolina 28278 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.

Original Registration Date: 2009-01-19

Effective Date: 2018-03-27

Latest Revision Date: 2020-01-14

Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics US, LLC 5725 W. Harold Gatty Drive Salt Lake City Utah 84116 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics US, LLC 2400 Airport Road Santa Teresa New Mexico 88008 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014
Sterigenics US, LLC 84 Park Road Queensbury New York 12804 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics US, LLC 1302 Avenue T Grand Prairie Texas 75050 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics US, LLC 344 Bonnie Circle Corona California 92880 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 711 East Cooper Court Schaumburg Illinois 60173 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.

Original Registration Date: 2009-01-19

Effective Date: 2018-03-27

Latest Revision Date: 2020-01-14

Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics US, LLC 305 Enterprise Drive Lewis Center Ohio 43035-9418 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 1401 Morgan Circle Tustin California 92780 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 1003 Lakeside Drive Gurnee Illinois 60031 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 2311 Lincoln Avenue Hayward California 94545 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 1148 Porter Avenue Haw River North Carolina 27258 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 75 Tilbury Road Salem New Jersey 08079 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.

Original Registration Date: 2009-01-19

Effective Date: 2018-03-27

Latest Revision Date: 2020-01-14

Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics US, LLC 5900 Obata Way, Suite A Gilroy California 95020 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 108 Lake Denmark Road Rockaway New Jersey 07866 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 1700 College Blvd West Memphis Arkansas 72301 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 7695 Formula Place San Diego California 92121 USA	The provision of electron beam radiation services in accordance with EN ISO 11137-1:2015.
Sterigenics EO Canada, Inc. 781 Pharmacy Avenue Toronto Ontario M1L3K2 Canada	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics S.de R.L de C.V. Calle Norte 7 s/n Parque Industrial Tepeji Tepeji del Rio de Ocampos Edo. de Hidalgo CP 42850 Mexico	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.

Original Registration Date: 2009-01-19

Effective Date: 2018-03-27

Latest Revision Date: 2020-01-14

Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics (Thailand) Ltd. 109/16 Eastern Seaboard Industrial Estate (Rayong), Moo 4 T. Pluakdaeng A. Pluakdaeng, Rayong Province 21140 Thailand	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics US, LLC 10811 Withers Cove Park Drive Charlotte North Carolina 28278 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics Shanghai ETO Ltd. No. 333, Shuang Hui Road Yang Shan Free Port Shanghai 201308 China	The provision of ethylene oxide sterilization services and associated laboratory services in accordance with EN ISO 11135:2014.
Sterigenics Shanghai E Beam Ltd. A603 Lane 108 No. 588, Chuantu Road, Chuan Sha, Pudong Shanghai 201202 China	The provision of electron beam irradiation and associated laboratory services in accordance with EN ISO 11137-1:2015. Chemistry, microbiology, and associated laboratory services for the sterilization industry.
Sterigenics Belgium (Fleurus) SA Zoning Industriel de Fleurus Avenue De L'Esperance 1 Fleurus, Hainaut B-6220 Belgium	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics Germany GmbH Kasteler Straße 45 Wiesbaden 65203 Germany	The provision of ethylene oxide sterilization services and associated laboratory services in accordance with EN ISO 11135:2014. Chemistry, microbiology, and associated laboratory services for the sterilization industry.

Original Registration Date: 2009-01-19
Effective Date: 2018-03-27
Latest Revision Date: 2020-01-14
Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics Belgium (Petit- Rechain) SA Zoning Industriel de Petit-Rechain Avenue Andre Ernst 21 Verviers, Liege B-4800 Belgium	The provision of ethylene oxide sterilization services and associated laboratory services in accordance with EN ISO 11135:2014. Chemistry, microbiology, and associated laboratory services for the sterilization industry.
Sterigenics Denmark A/S Aa Louis-Hansens Alle 11 Espergaerde, Region Sjaelland DK-3060 Denmark	The provision of electron beam irradiation and associated laboratory services in accordance with EN ISO 11137-1:2015. Chemistry, microbiology, and associated laboratory services for the sterilization industry.
Sterigenics SAS 8 Rue Parmentier Rantigny 60290 France	The provision of ethylene oxide sterilization services and associated laboratory services in accordance with EN ISO 11135:2014. Chemistry, microbiology, and associated laboratory services for the sterilization industry.
Sterigenics Costa Rica S.R.L. Zona Franca PROPARK Calle Principal, Edificio 10 El Coyol Alajuela 20101 Costa Rica	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics US, LLC 687 S. Wanamaker Avenue Ontario California 91761 USA	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.
Sterigenics S.de R.L de C.V. James Watt No. 22 Parque Industrial Cuamatla Cuautitlan Izcalli Edo. de Mexico CP 54730 Mexico	The provision of ethylene oxide sterilization services in accordance with EN ISO 11135:2014.

Original Registration Date: 2009-01-19

Effective Date: 2018-03-27

Latest Revision Date: 2020-01-14

Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

Certificate No: **MD 544716**

Location	Registered Activities
Sterigenics US, LLC 502 Prairie Mine Road Mulberry Florida 33860 USA	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.
Sterigenics UK Limited Seymour Link Road Woodthorpe, Mastin Moor Chesterfield S43 3FG United Kingdom	The provision of gamma radiation sterilization services in accordance with EN ISO 11137-1:2015.

Original Registration Date: 2009-01-19
Latest Revision Date: 2020-01-14

Effective Date: 2018-03-27
Expiry Date: 2021-03-26

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

EXHIBIT R1

FDA U.S. FOOD & DRUG ADMINISTRATION

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Drapes/Set-up Covers 36xx-01, 44xx-01, 54xxC,; Equipment Covers; Machine/Microscope Covers 01-xxxx, 02-xxxx, 03-KPxx, 04-CCxx, 05-CDxx, 07-Caxxx, 08-CCxxx, 09-GLxxx, 09-MKxxx
Classification Name:	SYSTEM, X-RAY, FLUOROSCOPIC, IMAGE-INTENSIFIED
Product Code:	JAA[6]
Device Class:	2
Regulation Number:	892.1650[7]
Medical Specialty:	Radiology
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1018470
Premarket Submission Number:	K850959[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5467
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=892.1650
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K850959

10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5467
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=892.1650
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K850959
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R2

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Arterial Fluid Sets; CONNECTOR; DLP® Adapter Multiple Perfusion Set; DLP® Adapter Tubing extension with clamp
Classification Name:	ADAPTOR, STOPCOCK, MANIFOLD, FITTING, CARDIOPULMONARY BYPASS
Product Code:	DTL[6]
Device Class:	2
Regulation Number:	870.4290[7]
Medical Specialty:	Cardiovascular
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1018470
Premarket Submission Number:	K911884[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=805
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.4290
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K911884
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=805
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.4290
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K911884
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R3

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Fluid Delivery Sets
Classification Name:	SET, ADMINISTRATION, INTRAVASCULAR
Product Code:	FPA[6]
Device Class:	2
Regulation Number:	880.5440[7]
Medical Specialty:	General Hospital
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1018470
Premarket Submission Number:	K900187[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2629
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=880.5440
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K900187
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2629
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=880.5440
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K900187
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R4

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Classification Name:	TROCAR
Product Code:	DRC[6]
Device Class:	2
Regulation Number:	870.1390[7]
Medical Specialty:	Cardiovascular
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1018470
Premarket Submission Number:	K895455[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=760
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1390
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K895455
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=760
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1390
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K895455
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R5

U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search | Back To Search Results

Proprietary Name:	Arterial Needles
Classification Name:	TROCAR
Product Code:	DRC[6]
Device Class:	2
Regulation Number:	870.1390[7]
Medical Specialty:	Cardiovascular
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1018470
Premarket Submission Number:	K895454[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=760
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1390
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K895454
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=760
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1390
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146925
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K895454
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R6

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name: 0TOQ234; 17472/20; 19082/20; 24-685/20; 9204/20; ACL DISPOSABLE KIT; ADK001/05; ANATOMIC ACL DISPOSABLE KIT; APPLICATOR ABSORBENT TIPPED NON STERILE BULK; ASB001/10; ASB002/10; BANDAGE ELASTIC COTON BULK NON STERILE 2 inch 3 inch 4 inch 6 inch; BBF001/10; BBF002/10; BBF005/10; BBF006/10; BBF007/10; BBF008/10; BBF009/10; BBF011/10; BBF012/05; BBF013/10; BBF014/10; BBF015/05; BBF018/10; BBT003/20; BFK001/10; BMB001/20; BPT406/20; BPT408/20; Carilex VT Extension Tube; CBK018/20; CDT202/20; CDT701/05; CDT703/05; CGCM01/10; CHT002/20; CHT004/10; CHT005/20; CHT006/10; CHT007/10; CHT007/20; CHT009/20; CHT010/10; CHT010/20; CHT012/20; CHT013/20; CHT015/10; CHT019/20; CHT021/10; CHT030/10; CHT032/20; CIR-1937; CIR001/20; CIR010/20; CIR011/20; CIR039/20; CIR100/20; CIR220A/20; CIR301/20; CIR601/20; CJD001/01; CJD002/01; CJD003/01; CJD005/01; CJD006/01; COTTON BALLS MEDIUM AND LARGE NON STERILE BULK; CPCT01/20; CPDK01/100; DAT001/10; DBFK01/10; DBR001/20; DBR006/50; DBR009/20; DCH002/20; DCK001/10; DCNS01/20; DCPD01/20; DERM01/20; DERM02/20; DISPOSABLE PERCUTANEOUS PACK FOR C617X REUSABLE GUIDES; DPHP01/20; DRS001/50; DRS006/20; EMR002/20; EMR007/20; EMR008B/20; EMR009/20; EMR013/20; EMR707/10; EMR710/10; ENDO01/20; ENT002/10; ENT003/10; ENT003/20; EPI002/20; FPK013/20; HDT010/10; HDT200/20; HDT300/20; HIP ARTHROSCOPY DISPOSABLE KIT; HPK002/20; INC03/20; INC15/20; INC40/20; INST10/50; INST11/20; IUDKS1/20; JuggerLoc; JuggerLoc and ToggleLoc 2.9; KHBF01/10; LAC103/20; LAC107/20; LAC109/20; LAC117/20; LAC120/20; LAC121/20; LAC122/20; LAC124/20; LAC126/20; LAC131/20; LAC132/20; LAC133/20; LAC134/20; LAC137/20; LAC138/20; LAC139/20; LAC141/20; LAC142/10; LAC146/20; LAC147/20; LAC290/20; LAC333/20; LAC501A/50; LAC701/20; LAC866/20; LAH001/10; MGH001/10; MHH001/10; MOHS02/20; MOK001/25; MOK001/50; MPP001/20; MST202/20; NAZB01/10; NBT001/5; NCK310/10; NCK400/10; NHH001 PART 1; NHH001/05; NPT002/20; NSL001/20; NSL003/20; NSL008/20; OBG001/20; OBG004/20; OEPT01/20; OKD001/10; PBF001/10; PBT001/20; PCK001/20; PCRS01/10; PCT001/20; PDP101/20; PLT001/20; PLT002/10; PLV013/20; PLV014/20; PRK001/20; PRP008/20; PRP009/20; PRP101/25; PWL001/20; QMC001/10; SBT210/20; SJT001/10; SMH001/05; SMR001/20; SNBS01/05; SPA001/20; SPIP01/20; SPONGES GAUZE NON STERILE BULK 2X2 8 PLY; SPONGES GAUZE NON STERILE BULK 3X3 12 PLY; SPONGES GAUZE NON STERILE BULK 4X4 12 PLY; SPONGES GAUZE NON STERILE BULK 4X4 16PLY; SPONGES GAUZE NON

	STERILE BULK 4X4 16PLY GAUZE WASHED BOLT NON STERILE BULK; SPONGES GAUZE NON STERILE BULK 4X4 8 PLY; SSK100/06; SSK119/06; SSK119R/06; SSK120/06; SSK121/06; SSK124/06; SSK125/06; SSK149/06; STARNT/20; Sterilized Convenience Kit; STOCKINETTE COTTON; Surgical Instrument Kit Disposable; Surgical Instrument Tray (SIT) Kit; SUT009/20; SUT035/20; SUT036/20; SUT106/50; SUT110/20; SUT112/50; SUT113/50; SUT120/20; SUT121/20; SUT123/20; SUT124/50; SUT125/50; SUT130/50; SUT292/50; SUT401/50; SUT866/50; SUTGEN001/100; TBT100/10; THT001/10; THT201/20; THT706/20; ToggleLoc 2.9; TOQ232; TOQ233; TOQ234; TOWELS COTTON NON STERILE BULK; TRT019/10; TRT110/20; TRT120/10; TRT121/10; TRT122/10; TRT125/10; TRT126/10; TRT710/05; UBT001/20; UCPT01/10; UNIVERSAL ACL DISPOSABLE KIT; VAT706/20; VST405/20; VST406/20; VT 100 Y - Connector; VT Circle Drape 5pcs pack; VT Drape 5pcs pack; VT Drape and Port Set Kit L Lock; VT Drape and Port Set Kit M Lock; VT Drape and Port Set Kit S Lock; VT Port Set Kit; WHK002/50; Y-KNOT FLEX 1.3MM DISPOSABLE PERCUTANEOUS PACK WITH T-GUIDE; Y-KNOT FLEX DISPOSABLE PERCUTANEOUS PACK FOR Y-G00X REUSABLE GUIDES
Classification Name:	KIT, SURGICAL INSTRUMENT, DISPOSABLE
Product Code:	KDD[6]
Device Class:	1
Regulation Number:	878.4800[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	Sterigenics U.S. LLC[8]
Registered Establishment Number:	1054811
Owner/Operator:	Sotera Health LLC[9]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases

6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5829
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4800
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=175495
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5829
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4800
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=175495
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R7

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	UNIMED ELECTROSURGICAL ELECTRODE
Classification Name:	ELECTROSURGICAL, CUTTING & COAGULATION & ACCESSORIES
Product Code:	GEI[6]
Device Class:	2
Regulation Number:	878.4400[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	Sterigenics U.S. LLC[8]
Registered Establishment Number:	1054811
Premarket Submission Number:	K944433[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5769
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4400
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=175495
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K944433
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5769
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4400
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=175495
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K944433
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R8

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Classification Name:	SURGEON'S GLOVES
Product Code:	KGO[6]
Device Class:	1
Regulation Number:	878.4460[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	2029015
Premarket Submission Number:	K011721[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2875
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4460
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146907
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K011721
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration

10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2875
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4460
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146907
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K011721
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R9

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	AXERA Access System
Classification Name:	INTRODUCER, CATHETER
Product Code:	DYB[66]
Device Class:	2
Regulation Number:	870.1340[77]
Medical Specialty:	Cardiovascular
Registered Establishment Name:	Sterigenics U.S. LLC[88]
Registered Establishment Number:	2953359
Premarket Submission Number:	K121521[99]
Owner/Operator:	Sotera Health LLC[1010]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=848
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1340
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146905
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K121521
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain

2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=848
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1340
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146905
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K121521
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php

3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=848
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1340
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146905
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K121521
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425
1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=848
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.1340
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146905
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K121521
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R10

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	LAMINAR Flow Phaco Tips - 19 gauge
Classification Name:	UNIT, PHACOFRAGMENTATION
Product Code:	HQC[6]
Device Class:	2
Regulation Number:	886.4670[7]
Medical Specialty:	Ophthalmic
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1036836
Premarket Submission Number:	K844373[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=4389
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=886.4670
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146902
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K844373
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=4389
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=886.4670
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146902
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K844373
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R11

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Balloon Flow-Assisted Bipolar Electrode Catheter & Balloon Flow-Assisted Bipolar Electrode Catheter w/Right Heart Curve; Heparin Bonded Balloon Flow-Assisted Bipolar Electrode Catheter & Heparin Bonded Balloon Flow-Assisted Bipolar Electrode; MYO/WIRE TEMPORARY CARDIAC PACING WIRE; NBIH, NBIH Soft Tip, Goetz, Geotz Soft Tip, Semi-Floating, Zucker Lumen, Myler Lumen, CVP & Gorlin Lumen Electrode Cathe
Classification Name:	ELECTRODE, PACEMAKER, TEMPORARY
Product Code:	LDF[6]
Device Class:	2
Regulation Number:	870.3680[7]
Medical Specialty:	Cardiovascular
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1319639
Premarket Submission Number:	K803086[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=878

7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.3680
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146908
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K803086
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=878
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=870.3680
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146908
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K803086
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R12

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	HiResolution Bionic Ear System
Classification Name:	IMPLANT, COCHLEAR
Product Code:	MCM[6]
Device Class:	3
Registered Establishment Name:	Sterigenics U.S., LLC[7]
Registered Establishment Number:	1721676
Premarket Submission Number:	P960058[8]
Owner/Operator:	Sotera Health LLC[9]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=1693
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146917
8. /scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P960058
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=1693
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=146917
8. /scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P960058
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R13

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	ACCESS PORT W / STABILITY 5 X 100MM; ACCESS PORT W / STABILITY 5 X 125MM; ACCESS PORT W / STABILITY 5/10 X 100MM; ACCESS PORT W / STABILITY 5/10/12 X125MM; ACCESS PORT W / STABILITY 8 X 100MM; ACCESS PORT W/ STABILITY 5/10/12 X 100MM; CANNULA W/STABILITY 5 X 100MM; CANNULA W/STABILITY 5/10 X 100MM; CANNULA W/STABILITY 5/10/12 X 100MM; TAUT; TAUT ADAPt 5/10/12MM X 100MM UNIVERSAL C; TAUT ADAPT 5/10MM X 100MM UNIVERSAL; TAUT ADAPt 5/10MM X 100MM UNIVERSAL CANN; TAUT ADAPT 5/12 MM X 100 MM UNIV/HASSON; TAUT ADAPT 5/12 MM X 125 MM UNIV/HASSON; TAUT ADAPT 5/12MM X 100MM UNIVERSAL; TAUT ADAPT 5/12MM X 125MM UNIVERSAL; TAUT ADAPt 5MM X 100MM CANNULA-ONLY; TAUT ADAPt PORTS 5MM X 125MM LONG PORT; Weck Vista
Classification Name:	LAPAROSCOPE, GENERAL & PLASTIC SURGERY
Product Code:	GCJ[6]
Device Class:	2
Regulation Number:	876.1500[7]
Medical Specialty:	Gastroenterology
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	1420032
Premarket Submission Number:	K023261[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/

4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5577
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=876.1500
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=148845
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K023261
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5577
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=876.1500
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=148845
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K023261
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R14

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Elliquence Bipolar Electrodes XEE401A, 4792.6912
Classification Name:	ELECTROSURGICAL, CUTTING & COAGULATION & ACCESSORIES
Product Code:	GEI[6]
Device Class:	2
Regulation Number:	878.4400[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	Sterigenics U.S., LLC[8]
Registered Establishment Number:	2219920
Premarket Submission Number:	K003126[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5769
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4400
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=148857
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K003126
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5769
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4400
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=148857
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K003126
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R15

U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	ActiVAC, 5 Pack; ASSY, 10 PACK V.A.C. 3M TEGADERM DRAPE; KCI VAC GRANUFOAM LARGE BRIDGE DRESSING 5 PACK; VAC WhiteFoam Large Dressing (foam only); VAC WhiteFoam Large Dressing w/ SensaTRAC; VAC WhiteFoam Small Dressing (foam only); VAC WhiteFoam Small Dressing w/ SensaTRAC
Classification Name:	NEGATIVE PRESSURE WOUND THERAPY POWERED SUCTION PUMP
Product Code:	OMP[6]
Device Class:	2
Regulation Number:	878.4780[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	STERIGENICS UK LIMITED[8]
Registered Establishment Number:	3015219237
Premarket Submission Number:	K063692[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5936
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4780
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=226884

9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K063692
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5936
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4780
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=226884
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K063692
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R16

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name: .2MM CRS DMSTK,L; .5MM DIAMOND BALL; .5MM DIAMOND BALL, 10CM; .5MM DIAMOND BALL, EXTENDED; .5MM DIAMOND BALL, STANDARD; .8MM DIAMOND BALL, 10CM; .95MM X 12.8MM FLUTED ROUTER; 0.5MM DBALL,EX,S; 0.5MM DIAMOND BALL, 5.6CM; 0.5MM DIAMOND BALL, 7.3CM; 0.5MM DIAMOND BALL, EXT; 0.5MM FLUTED BALL; 0.6MM DIAMOND BALL; 0.6MM DIAMOND BALL, 5.6CM; 0.6MM DIAMOND BALL, 7.3CM; 0.7MM DIAMOND BALL, 5.6CM; 0.7MM DIAMOND BALL, 7.3CM; 0.8MM DIAMOND BALL; 0.8MM DIAMOND BALL, 5.6CM; 0.8MM DIAMOND BALL, 7.3CM; 1.0MM DRILL FOR 1.25MM SCREW; 1.0MM TW DRILL FOR 1.25MM SCR; 1.0MM TWIST DR FOR 1.25MM SCW; 1.0MM X 4.0MM TWISTDRILL W/STP; 1.12MM X 6.35MM FLUTED ROUTER; 1.12MM X 6.35MM FRTR,S; 1.12MM X 6.35MM FRTR,SHD; 1.15MM TWIST DRILL FOR 1.5 X 4MM SCREW; 1.1MM DRILL FOR 1.5MM SCREW; 1.1MM TW DRILL FOR 1.50MM SCR; 1.2MM DIAMOND BALL, EXT; 1.2MM X 12.8MM FLUTED ROUTER; 1.2MM X 12.8MM FLUTED ROUTER, 4 SERIES; 1.2MM X 12.8MM FRTR,4S,M; 1.2MM X 12.8MM FRTR,L; 1.2MM X 12.8MM FRTR,M; 1.2MM X 3MM TWIST DRILL; 1.2MM X 7.5MM TWIST DRILL; 1.3MM DRILL FOR 1.7MM SCREW; 1.3MM TW DRILL FOR 1.70MM SCR; 1.3MM TWIST DR FOR 1.70MM SCW; 1.3MM X 12.8MM FLUTED ROUTER; 1.3MM X 12.8MM FRTR,CRNP; 1.42MM X 6.4MM STRAIGHT ROUTER; 1.4MM X 12.8MM FLUTED ROUTER; 1.4MM X 12.8MM FLUTED ROUTER, 4 SERIES; 1.4MM X 12.8MM FRTR,4S,CRNP; 1.4MM X 12.8MM FRTR,CRNP; 1.4MM X 12.8MM FRTR,S; 1.4MM X 17MM FLUTED,SPIRAL ROUTER; 1.55MM DRILL FOR 2.0MM SCREW; 1.55MM TW DRILL FOR 2.0MM SCR; 1.55MM TWIST DR FOR 2.0MM SCW, ADG; 1.55MM X 10MM FLUTED TWIST DRL; 1.55MM X 10MM TWIST DR,S; 1.55MM X 10MM TWIST DRILL; 1.5MM C. DIAMOND BALL 120/140; 1.5MM COARSE DIAMOND BALL, 120/140 GRIT; 1.5MM COARSE DIAMOND BALL, EXT; 1.5MM COARSE DIAMOND BALL, STD; 1.5MM COARSE DIAMOND BALL,TAPERED EXTEND; 1.5MM CRS DBALL,EX,S; 1.5MM DBALL,EX,S; 1.5MM DBALL,ST,S; 1.5MM DIAMOND BALL; 1.5MM DIAMOND BALL, 19CM; 1.5MM DIAMOND BALL, 5.6CM; 1.5MM DIAMOND BALL, 7.3CM; 1.5MM DIAMOND BALL, EXT; 1.5MM DIAMOND BALL, EXTENDED; 1.5MM DIAMOND BALL, STANDARD; 1.5MM DIAMOND BALL, STD; 1.5MM FBALL,EX,S; 1.5MM FBALL,ST,S; 1.5MM FLUTED BALL; 1.5MM FLUTED BALL, 10CM; 1.5MM FLUTED BALL, 5.6CM; 1.5MM FLUTED BALL, 7.3CM; 1.5MM FLUTED BALL, EXT; 1.5MM FLUTED BALL, STD; 1.5MM STD DIAMOND BALL, 15CM; 1.5MM X 6MM FLUTED TWIST DRILL; 1.5MM X 7.5MM CYL CARBIDE DRUM; 1.5MM X 7.5MM

CYLINDRICAL CARBIDE DRUM,; 1.7MM X 11.9 DRILL W/DP STOP, AESCULAP®; 1.7MM X 11.9MM DRILL W/DP STOP,AESCULAP®; 1.7MM X 11.9MM TWIST DR,D STOP,ASCLP,SHD; 1.85MM X 16 MM FRTR,4S,CRNA; 1.85MM X 16 MM FRTR,CRNA; 1.85MM X 16MM FLUTED ROUTER; 1.85MM X 16MM FLUTED ROUTER, 4 SERIES; 1.8MM FLUTE MATCHSTICK; 1.8MM FLUTED MATCHSTICK; 1.8MM FLUTED MATCHSTICK, 10CM; 1.8MM FLUTED MATCHSTICK, 15CM; 1.8MM FLUTED MATCHSTICK, 19CM; 1.8MM FLUTED MATCHSTICK, 4 SERIES; 1.8MM FMSTK,M; 1.8MM FMSTK,S; 1.93MM SUT PASS DRILL/1.17 EYE; 1.93MM SUT PASS,1.17 EYE,SHD; 10.06MM BORING TOOL; 10.5MM SMALL BONE BUR; 10.8MM CORING TOOL; 10MM X 20MM GRAFT HARVESTING BLADE; 10MMX14MM FLUTED DRUM SIDE CUT; 11.1MM FLUTED ROUTER; 11.5MM CORING TOOL; 11MM X 20MM GRAFT HARVESTING BLADE; 12.6MM BORING TOOL; 12.6MM BORING TOOL, USE WITH XMAX ONLY; 12.6MM X 10.4MM BORING TL,3FLUTE,EM2+/XM; 12.7MM FLUTED DRUM; 12MM X 20MM GRAFT HARVESTING BLADE; 13.23MM BORING TOOL; 13.5MM CORING TOOL; 14.7MM CORING TOOL; 14MM X 5.5MM OSC. MICRO BLADE; 15.2MM X 9.5MM SAG MICRO BLADE; 15MM, 13 TEETH/CM RECIP. MICRO BLADE; 16.8MM CORING TOOL; 17MM DIAMOND DISC; 18.5MM X 10MM OSC. MICRO BLADE; 18.5MM X 9MM OSCILLATING MICRO BLADE; 18.5MM X 9MM SAGITTAL MICRO BLADE; 1MM CARBIDE FLUTED BALL; 1MM CARBIDE FLUTED BALL, EXTENDED; 1MM COARSE DIAMOND BALL; 1MM COARSE DIAMOND BALL, EXT; 1MM COARSE DIAMOND BALL, EXTENDED LENGTH; 1MM COARSE DIAMOND BALL, STD; 1MM CRS DBALL,EX,M; 1MM CRS DBALL,ST,S; 1MM DBALL,EX,S; 1MM DBALL,ST,S; 1MM DIAMOND BALL; 1MM DIAMOND BALL, 5.6CM; 1MM DIAMOND BALL, 7.3CM; 1MM DIAMOND BALL, EXT; 1MM DIAMOND BALL, STANDARD; 1MM DIAMOND BALL, STD; 1MM DIAMOND BALL,STANDARD; 1MM FBALL,EX,S; 1MM FBALL,ST,L; 1MM FBALL,ST,S; 1MM FLUTED BALL; 1MM FLUTED BALL, 10CM; 1MM FLUTED BALL, 5.6CM; 1MM FLUTED BALL, 7.3CM; 1MM FLUTED BALL, EXTENDED; 1MM FLUTED BALL, STANDARD; 2.15MM X 22MM FLUTED SPIRAL ROUTER; 2.15MM X 22MM SPIRAL ROUTER; 2.15MM X 22MM SPIRAL ROUTER, 4 SERIES; 2.15MM X 22MM SRTR,4S,CRNA; 2.15MM X 22MM SRTR,CRNA; 2.15MM X 25.4MM FLUTED ROUTER; 2.15MM X 25.4MM FRTR,SHD; 2.3MM FLUTED BALL; 2.3MM FLUTED MATCHSTICK; 2.3MM FLUTED MATCHSTICK, 10CM; 2.3MM FLUTED MATCHSTICK, 15CM; 2.3MM FLUTED MATCHSTICK, 19CM; 2.3MM FLUTED MATCHSTICK, EXTENDS 22MM; 2.3MM FMSTK,L; 2.3MM FMSTK,M; 2.3MM FMSTK,S; 2.3MM X 4.5MM FLUTED MATCHSTIK; 2.47 X 30.3MM SPIRAL ROUTER, 4 SERIES; 2.47MM X 30.2MM SPIRAL ROUTER; 2.47MM X 30.3MM SPIRAL ROUTER; 2.47MM X 30.3MM SRTR,L; 2.4MM X 3.3MM TWIST DRILL; 2.5MM COARSE DIAMOND BALL, STD; 2.5MM CRS DIAMOND BALL, EXTENDED LENGTH; 2.5MM CRSE DIAMOND BALL; 2.5MM DBALL,EX,S; 2.5MM DIAMNOND MATCHSTICK; 2.5MM DIAMOND BALL; 2.5MM DIAMOND BALL, EXT; 2.5MM DIAMOND BALL, STANDARD; 2.5MM DIAMOND BALL, STD; 2.5MM DIAMOND MATCHSTICK; 2.5MM DMSTK,L;

2.5MM DMSTK,M; 2.5MM FBALL,ST,S; 2.5MM FLUTED BALL; 2.5MM FLUTED BALL, 10CM; 2.5MM FLUTED BALL, EXT; 2.5MM FLUTED BALL, STD; 2.5MM X 25.4MM FLUTED ROUTER; 2.5MM X 25.4MM FRTR,L; 2.8MM X 22MM FLTD SPIRL ROUTER; 2.9MM FLUTED BALL; 21.35MM, 13TEETH/CM RECIP. MICRO BLADE; 21MM X 5.5MM OSC. MICRO BLADE; 22.9MM, 9TEETH/CM RECIP. MICRO BLADE; 25.1MM, 14 TEETH/CM RECIP. MICRO BLADE; 25.4MM DDISC,MHD; 25.4MM DDISC,SHD; 25.4MM DIAMOND DISC; 25.4MM, 9 TEETH/CM RECIP. MICRO BLADE; 25.5MM X 4.5MM SAG MICRO BLADE; 25.5MM X 5.5MM SAG MICRO BLADE; 25.5MM X 9.5MM SAG MICRO BLADE; 25.5MMX9.5MM COARSE SAG MBLADE; 28.5MM X 5.5MM OSC. MICRO BLADE; 2MM CARBIDE FLUTED BALL; 2MM CARBIDE FLUTED BALL, EXTENDED; 2MM CARBIDE FLUTED BALL,STANDARD,8 FLUTE; 2MM COARSE DIAMOND BALL; 2MM COARSE DIAMOND BALL, EXT; 2MM COARSE DIAMOND BALL, STD; 2MM COARSE DIAMOND BALL, TAPERED; 2MM CRS DBALL,EX,S; 2MM CRS DBALL,ST TPR,S; 2MM CRS DBALL,ST,M; 2MM CRS DBALL,ST,S; 2MM DBALL,EX,M; 2MM DBALL,EX,S; 2MM DBALL,ST,L; 2MM DBALL,ST,M; 2MM DBALL,ST,S; 2MM DIAMOND BALL; 2MM DIAMOND BALL, 10 CM; 2MM DIAMOND BALL, 15CM; 2MM DIAMOND BALL, 19CM; 2MM DIAMOND BALL, 5.6CM; 2MM DIAMOND BALL, 7.3CM; 2MM DIAMOND BALL, EXT; 2MM DIAMOND BALL, STANDARD; 2MM DIAMOND BALL, STD; 2MM DIAMOND BALL,120/140 GRIT,STD LENGTH; 2MM FBALL,EX,M; 2MM FBALL,EX,S; 2MM FBALL,ST,CBD,S; 2MM FBALL,ST,L; 2MM FBALL,ST,M; 2MM FBALL,ST,S; 2MM FLUTED BALL; 2MM FLUTED BALL, 10CM; 2MM FLUTED BALL, 15CM; 2MM FLUTED BALL, 19CM; 2MM FLUTED BALL, 5.6CM; 2MM FLUTED BALL, 7.3CM; 2MM FLUTED BALL, EXT; 2MM FLUTED BALL, STANDARD; 2MM FLUTED BALL, STANDARD, 4 SERIES; 2MM FLUTED BALL, STD; 2MM FLUTED BALL,TAPERED,STANDARD LENGTH; 2MM X 15.6MM FLUTED ROUTER; 2MM X 15.6MM,FRTR,CRNA; 2MM X 27.6MM FL,SPIRAL RTR; 3.05MM X 38.2MM FLUTED ROUTER; 3.2MM BELL CUTTER; 3.2MM COARSE DIA MATCHSTICK; 3.2MM COARSE DIAMOND MATCHSTICK; 3.2MM DIAMOND MATCHSTICK; 3.2MM DIAMOND MATCHSTICK, EXTENDS 28.5MM; 3.2MM DMSTK,L; 3.2MM DMSTK,M; 3.2MM FLUTED CARBIDE SIDE CUTR; 3.2MM FLUTED CARBIDE SIDE CUTTER; 3.2MM FMSTK,L AGG,M; 3.2MM SIDE CUT,CBD,MHD; 3.2MM X 5MM DRILL W/STOP; 3.5MM COARSE DIAMOND BALL,STD; 3.5MM CRS DBALL,EX,S; 3.5MM CRS DIAMOND BALL, EXTENDED LENGTH; 3.5MM CRSE DIAMOND BALL; 3.5MM DBALL,EX,S; 3.5MM DBALL,ST,S; 3.5MM DIAMOND BALL; 3.5MM DIAMOND BALL, EXT; 3.5MM DIAMOND BALL, STANDARD; 3.5MM DIAMOND BALL, STD; 3.5MM FBALL,EX,S; 3.5MM FBALL,ST,S; 3.5MM FLUTED BALL, EXT; 3.5MM FLUTED BALL, STD; 3.5MM X 19.8MM FDRM,LHD; 3.5MM X 19.8MM FLUTED DRUM; 3.5MM X 8.4MM FLUTED DRUM; 3.7MM COARSE DIAMOND MTCHSTCK; 31MM X 10MM OSC. MICRO BLADE; 31MM X 9MM OSCILLATING MICRO BLADE; 31MM X 9MM SAGITTAL MICRO BLADE; 34MM X 4MM SAG MICRO BLADE; 39.5MM X 9.0MM RECIP MICR0 BLADE; 3MM CARBIDE FLUTED BALL; 3MM CARBIDE FLUTED BALL, EXTENDED; 3MM

CARBIDE FLUTED MATCHSTICK, LESS AGGR; 3MM COARSE DIAMOND BALL; 3MM COARSE DIAMOND BALL, 22MM SHAFT EXP; 3MM COARSE DIAMOND BALL, EXT; 3MM COARSE DIAMOND BALL, STD; 3MM COARSE DIAMOND BALL, TAPERED, STD LG; 3MM COARSE DIAMOND MATCHSTICK; 3MM COARSE DIAMOND MATCHSTICK, 19CM; 3MM COARSE DMND MATCHSTCK,10CM; 3MM CRS DBALL,EX,S; 3MM CRS DBALL,ST,L; 3MM CRS DBALL,ST,M; 3MM CRS DBALL,ST,S; 3MM CRS DIAMOND BALL, 2MM SHAFT EXPOSURE; 3MM CRS DIAMOND BALL,50/60 GRIT,STD LG; 3MM CRSE DMND MTCHSTCK,15CM; 3MM DBALL,100/120,ST,S; 3MM DBALL,EX,M; 3MM DBALL,EX,S; 3MM DBALL,ST,L; 3MM DBALL,ST,M; 3MM DBALL,ST,S; 3MM DIAMOND BALL; 3MM DIAMOND BALL, 10CM; 3MM DIAMOND BALL, 15CM; 3MM DIAMOND BALL, 19CM; 3MM DIAMOND BALL, EXT; 3MM DIAMOND BALL, STANDARD; 3MM DIAMOND BALL, STD; 3MM DIAMOND BALL, STD 100/120; 3MM DIAMOND BALL,100/120 GRIT,STD LENGT; 3MM FBALL,EX,CBD,S; 3MM FBALL,EX,M; 3MM FBALL,EX,S; 3MM FBALL,ST TPR,S; 3MM FBALL,ST,CBD,S; 3MM FBALL,ST,L; 3MM FBALL,ST,LHD; 3MM FBALL,ST,M; 3MM FBALL,ST,S; 3MM FLTD MATCHSTK,EXT 8.9MM,LESS AGGRESS; 3MM FLUTED BALL; 3MM FLUTED BALL, 10CM; 3MM FLUTED BALL, 15CM; 3MM FLUTED BALL, 19CM; 3MM FLUTED BALL, 2MM SHAFT EXPOSURE; 3MM FLUTED BALL, EXT; 3MM FLUTED BALL, STANDARD; 3MM FLUTED BALL, STANDARD, 4 SERIES; 3MM FLUTED BALL, STD; 3MM FLUTED BALL, STD. 4 SERIES; 3MM FLUTED BALL,4-SERIES,EXTENDED LENGTH; 3MM FLUTED BALL,4-SERIES,STANDARD LENGTH; 3MM FLUTED BALL,STANDARD; 3MM FLUTED BALL,TAPERED,STANDARD LENGTH; 3MM FLUTED MATCHSICTK (LESS AGGRESSIVE); 3MM FLUTED MATCHSTICK; 3MM FLUTED MATCHSTICK LESS AGG; 3MM FLUTED MATCHSTICK, 10CM; 3MM FLUTED MATCHSTICK, 15CM; 3MM FLUTED MATCHSTICK, 19CM; 3MM FLUTED MATCHSTICK, EXTENDS 20.8MM; 3MM FLUTED MATCHSTICK, LESS AGGRESSIVE; 3MM FLUTED MATCHSTICK,EXTENDS 8.9MM LESS; 3MM FLUTED MATCHSTICK,LESS AGG; 3MM FLUTED MATCHSTICK,LESS AGGRSVE-MIA16; 3MM FLUTED MTCHSTK,LESS AGGRES; 3MM FLUTED MTCHSTK-LESS AGGRES; 3MM FMSTK,L; 3MM FMSTK,L AGG,8.9MM EXP,S; 3MM FMSTK,L AGG,CBD,L; 3MM FMSTK,L AGG,L; 3MM FMSTK,L AGG,LHD; 3MM FMSTK,L AGG,M; 3MM FMSTK,LHD; 3MM FMSTK,M; 3MM FMSTK,MHD; 3MM FMSTK,S; 3MM FMSTK,SHD; 3MM X 11.3MM FLUTED BARREL, 14 FLUTES; 3MM X 9.5MM FLUTE CARBIDE DRUM; 4.7MM X 20MM FDRM,LHD; 4.7MM X 20MM FLUTED DRUM; 4.7MM X 20MM FLUTED DRUM (SIDE CUT); 4.7MM X 8MM FLUTED DRUM; 4.7MMX20MM FLUTD DRM(SIDE CUT); 4.8 MM X 4 MM TWIST DRILL W/ DEPTH STOP; 4.8MM X 2MM TWIST DRILL W/DEPTH STOP; 4.8MM X 9.2MM DRILL W/STOP; 41MM X 14MM COARSE SAGITTAL SAW BLADE; 41MM X 19.5MM SAGITTAL SAW BLADE; 41MM X 9.5MM SAGITTAL SAW BLADE; 42MM X 13.3MM OSCILLATING MICRO BLADE; 42MM X 13.3MM SAGITTAL MICRO BLADE; 4MM CARBIDE FLUTED BALL; 4MM CARBIDE FLUTED BALL, 10 FLUTES; 4MM CARBIDE FLUTED

BALL, EXT 27MM; 4MM COARSE DIAMOND BALL; 4MM COARSE DIAMOND BALL, 15 CM; 4MM COARSE DIAMOND BALL, 22MM SHAFT EXP; 4MM CRS DBALL,L; 4MM CRS DBALL,M; 4MM CRS DBALL,S; 4MM DBALL,27MM EXP,S; 4MM DBALL,L; 4MM DBALL,M; 4MM DBALL,S; 4MM DIAMOND BALL; 4MM DIAMOND BALL, 100/120; 4MM DIAMOND BALL, 10CM; 4MM DIAMOND BALL, 15CM; 4MM DIAMOND BALL, 19CM; 4MM DIAMOND BALL, EXTENDS 27MM; 4MM EXTRA COARSE DIAMOND BALL; 4MM FBALL,27MM EXP,CBD,S; 4MM FBALL,4S,L; 4MM FBALL,4S,S; 4MM FBALL,CBD,S; 4MM FBALL,L; 4MM FBALL,M; 4MM FBALL,S; 4MM FLUTED ACORN; 4MM FLUTED BALL; 4MM FLUTED BALL, 19CM; 4MM FLUTED BALL, 4 SERIES; 4MM FLUTED BALL, EXTENDS 27MM; 4MM FLUTED BALL, TAPERED; 4MM X 10MM DIAMOND FLAME; 4MM X 11MM FLUTED BARREL, 14 FLUTES; 4MM X 5MM EXTRA COARSE DIAMOND DRUM; 4MM X 8.9MM DRUM (SIDE CUT); 4MM X 8MM COARSE DIAMOND OVAL; 4MM X 8MM DIAMOND OVAL; 4MM X 8MM FBAR,L; 4MM X 8MM FLUTED BARREL; 4MM X 8MM FLUTED OVAL; 4MM X 8MM FOVL,M; 4MM X-COARSE DIAMOND BALL, 20/30 GRIT; 4MM XCRS DBALL,L; 4MM XCRS DBALL,M; 4MM XCRS DBALL,S; 4MMX8.9MM FLUTED DRUM,SIDE CUT; 5.5 MM X 10MM CARBIDE FLUTED OVAL; 5.56MM BORING TOOL; 5.5MM COARSE DIAMOND BALL; 5.5MM X 10MM FLUTED OVAL; 5.6MM FLUTED DRUM; 5MM CARBIDE FLUTED BALL; 5MM CARBIDE FLUTED BALL, 10 FLUTES; 5MM COARSE DIAMOND BALL; 5MM COARSE DIAMOND BALL, 22MM SHAFT EXP; 5MM COARSE DIAMOND BALL, 40/60 GRIT; 5MM CRS DBALL,L; 5MM CRS DBALL,M; 5MM CRS DBALL,S; 5MM DBALL,L; 5MM DBALL,M; 5MM DBALL,S; 5MM DIAMOND BALL; 5MM DIAMOND BALL, 100/120; 5MM DIAMOND BALL, 2MM SHAFT EXPOSURE; 5MM EXTRA COARSE DIAMOND BALL; 5MM FACN,L; 5MM FACN,M; 5MM FACN,S; 5MM FBALL,2MM SHAFT EXP,S; 5MM FBALL,4S,L; 5MM FBALL,4S,M; 5MM FBALL,CBD,S; 5MM FBALL,L; 5MM FBALL,LHD; 5MM FBALL,M; 5MM FBALL,S; 5MM FBALL,SHD; 5MM FLUTED ACORN; 5MM FLUTED BALL; 5MM FLUTED BALL, 12 FLUTES; 5MM FLUTED BALL, 2MM SHAFT EXPOSURE; 5MM FLUTED BALL, 4 SERIES; 5MM FLUTED BALL, EXTENDS 27MM; 5MM FLUTED BALL, LESS AGGRESSIVE; 5MM X 10MM FLUTED BARREL; 5MM X 10MM FLUTED OVAL; 5MM X 10MM FOVL,L; 5MM X 11.3MM FLUTED BARREL; 5MM X 12MM FLUTED DRUM; 5MM X 16.2MM FDRM,LHD; 5MM X 16.2MM FLUTED DRUM; 5MM X 20MM FLUTED BARREL; 5MM X 20MM GRAFT HARVESTING BLADE; 5MM X 6MM FLUTED OVAL; 5MM X 8.4MM FDRM,L; 5MM X 8.4MM FDRM,M; 5MM X 8.4MM FLUTED DRUM; 5MM X 8.4MM FLUTED DRUM FOR MIA16; 5MM X 8MM FLUTED OVAL; 5MM X14MM FLUTED DRUM,SIDE CUT; 5MM XCRS DBALL,L; 5MM XCRS DBALL,M; 5MM XCRS DBALL,S; 5MMX14MM FLUTED DRUM(SIDE CUT); 6.2MM BELL SHAPE (SIDE CUT); 6.2MM FLUTED BELL (SIDE CUT); 6.2MM FLUTED BELL SIDECUT ONLY; 6.2MM X 4.6MM FLUTED DRUM, SIDE CUT ONLY; 6.2MMX4.6MM DRUM (SIDE CUT); 6.2MMX4.6MM DRUM, (SIDE CUT); 6.47MM CORING TOOL; 6.4MM FLUTED CYLINDRIC CARBIDE; 6.4MM FLUTED CYLINDRICAL CARBIDE; 6.4MM FLUTED DRUM; 6.4MM X 4.8MM FLUTED DRUM, SIDE

CUT ONLY; 6.6MM, 9TEETH/CM RECIP. MICRO BLADE; 6.7MM CORING TOOL; 6.7MM X 45MM CORING TOOL; 6.8MM X 10.6MM CRSE DMND DRUM; 6.8MM X 10.6MM X-CRSE DIA DRUM; 6.8MM X 10.6MM XCRS DDRM,L; 6.8MM X 10.6MM XCRSE DMND DRUM; 6.8X10.6MM XCOARSE DIAMND DRUM; 6MM CARBIDE FLUTED BALL; 6MM COARSE DIAMOND BALL; 6MM CRS DBALL,S; 6MM CRS DIAMOND BALL, 2MM SHAFT EXPOSURE; 6MM CRSE DIAMOND BALL; 6MM DBALL,L; 6MM DBALL,M; 6MM DBALL,S; 6MM DIAMOND BALL; 6MM DIAMOND BALL, 100/120; 6MM EXTRA COARSE DIAMOND BALL; 6MM EXTRA COARSE DIAMOND BALL,20/30 GRIT; 6MM FACN,LHD; 6MM FACN,MHD; 6MM FACN,S; 6MM FACN,SHD; 6MM FBALL,4S,M; 6MM FBALL,CBD,S; 6MM FBALL,L; 6MM FBALL,LHD; 6MM FBALL,M; 6MM FBALL,S; 6MM FBALL,SHD; 6MM FLUTED ACORN; 6MM FLUTED BALL; 6MM FLUTED BALL, 4 SERIES; 6MM X 11.3MM FLUTED BARREL; 6MM X 11.8MM FLUTED PEAR; 6MM X 14MM FDRM,SIDE CUT,L; 6MM X 20MM GRAFT HARVESTING BLADE; 6MM X 8MM FLUTED DRUM; 6MM X 9MM DIAMOND PEAR; 6MM X 9MM FLUTED PEAR; 6MM X-COARSE DIAMOND BALL, 20/30 GRIT; 6MM X14MM FLUTED DRUM,SIDE CUT; 6MM XCRS DBALL,20/30,L; 6MM XCRS DBALL,L; 6MM XCRS DBALL,M; 6MM XCRS DBALL,S; 6MMX14MM FLUTED DRUM(SIDE CUT); 7 MM FLUTED BALL FOR MIA16; 7.5MM COARSE DIAMOND BALL; 7.5MM FACN,L AGG,SHD; 7.5MM FACN,SHD; 7.5MM FLUTED ACORN; 7.5MM FLUTED ACORN, LESS AGGRESSIVE; 7.6MM X 28.6MM FLUTED DRUM; 7MM CARBIDE FLUTED BALL; 7MM CARBIDE FLUTED BALL, 14 FLUTES; 7MM EXTRA COARSE DIAMOND BALL; 7MM FACN,L; 7MM FACN,M; 7MM FBALL,CBD,S; 7MM FBALL,L; 7MM FBALL,LHD; 7MM FBALL,M; 7MM FBALL,S; 7MM FBALL,SHD; 7MM FLUTED ACORN; 7MM FLUTED BALL; 7MM FLUTED BALL, EXTENDS 8.9MM; 7MM FLUTED BALL, MIA 20CM; 7MM X 11MM FLUTED DRUM; 7MM X 13.1MM FLUTED PEAR, INV.; 7MM X 20MM GRAFT HARVESTING BLADE; 7MM X14MM FLUTED DRUM,SIDE CUT; 7MMX14MM FLUTED DRUM(SIDE CUT); 8.48MM BORING TOOL; 8MM COARSE DIAMOND BALL; 8MM FBALL,S; 8MM FLUTED BALL; 8MM X 11MM FLUTED DRUM; 8MM X 12.5MM FLUTED BARREL; 8MM X 20MM GRAFT HARVESTING BLADE; 8MM X-COARSE DIAMOND BALL; 8MM X14MM FLUTED DRUM,SIDE CUT; 9.0MM FLUTED BALL; 9.2MM FACN,SHD; 9.2MM FLUTED ACORN; 9.5MM BOR TOOL,XM,MHD; 9.5MM BORING TOOL; 9.5MM BORING TOOL,USE WITH XMAX ONLY; 9.5MM FLUTED DRUM; 9.9MM CORING TOOL; 9MM FLUTED BALL; 9MM FLUTED BALL, FOR MHD ATTACHMENT; 9MM FLUTED BALL, MIA 20CM; 9MM X 20MM GRAFT HARVESTING BLADE; 9MM X14MM FLUTED DRUM,SIDE CUT; BONE COLLECTOR; CRANIAL PERFORATOR, 14-11 MM; eMax 2 Plus System; IRRIG CLIP, MED,LONG/-S,TURQ-L; IRRIGATION CLIP, QD11/-S,QD14; IRRIGATION CLIP, QD8,QD8-S; IRRIGATION CLIP, SHORT; IRRIGATION CLIP, SIL,SHD; IRRIGATION CLP,VIO,MHD,BLU,LHD; SUPER SUCKER LONG (SS1),SGL,STERILE; SUPER SUCKER SHORT (SS2),SGL,STERILE; SUPR SUCKR SH CURV (SS2C),SGL,STERILE; TWIST DR FOR 1.5MM X 4MM SCW,S; TWIST DR FOR 1.5MM X 6MM SCW,S; TWIST DRILL FOR

	1.25MMX4MM SCW; TWIST DRILL FOR 1.5MMX 4MM SCW; TWIST DRILL FOR 1.5MMX 6MM SCW; TWIST DRILL FOR 2MM X 4MM SCRW; TWIST DRILL FOR 2MM X 6MM SCRW; TWIST DRILL- 2MM X 4MM SCRW; TWIST DRILL- 2MM X 6MM SCRW; TWIST DRILL-1.25MMX4MM SCRW; TWIST DRILL-1.25MMX6MM SCRW; TWIST DRILL-1.5MMX4MM SCRW; TWIST DRILL-1.5MMX6MM SCRW
Classification Name:	MOTOR, SURGICAL INSTRUMENT, AC-POWERED
Product Code:	GEY[6]
Device Class:	1
Regulation Number:	878.4820[7]
Medical Specialty:	General & Plastic Surgery
Registered Establishment Name:	Sterigenics US, LLC[8]
Registered Establishment Number:	1526534
Premarket Submission Number:	K080802[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5776
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4820
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=117847
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K080802
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

USA.gov

For Government For Press

Combination Products Advisory Committees Science & Research Regulatory Information Safety Emergency Preparedness International Programs News & Events Training and Continuing Education Inspections/Compliance State & Local Officials Consumers Industry Health Professionals FDA Archive

U.S. Department of Health & Human Services

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=5776
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=878.4820
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=117847
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K080802
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R17

FDA U.S. FOOD & DRUG ADMINISTRATION

FDA Home[3] Medical Devices[4] Databases[5]

Establishment Registration & Device Listing

New Search Back To Search Results

Proprietary Name:	Liberty Cycler Set
Classification Name:	SYSTEM, PERITONEAL, AUTOMATIC DELIVERY
Product Code:	FKX[6]
Device Class:	2
Regulation Number:	876.5630[7]
Medical Specialty:	Gastroenterology
Registered Establishment Name:	IOTRON INDUSTRIES CANADA, INC.[8]
Registered Establishment Number:	9680579
Premarket Submission Number:	K173718[9]
Owner/Operator:	Sotera Health LLC[10]
Owner/Operator Number:	10029425
Establishment Operations:	Contract Sterilizer

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=1948
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=876.5630
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=277793
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K173718
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Accessibility Contact FDA Careers FDA Basics FOIA No FEAR Act Nondiscrimination Website Policies

FDA

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
Contact FDA

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=1948
7. /scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=876.5630
8. /scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=277793
9. /scripts/cdrh/cfdocs/cfpmn/pmn.cfm?id=K173718
10. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10029425

EXHIBIT R18

Establishment Registration & Device Listing

New Search Back To Search Results

Establishment:
Sterigenics U.S., LLC
2971 Olympic Industrial Dr SE Ste 116
Atlanta , GA 30339
Registration Number: 1018470
FEI Number*: 1018470
Status: Active
Date Of Registration Status: 2020

Owner/Operator:

Sotera Health LLC[66]
2015 Spring Road
Suite 650
Oak Brook, IL US 60523
Owner/Operator Number: 10029425[77]

Official Correspondent:
Aaron Dement
2015 Spring Road
Suite 650
Oak Brook, IL 60523
Phone: 630-9281700

* Firm Establishment Identifier (FEI) should be used for identification of entities within the imports message set

---

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100

Page Last Updated: 09/07/2020

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.
Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Links on this page:

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100

1. http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain
2. http://www.addthis.com/bookmark.php
3. https://www.fda.gov/
4. https://www.fda.gov/Medical-Devices
5. https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases
6. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100
7. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&establishmentName=®Num=&StateName=&CountryName=&RegistrationNumber=&OwnerOperatorNumber=100

Class 1/31/2026@8:00AM ET | Recording ID: 10191822 | Type: Full Event

Powered by Stream

Filed Pursuant to Rule 424(b)(3)
Registration No. 333-291000

PROSPECTUS SUPPLEMENT
(To Prospectus dated October 27, 2025)

Up to $[•]
[•] Shares of Class A Common Stock
[•] Pre-Funded Warrants
[•] Shares of Class A Common Stock Underlying the Pre-Funded Warrants

Filed pursuant to General Instruction II.L of Form F-3

Sotera Health Company

Ordinary Shares	Pre-Funded Warrants
Offering Price	$[•] per share	$[•] per pre-funded warrant
Underwriting Discounts and Commissions(1)	$[•]	$[•]
Proceeds, before expenses, to us	$[•]	$[•]

(1) See the section entitled "Underwriting" beginning on page S-[•] of this prospectus supplement for additional information regarding underwriting compensation.

The underwriters may also exercise their option to purchase up to an additional [•] shares of Class A common stock from us, at the offering price, less underwriting discounts and commissions, within 30 days from the date of this prospectus supplement.

Investing in our securities involves a high degree of risk. See the section entitled "Risk Factors" beginning on page S-[•] of this prospectus supplement and page 5 of the accompanying prospectus.

Neither the Securities and Exchange Commission nor any state securities commission has approved or disapproved of these securities or determined if this prospectus supplement or the accompanying prospectus is truthful or complete. Any representation to the contrary is a criminal offense.

The underwriters expect to deliver the shares of Class A common stock and pre-funded warrants against payment in New York, New York on or about [•], 2026.

Joint Book-Running Managers

[•]	[•]	[•]

Co-Managers

[•]	[•]	[•]

The date of this prospectus supplement is [•], 2026.

Table of Contents

Filed Pursuant to Rule 424(b)(3)
Registration No. 333-[illegible]

RISK FACTORS

Investing in our common stock involves a high degree of risk. You should carefully consider the following risk factors and all other information contained in this prospectus before deciding whether to purchase our common stock. If any of the following risks actually occurs, our business, financial condition, results of operations and future growth prospects could be materially and adversely affected. In these circumstances, the market price of our common stock could decline, and you may lose all or part of your investment.

Risks Related to Our Company

We have incurred significant net losses since our inception and we expect to continue to incur net losses. We may not achieve or maintain profitability in the future. We have incurred net losses in each year since our inception, including net losses of $[illegible] million and $[illegible] million for the years ended December 31, 2024 and 2023, respectively. As of December 31, 2024, we had an accumulated deficit of $[illegible] million. We expect to continue to incur significant expenses and operating losses for the foreseeable future. Our net losses may fluctuate significantly from quarter to quarter and year to year, depending on the timing of our expenditures and other factors.

Global trade conflicts and changes in the composition of our product sales may continue to adversely affect our gross margins. Our gross margin has been and will continue to be affected by a variety of factors, including the mix of products we sell, the mix of customers we serve, the geographic distribution of our sales, the cost of components and manufacturing, the level of competition, and the impact of global trade conflicts and tariffs. For example, changes in the composition of our product sales, including shifts toward lower-margin products or customers, have in the past reduced our gross margins and may do so in the future. Global trade conflicts, including the imposition of tariffs on components we source from overseas, have increased our cost of goods sold and may continue to do so. We may not be able to offset these increased costs through price increases, as doing so could reduce our competitiveness and harm our sales volumes. Our gross margin may also be affected by our decisions to enter new markets, introduce new products, or offer promotional pricing to attract customers. If our gross margin declines, our profitability and ability to fund our operations will be adversely affected.

We expect to continue to invest in our sales and marketing organization, research and development, and general and administrative functions as we grow our business. These investments may not result in increased revenue or may not result in increased revenue in the near term. If we are unable to increase our revenue sufficiently to offset these expenses, we may not achieve or maintain profitability in the future. Even if we do achieve profitability, we may not be able to maintain or increase our level of profitability. Our failure to achieve or maintain profitability could cause the value of our common stock to decline.

Our quarterly operating results may fluctuate significantly, which makes our future results difficult to predict and could cause our results to fall below expectations. Our quarterly operating results have fluctuated in the past and may fluctuate significantly in the future due to a variety of factors, many of which are outside of our control. These factors include the timing of customer orders, the seasonality of our business, the availability and pricing of components, the timing of new product introductions by us or our competitors, changes in our pricing policies or those of our competitors,

- Cash Flow Hedges. We may enter into derivative instruments designated as cash flow hedges to mitigate the risk of variability in cash flows attributable to changes in a benchmark interest rate associated with our floating rate debt. For derivatives designated as cash flow hedges, the effective portion of changes in the fair value of the derivative is recorded in accumulated other comprehensive income (loss) and subsequently reclassified into earnings when the hedged item affects earnings. Ineffective portions of changes in the fair value of cash flow hedges are recognized in earnings.

- Net Investment Hedges. We may enter into derivative instruments designated as net investment hedges to mitigate the risk of variability in foreign currency exchange rates attributable to our net investment in a foreign operation. For derivatives designated as net investment hedges, the effective portion of changes in the fair value of the derivative is recorded in accumulated other comprehensive income (loss) and subsequently reclassified into earnings when the hedged item affects earnings. Ineffective portions of changes in the fair value of net investment hedges are recognized in earnings.

- Undesignated Derivatives. We may enter into derivative instruments that are not designated as hedges to mitigate the risk of variability in foreign currency exchange rates attributable to certain foreign currency denominated assets and liabilities. Changes in the fair value of undesignated derivatives are recognized in earnings.

We do not enter into derivative instruments for trading or speculative purposes. We may enter into derivative instruments with financial institutions that are counterparties to our credit facilities and unsecured debt. We monitor the creditworthiness of counterparties, and we do not anticipate nonperformance by any counterparty.

Based on 2024 cash flows, a hypothetical 10% increase or decrease in our weighted-average interest rate would not have a material impact on our earnings and cash flows in 2025.

Foreign currency sensitivity risk related to our debt. We have exposure to foreign currency exchange rates on our debt denominated in currencies other than the U.S. dollar. We have entered into cross-currency swaps to hedge the foreign currency exchange risk associated with our Euro-denominated debt. Based on our debt and cross-currency swaps outstanding as of December 31, 2024, a hypothetical 10% increase or decrease in the exchange rates would not have a material impact on our earnings and cash flows in 2025.

Foreign currency sensitivity risk related to our net investments in foreign operations. We have exposure to foreign currency exchange rates on our net investments in foreign operations. We have entered into cross-currency swaps to hedge the foreign currency exchange risk associated with our net investments in foreign operations. Based on our net investments in foreign operations and cross-currency swaps outstanding as of December 31, 2024, a hypothetical 10% increase or decrease in the exchange rates would not have a material impact on our earnings and cash flows in 2025.

Equity price sensitivity risk related to our equity investments. We have exposure to equity price risk on our equity investments. Based on our equity investments as of December 31, 2024, a hypothetical 10% increase or decrease in the equity prices would not have a material impact on our earnings and cash flows in 2025.

Item 8. Financial Statements and Supplementary Data

Index to Consolidated Financial Statements

	Page
Management's Report on Internal Control over Financial Reporting	63
Report of Independent Registered Public Accounting Firm (PCAOB ID 238)	64
Consolidated Balance Sheets	67
Consolidated Statements of Income	68
Consolidated Statements of Comprehensive Income	69
Consolidated Statements of Cash Flows	70
Consolidated Statements of Equity	71
Notes to Consolidated Financial Statements	72
Note 1. Basis of Presentation and Significant Accounting Policies	72
Note 2. Revenue	77
Note 3. Acquisitions and Divestitures	79
Note 4. Investments	80
Note 5. Fair Value Measurements	82
Note 6. Derivatives	84
Note 7. Debt	87
Note 8. Leases	89
Note 9. Income Taxes	90
Note 10. Benefit Plans	93
Note 11. Stock-Based Compensation	95
Note 12. Accumulated Other Comprehensive Income (Loss)	97
Note 13. Earnings Per Share	98
Note 14. Segment Reporting	99
Note 15. Commitments and Contingencies	101
Note 16. Subsequent Events	101
Schedule II – Valuation and Qualifying Accounts	102

Management's Report on Internal Control over Financial Reporting

Our management is responsible for establishing and maintaining adequate internal control over financial reporting for Danaher. Our internal control system was designed to provide reasonable assurance to our management and our Board of Directors regarding the preparation and fair presentation of our published financial statements.

All internal control systems, no matter how well designed, have inherent limitations. Therefore, even those systems determined to be effective can provide only reasonable assurance with respect to financial statement preparation and presentation.

Our management assessed the effectiveness of our internal control over financial reporting as of December 31, 2024. In making this assessment, we used the criteria set forth by the Committee of Sponsoring Organizations of the Treadway Commission in *Internal Control – Integrated Framework (2013)*. Based on our assessment, we believe that, as of December 31, 2024, our internal control over financial reporting is effective based on those criteria.

Our independent registered public accounting firm has issued an audit report on our internal control over financial reporting. This report appears on page 64.

Report of Independent Registered Public Accounting Firm

To the Shareholders and the Board of Directors of Danaher Corporation

Opinions on the Financial Statements and Internal Control over Financial Reporting

We have audited the accompanying consolidated balance sheets of Danaher Corporation and its subsidiaries (the "Company") as of December 31, 2024 and December 31, 2023, and the related consolidated statements of income, of comprehensive income, of cash flows and of equity for each of the three years in the period ended December 31, 2024, including the related notes and financial statement schedule listed in the index appearing under Item 8 (collectively, the "consolidated financial statements"). We also have audited the Company's internal control over financial reporting as of December 31, 2024, based on criteria established in *Internal Control – Integrated Framework (2013)* issued by the Committee of Sponsoring Organizations of the Treadway Commission.

In our opinion, the consolidated financial statements referred to above present fairly, in all material respects, the financial position of the Company as of December 31, 2024 and December 31, 2023, and the results of its operations and its cash flows for each of the three years in the period ended December 31, 2024 in conformity with accounting principles generally accepted in the United States of America. Also in our opinion, the Company maintained, in all material respects, effective internal control over financial reporting as of December 31, 2024, based on criteria established in *Internal Control – Integrated Framework (2013)* issued by the Committee of Sponsoring Organizations of the Treadway Commission.

Basis for Opinions

The Company's management is responsible for these consolidated financial statements, for maintaining effective internal control over financial reporting and for its assessment of the effectiveness of internal control over financial reporting, included in the accompanying Management's Report on Internal Control over Financial Reporting. Our responsibility is to express opinions on the Company's consolidated financial statements and on the Company's internal control over financial reporting based on our audits. We are a public accounting firm registered with the Public Company Accounting Oversight Board (United States) (PCAOB) and are required to be independent with respect to the Company in accordance with U.S. federal securities laws and the applicable rules and regulations of the Securities and Exchange Commission and the PCAOB.

We conducted our audits in accordance with the standards of the PCAOB. Those standards require that we plan and perform the audits to obtain reasonable assurance about whether the consolidated financial statements are free of material misstatement, whether due to error or fraud, and whether effective internal control over financial reporting was maintained in all material respects.

Our audit of the consolidated financial statements included performing procedures to assess the risks of material misstatement of the consolidated financial statements, whether due to error or fraud, and performing procedures that respond to those risks. Such procedures included examining, on a test basis, evidence regarding the amounts and disclosures in the consolidated financial statements. Our audit also included evaluating the accounting principles used and significant estimates made by management, as well as evaluating the overall presentation of the consolidated financial statements. We believe that our audit provides a reasonable basis for our opinions.

A company's internal control over financial reporting is a process designed to provide reasonable assurance regarding the reliability of financial reporting and the preparation of financial statements for external purposes in accordance with generally accepted accounting principles. A company's internal control over financial reporting includes those policies and procedures that (i) pertain to the maintenance of records that, in reasonable detail, accurately and fairly reflect the transactions and dispositions of the assets of the company; (ii) provide reasonable assurance that transactions are recorded as necessary to permit preparation of financial statements in accordance with generally accepted accounting principles, and that receipts and expenditures of the company are being made only in accordance with authorizations of management and directors of the company; and (iii) provide reasonable assurance regarding prevention or timely detection of unauthorized acquisition, use, or disposition of the company's assets that could have a material effect on the financial statements.

Because of its inherent limitations, internal control over financial reporting may not prevent or detect misstatements. Also, projections of any evaluation of effectiveness to future periods are subject to the risk that controls may become inadequate because of changes in conditions, or that the degree of compliance with the policies or procedures may deteriorate.

Critical Audit Matters

The critical audit matters communicated below are matters arising from the current period audit of the consolidated financial statements that were communicated or required to be communicated to the audit committee and that (i) relate to accounts or disclosures that are material to the consolidated financial statements and (ii) involved our especially challenging, subjective, or complex judgments. The communication of critical audit matters does not alter in any way our opinion on the consolidated financial statements, taken as a whole, and we are not, by communicating the critical audit matters below, providing separate opinions on the critical audit matters or on the accounts or disclosures to which they relate.

Goodwill Impairment Assessment – Certain Reporting Units

As described in Notes 1 and 5 to the consolidated financial statements, the Company's consolidated goodwill balance was $47,344 million as of December 31, 2024. Management tests goodwill for impairment annually in the fourth quarter of each year, or more frequently if events occur or circumstances change that would more likely than not reduce the fair value of a reporting unit below its carrying amount. Management estimates the fair value of a reporting unit using a discounted cash flow analysis. The key assumptions used in the discounted cash flow analysis include management's estimates of future revenue growth rates, future operating margins, and the discount rate applied to the projected cash flows.

We identified the assessment of goodwill impairment for certain reporting units as a critical audit matter because of the significant judgments made by management to estimate the fair value of these reporting units. In particular, the fair value estimates for these reporting units are sensitive to changes in the key assumptions, which are affected by expectations about future market or economic conditions. Auditing these assumptions required a high degree of auditor judgment and an increased extent of effort, including the need to involve our valuation specialists.

The following are the primary procedures we performed to address this critical audit matter. We evaluated the design and tested the operating effectiveness of certain internal controls related to the goodwill impairment assessment, including controls over the development of the fair value estimates for these reporting units and management's review of the key assumptions described above. We compared the key assumptions used by management to historical results and to relevant industry and economic trends. We also involved our valuation specialists to assist in evaluating the discount rate applied to the projected cash flows by comparing it to a range of discount rates that was independently developed using publicly available market data for comparable companies.

Income Taxes – Uncertain Tax Positions

As described in Notes 1 and 9 to the consolidated financial statements, the Company's consolidated income tax liability balance was $1,116 million as of December 31, 2024. The Company is subject to income taxes in the U.S. and numerous foreign jurisdictions. Significant judgment is required in determining the Company's provision for income taxes and in evaluating its tax positions. The Company establishes reserves for uncertain tax positions when, despite its belief that its tax positions are fully supportable, there remains uncertainty as to whether certain positions will be sustained upon examination by tax authorities. The Company evaluates its uncertain tax positions on a quarterly basis and adjusts the reserves in light of changing facts and circumstances, such as the progress of tax audits, lapses of applicable statutes of limitations, and changes in tax law.

We identified the assessment of uncertain tax positions as a critical audit matter because of the significant judgments made by management to estimate the amount of tax benefits that will ultimately be sustained upon examination by tax authorities. Auditing these judgments required a high degree of auditor judgment and an increased extent of effort, including the need to involve our tax specialists.

The following are the primary procedures we performed to address this critical audit matter. We evaluated the design and tested the operating effectiveness of certain internal controls related to the uncertain tax positions, including controls over the development of the estimate of the amount of tax benefits that will ultimately be sustained upon examination by tax authorities. We compared the key assumptions used by management to historical results and to relevant industry and economic trends. We also involved our tax specialists to assist in evaluating the amount of tax benefits that will ultimately be sustained upon examination by tax authorities by comparing it to a range of amounts that was independently developed using publicly available data for comparable companies.

/s/ PricewaterhouseCoopers LLP

Tampa, Florida

February 20, 2025

We have served as the Company's auditor since 1986.

CONSOLIDATED BALANCE SHEETS

(In millions, except per share amounts)

	December 31, 2024	December 31, 2023
ASSETS		
Current assets:		
Cash and equivalents	$ 3,512	$ 3,298
Trade accounts receivable, net of allowance for doubtful accounts of $ 87 and $ 84	3,722	3,722
Inventories	3,124	3,124
Prepaid expenses and other current assets	2,222	2,222
Total current assets	12,580	12,366
Property, plant and equipment, net	5,222	5,222
Other long-term assets	5,222	5,222
Goodwill	47,344	47,344
Other intangible assets	15,222	15,222
Total assets	$ 85,550	$ 85,336
LIABILITIES AND EQUITY		
Current liabilities:		
Accounts payable	$ 2,222	$ 2,222
Accrued expenses and other liabilities	5,222	5,222
Current portion of long-term debt	1,222	1,222
Total current liabilities	8,666	8,666
Long-term debt	19,222	19,222
Deferred income taxes	3,222	3,222
Other long-term liabilities	3,222	3,222
Total liabilities	34,332	34,332
Commitments and contingencies		
Equity:		
Common stock, par value $0.01 per share; 2,000 shares authorized; 1,000 shares issued and outstanding	10	10
Additional paid-in capital	22,222	22,222
Retained earnings	32,222	32,222
Accumulated other comprehensive income (loss)	(3,222)	(3,222)
Total Danaher shareholders' equity	51,222	51,222
Noncontrolling interests	222	222
Total equity	51,444	51,444
Total liabilities and equity	$ 85,550	$ 85,336

CONSOLIDATED STATEMENTS OF INCOME

(In millions, except per share amounts)

	Year Ended December 31,		
	2024	2023	2022
Product revenues	$ 22,222	$ 22,222	$ 22,222
Service revenues	2,222	2,222	2,222
Total revenues	24,444	24,444	24,444
Cost of product revenues	8,222	8,222	8,222
Cost of service revenues	1,222	1,222	1,222
Total cost of revenues	9,444	9,444	9,444
Gross profit	15,000	15,000	15,000
Operating expenses:			
Selling, general and administrative expenses	7,222	7,222	7,222
Research and development expenses	1,222	1,222	1,222
Total operating expenses	8,444	8,444	8,444
Operating profit	6,556	6,556	6,556
Nonoperating income (expense):			
Interest expense	(222)	(222)	(222)
Interest income	222	222	222
Other income (expense), net	222	222	222
Total nonoperating income (expense), net	222	222	222
Income before taxes	6,778	6,778	6,778
Taxes on income	1,222	1,222	1,222
Net income	5,556	5,556	5,556
Net income attributable to noncontrolling interests	22	22	22
Net income attributable to Danaher shareholders	$ 5,534	$ 5,534	$ 5,534
Earnings per share attributable to Danaher shareholders:			
Basic	$ 7.22	$ 7.22	$ 7.22
Diluted	$ 7.22	$ 7.22	$ 7.22
Average common stock and common equivalent shares outstanding:			
Basic	766	766	766
Diluted	766	766	766

CONSOLIDATED STATEMENTS OF COMPREHENSIVE INCOME

(In millions)

	Year Ended December 31,		
	2024	2023	2022
Net income	$ 5,556	$ 5,556	$ 5,556
Other comprehensive income (loss):			
Pension and other postretirement benefit plans	222	222	222
Currency translation adjustment	(2,222)	(2,222)	(2,222)
Cash flow hedges	222	222	222
Net investment hedges	222	222	222
Total other comprehensive income (loss)	(1,556)	(1,556)	(1,556)
Comprehensive income	4,000	4,000	4,000
Comprehensive income attributable to noncontrolling interests	22	22	22
Comprehensive income attributable to Danaher shareholders	$ 3,978	$ 3,978	$ 3,978

CONSOLIDATED STATEMENTS OF CASH FLOWS

(In millions)

	Year Ended December 31,		
	2024	2023	2022
Cash flows from operating activities:			
Net income	$ 5,556	$ 5,556	$ 5,556
Adjustments to reconcile net income to cash flows from operating activities:			
Depreciation	1,222	1,222	1,222
Amortization	1,222	1,222	1,222
Stock-based compensation expense	222	222	222
Deferred income taxes	(222)	(222)	(222)
Other non-cash adjustments, net	222	222	222
Changes in operating assets and liabilities, net of effects of acquisitions and divestitures:			
Trade accounts receivable	(222)	(222)	(222)
Inventories	(222)	(222)	(222)
Prepaid expenses and other assets	(222)	(222)	(222)
Accounts payable	222	222	222
Accrued expenses and other liabilities	222	222	222
Cash flows from operating activities	7,222	7,222	7,222
Cash flows from investing activities:			
Purchases of property, plant and equipment	(1,222)	(1,222)	(1,222)
Proceeds from sales of property, plant and equipment	222	222	222
Acquisitions of businesses and equity investments, net of cash acquired	(222)	(222)	(222)
Proceeds from sales of businesses and investments	222	222	222
Other investing activities, net	(222)	(222)	(222)
Cash flows from investing activities	(1,222)	(1,222)	(1,222)
Cash flows from financing activities:			
Repayments of borrowings	(2,222)	(2,222)	(2,222)
Proceeds from borrowings	2,222	2,222	2,222
Dividends paid to common shareholders	(1,222)	(1,222)	(1,222)
Other financing activities, net	(222)	(222)	(222)
Cash flows from financing activities	(3,444)	(3,444)	(3,444)
Effect of exchange rate changes on cash and equivalents	(222)	(222)	(222)
Net change in cash and equivalents	222	222	222
Cash and equivalents at beginning of year	3,298	3,298	3,298
Cash and equivalents at end of year	$ 3,512	$ 3,298	$ 3,298

CONSOLIDATED STATEMENTS OF EQUITY

(In millions, except per share amounts)

	Common Stock	Additional Paid-in Capital	Retained Earnings	Accumulated Other Comprehensive Income (Loss)	Total Danaher Shareholders' Equity	Noncontrolling Interests	Total Equity
Balance, December 31, 2021	$ 10	$ 22,222	$ 32,222	$ (3,222)	$ 51,222	$ 222	$ 51,444
Net income			5,534		5,534	22	5,556
Other comprehensive income (loss)				(1,556)	(1,556)		(1,556)
Dividends paid to common shareholders ($ 1.60 per share)			(1,222)		(1,222)		(1,222)
Stock-based compensation expense		222			222		222
Other						(22)	(22)
Balance, December 31, 2022	10	22,222	36,534	(4,778)	53,978	222	54,200
Net income			5,534		5,534	22	5,556
Other comprehensive income (loss)				(1,556)	(1,556)		(1,556)
Dividends paid to common shareholders ($ 1.60 per share)			(1,222)		(1,222)		(1,222)
Stock-based compensation expense		222			222		222
Other						(22)	(22)
Balance, December 31, 2023	10	22,222	36,534	(4,778)	53,978	222	54,200
Net income			5,534		5,534	22	5,556
Other comprehensive income (loss)				(1,556)	(1,556)		(1,556)
Dividends paid to common shareholders ($ 1.60 per share)			(1,222)		(1,222)		(1,222)
Stock-based compensation expense		222			222		222
Other						(22)	(22)
Balance, December 31, 2024	$ 10	$ 22,222	$ 32,222	$ (3,222)	$ 51,222	$ 222	$ 51,444

NOTES TO CONSOLIDATED FINANCIAL STATEMENTS

Note 1. Basis of Presentation and Significant Accounting Policies

Basis of Presentation

The accompanying consolidated financial statements include the accounts of Danaher Corporation and its subsidiaries (collectively, "Danaher" or the "Company"). All intercompany balances and transactions have been eliminated in consolidation.

Use of Estimates

The preparation of financial statements in conformity with generally accepted accounting principles ("GAAP") requires management to make estimates and assumptions that affect the amounts reported in the financial statements and accompanying notes. Actual results could differ from those estimates.

Revenue Recognition

Revenue is recognized when a customer obtains control of promised goods or services in an amount that reflects the consideration which we expect to receive in exchange for those goods or services. To determine revenue recognition for arrangements that we determine are within the scope of Accounting Standards Codification ("ASC") 606, we perform the following five steps: (i) identify the contract(s) with a customer; (ii) identify the performance obligations in the contract(s); (iii) determine the transaction price; (iv) allocate the transaction price to the performance obligations in the contract(s); and (v) recognize revenue when (or as) we satisfy the performance obligations.

Product revenues are recognized when the customer obtains control of our product, which occurs at a point in time, typically upon delivery to the customer. Service revenues are recognized over time as the services are performed. Revenues are measured as the amount of consideration we expect to receive in exchange for transferring goods or providing services. Sales and value-added taxes are excluded from revenues. Shipping and handling costs associated with outbound freight after control over a product has transferred to a customer are accounted for as a fulfillment cost and are included in cost of revenues.

Most of our contracts with customers contain a single performance obligation to transfer promised goods or services to the customer. Some contracts for the sale of capital equipment may include multiple performance obligations, such as installation services. For contracts with multiple performance obligations, we allocate the transaction price to each performance obligation using our best estimate of the standalone selling price of each distinct good or service in the contract. Contracts are occasionally modified to account for changes in the contract specifications and requirements. Contract modifications are accounted for either as part of the original contract or as a separate contract, depending on the nature of the modification.

We have elected to apply the optional exemption provided in ASC 606 and do not disclose the value of unsatisfied performance obligations for (i) contracts with an original expected length of one year or less and (ii) contracts for which we recognize revenue at the amount to which we have the right to invoice for services performed.

Contract assets relate to our conditional rights to consideration for work completed but not billed at the reporting date. Contract liabilities relate to payments received in advance of performance under the contract and are realized with the associated revenue recognized under the contract. Contract assets and contract liabilities are reported on a net basis at the contract level.

Cash and Equivalents

Cash and equivalents consist of cash and highly liquid investments with original maturities of three months or less.

Trade Accounts Receivable

Trade accounts receivable are recorded at the invoiced amount and do not bear interest. We maintain allowances for doubtful accounts for estimated losses resulting from the inability of our customers to make required payments. We estimate the allowance for doubtful accounts based on the credit risk of specific customers, historical trends and other information. Past-due balances are reviewed individually for collectibility. Account balances are charged off against the allowance when we believe it is probable that the receivable will not be recovered.

Inventories

Inventories are stated at the lower of cost or net realizable value. Cost is determined using the first-in, first-out ("FIFO") or average cost methods. Inventory costs include material, labor and manufacturing overhead.

Property, Plant and Equipment

Property, plant and equipment are recorded at cost and depreciated over their estimated useful lives using the straight-line method. Estimated useful lives are generally 10 to 40 years for buildings and improvements, 3 to 15 years for machinery and equipment, and 3 to 10 years for computer hardware and software. Leasehold improvements are depreciated over the shorter of the remaining lease term or their estimated useful lives. Maintenance and repair costs are expensed as incurred.

Goodwill and Other Intangible Assets

Goodwill represents the excess of the purchase price of an acquired business over the fair value of the net tangible and intangible assets acquired. Other intangible assets primarily consist of customer relationships, trademarks and trade names, patents, and technology. Goodwill and other intangible assets acquired in a business combination are recorded at their estimated fair values at the date of acquisition.

Goodwill and other intangible assets with indefinite lives are not amortized but are tested for impairment annually in the fourth quarter of each year, or more frequently if events occur or circumstances change that would more likely than not reduce the fair value of a reporting unit or other intangible asset below its carrying amount. Other intangible assets with finite lives are amortized over their estimated useful lives using the straight-line method.

Investments

Investments in equity securities with readily determinable fair values are measured at fair value with changes in fair value recognized in earnings. Investments in equity securities without readily determinable fair values are measured at cost, adjusted for changes resulting from observable price changes in orderly transactions for the identical or similar investment of the same issuer, less impairment. Investments in debt securities are classified as available-for-sale and are measured at fair value with unrealized gains and losses recognized in other comprehensive income (loss).

Derivatives

We may enter into derivative instruments to manage our exposure to interest rate risk, foreign currency exchange rate risk and equity price risk. We recognize all derivatives as assets or liabilities at fair value. The accounting for changes in the fair value of a derivative depends on the intended use of the derivative and the resulting designation.

- Cash Flow Hedges. We may enter into derivative instruments designated as cash flow hedges to mitigate the risk of variability in cash flows attributable to changes in a benchmark interest rate associated with our floating rate debt. For derivatives designated as cash flow hedges, the effective portion of changes in the fair value of the derivative is recorded in accumulated other comprehensive income (loss) and subsequently reclassified into earnings when the hedged item affects earnings. Ineffective portions of changes in the fair value of cash flow hedges are recognized in earnings.

- Net Investment Hedges. We may enter into derivative instruments designated as net investment hedges to mitigate the risk of variability in foreign currency exchange rates attributable to our net investment in a foreign operation. For derivatives designated as net investment hedges, the effective portion of changes in the fair value of the derivative is recorded in accumulated other comprehensive income (loss) and subsequently reclassified into earnings when the hedged item affects earnings. Ineffective portions of changes in the fair value of net investment hedges are recognized in earnings.

- Undesignated Derivatives. We may enter into derivative instruments that are not designated as hedges to mitigate the risk of variability in foreign currency exchange rates attributable to certain foreign currency denominated assets and liabilities. Changes in the fair value of undesignated derivatives are recognized in earnings.

We do not enter into derivative instruments for trading or speculative purposes. We may enter into derivative instruments with financial institutions that are counterparties to our credit facilities and unsecured debt. We monitor the creditworthiness of counterparties, and we do not anticipate nonperformance by any counterparty.

Leases

We lease certain real estate, vehicles, information technology hardware, and other equipment under operating leases. We determine if an arrangement is a lease at inception. Operating lease assets and liabilities are recognized at the lease commencement date based on the present value of the future minimum lease payments over the lease term. We use our incremental borrowing rate to determine the present value of the future minimum lease payments unless the implicit rate in the lease is readily determinable. Our incremental borrowing rate is determined using a portfolio approach based on the rate of interest that we would have to pay to borrow on a collateralized basis over a similar term an amount equal to the lease payments in a similar economic environment. Lease terms may include options to extend or terminate the lease when it is reasonably certain that we will exercise that option. Lease expense for minimum lease payments is recognized on a straight-line basis over the lease term.

We have elected the practical expedient to not separate lease components from non-lease components for all of our leases.

Business Combinations

We allocate the purchase price of acquired businesses to the tangible assets, liabilities and identifiable intangible assets acquired based on their estimated fair values. The excess of the purchase price over the amounts allocated to the assets and liabilities is recorded as goodwill. We engage third-party appraisal firms when management lacks the relevant experience to value the assets or liabilities. We typically engage third-party appraisal firms to value intangible assets and may engage them to value tangible assets. The valuation of intangible assets typically includes significant estimates and assumptions, including but not limited to, estimating future cash flows, developing appropriate discount rates, and determining the estimated useful lives of the assets. We may also use third-party appraisal firms to assist us in valuing assets subject to operating leases in which we are the lessor.

Foreign Currency Translation

Assets and liabilities of our foreign operations are translated into U.S. dollars using the exchange rates in effect at the balance sheet date. Revenues and expenses are translated using the average exchange rates during the period. Currency translation adjustments are recorded in accumulated other comprehensive income (loss).

Pension and Other Postretirement Benefits

We sponsor defined benefit pension plans and other postretirement benefit plans for certain employees. Our policy is to fund our pension plans in accordance with applicable regulations. We recognize the funded status of our pension and other postretirement benefit plans on the balance sheet. Actuarial gains and losses are recognized in accumulated other comprehensive income (loss) and subsequently amortized into earnings over the remaining service period of active employees.

Stock-Based Compensation

We grant stock-based compensation awards, including stock options, restricted stock units ("RSUs"), performance stock units ("PSUs"), and other stock-based awards. We recognize stock-based compensation expense based on the grant-date fair value of the awards. We recognize forfeitures as they occur.

Income Taxes

We are subject to income taxes in the U.S. and numerous foreign jurisdictions. Significant judgment is required in determining our provision for income taxes and in evaluating our tax positions. We establish reserves for uncertain tax positions when, despite our belief that our tax positions are fully supportable, there remains uncertainty as to whether certain positions will be sustained upon examination by tax authorities. We evaluate our uncertain tax positions on a quarterly basis and adjust the reserves in light of changing facts and circumstances, such as the progress of tax audits, lapses of applicable statutes of limitations, and changes in tax law.

Earnings Per Share

Basic earnings per share is calculated by dividing net income attributable to Danaher shareholders by the weighted-average number of common shares outstanding during the period. Diluted earnings per share is calculated by dividing net income attributable to Danaher shareholders by the weighted-average number of common shares outstanding during the period, plus the effect of dilutive potential common shares outstanding during the period using the treasury stock method. Dilutive potential common shares include outstanding stock options and stock-based awards.

Segment Reporting

We have three reportable segments: Life Sciences, Diagnostics and Environmental & Applied Solutions. Our segments are determined based on how our chief operating decision maker ("CODM") regularly reviews financial information to allocate resources and assess performance. Our CODM is our President and Chief Executive Officer.

Recently Adopted Accounting Pronouncements

In November 2023, the Financial Accounting Standards Board ("FASB") issued Accounting Standards Update ("ASU") 2023-07, *Segment Reporting (Topic 280): Improvements to Reportable Segment Disclosures*. This ASU requires enhanced disclosures about significant segment expenses that are regularly provided to the CODM and included within each reported measure of segment profit or loss. We adopted this ASU in the fourth quarter of 2024 and applied the guidance retrospectively to all prior periods presented in the financial statements. See Note 14 for additional information.

Recently Issued Accounting Pronouncements

In December 2023, the FASB issued ASU 2023-09, *Income Taxes (Topic 740): Improvements to Income Tax Disclosures*. This ASU requires enhanced disclosures about the rate reconciliation and income taxes paid. We will adopt this ASU in the fourth quarter of 2025 and apply the guidance prospectively. We do not expect the adoption of this ASU to have a material impact on our consolidated financial statements.

In November 2024, the FASB issued ASU 2024-03, *Income Statement – Reporting Comprehensive Income – Expense Disaggregation Disclosures (Subtopic 220-40): Disaggregation of Income Statement Expenses*. This ASU requires enhanced disclosures about certain expenses included within each reported measure of segment profit or loss. We will adopt this ASU in the fourth quarter of 2027 and apply the guidance prospectively. We do not expect the adoption of this ASU to have a material impact on our consolidated financial statements.

Note 2. Revenue

Disaggregation of Revenue

The following tables present our revenues disaggregated by geographic region, by product and service type, and by timing of revenue recognition:

	Year Ended December 31, 2024			
	Life Sciences	Diagnostics	Environmental & Applied Solutions	Total
Geographic region:				
United States	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Europe	1,222	1,222	1,222	3,666
Asia	1,222	1,222	1,222	3,666
China	1,222	1,222	1,222	3,666
Rest of world	1,222	1,222	1,222	3,666
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Product and service type:				
Instruments	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Consumables	3,222	3,222	3,222	9,666
Software and services	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Timing of revenue recognition:				
Goods transferred at a point in time	$ 5,444	$ 5,444	$ 5,444	$ 16,330
Services transferred over time	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330

	Year Ended December 31, 2023			
	Life Sciences	Diagnostics	Environmental & Applied Solutions	Total
Geographic region:				
United States	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Europe	1,222	1,222	1,222	3,666
Asia	1,222	1,222	1,222	3,666
China	1,222	1,222	1,222	3,666
Rest of world	1,222	1,222	1,222	3,666
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Product and service type:				
Instruments	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Consumables	3,222	3,222	3,222	9,666
Software and services	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Timing of revenue recognition:				
Goods transferred at a point in time	$ 5,444	$ 5,444	$ 5,444	$ 16,330
Services transferred over time	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330

	Year Ended December 31, 2022			
	Life Sciences	Diagnostics	Environmental & Applied Solutions	Total
Geographic region:				
United States	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Europe	1,222	1,222	1,222	3,666
Asia	1,222	1,222	1,222	3,666
China	1,222	1,222	1,222	3,666
Rest of world	1,222	1,222	1,222	3,666
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Product and service type:				
Instruments	$ 2,222	$ 2,222	$ 2,222	$ 6,666
Consumables	3,222	3,222	3,222	9,666
Software and services	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330
Timing of revenue recognition:				
Goods transferred at a point in time	$ 5,444	$ 5,444	$ 5,444	$ 16,330
Services transferred over time	1,666	1,666	1,666	5,000
Total revenues	$ 7,110	$ 7,110	$ 7,110	$ 21,330

Contract Balances

Contract assets and

Net income (loss) $ (1,000) $ (1,000) $ (1,000

Software Defined Storage is a storage architecture that separates storage hardware from the software that manages the storage infrastructure. The software enabling a software-defined storage environment provides policy management for feature and capacity provisioning, such as tiering, replication, and snapshots. Software-defined storage can be part of a software-defined data center, but can also be implemented in traditional and cloud-based environments. Software-defined storage is typically less expensive than purpose-integrated storage hardware. It can be highly scalable, and is designed to support virtual machines and containers. Software-defined storage is a key technology for hyperconverged infrastructure.

**Software-defined

The Board of Directors

Executive Officers

Our Executive Officers are charged with the conduct of our Capital Projects. The Executive Officers currently consist of three members, the Chief Executive Officer, the Chief Financial Officer and the Chief Operating Officer. Each Executive Officer is appointed by the Board of Directors and holds office until his or her successor is duly appointed or his or her earlier resignation or removal. Any vacancy among the Executive Officers may be filled by the Board of Directors at any regular or special meeting.

Our Executive Officers have the responsibility to manage the Capital Projects in accordance with the Capital Project Plan, and subject to the limitations set forth in the Capital Project Plan, the Executive Officers have the power and authority to:

- Enter into contracts for the purchase of goods and services and to commit the Company to such contracts;
- Hire employees, contractors and consultants and to enter into employment and consulting agreements with such persons;
- Open bank accounts, borrow money, enter into credit facilities and grant liens and security interests in our assets;
- Acquire, hold, mortgage and dispose of any real or personal property;
- Take any other actions and execute, deliver and perform any other agreements, documents and instruments that may be necessary, useful or advisable in connection with the foregoing; and
- Delegate any of the foregoing powers to any person or entity.

Any limitations on the foregoing powers of the Executive Officers are for internal purposes only and are not binding upon third parties absent knowledge of those limitations.

The Executive Officers will devote such time to the affairs of the Company as is necessary to manage the Capital Projects, but they are not required to devote their full time to the affairs of the Company. The Executive Officers are employed by the Company and receive compensation for their services as set forth in the Capital Project Plan. The Executive Officers are also entitled to reimbursement for reasonable expenses incurred in connection with their duties.

Chief Executive Officer

The Chief Executive Officer is responsible for the overall management of the Capital Projects. The Chief Executive Officer will be the principal executive officer of the Company and will have general supervision over the affairs of the Company and over its other officers, subject to the control of the Board of Directors. The Chief Executive Officer will preside at all meetings of the Board of Directors and will have such other powers and duties as may be designated from time to time by the Board of Directors.

Chief Financial Officer

The Chief Financial Officer will be responsible for the financial affairs of the Company, including but not limited to: (i) maintaining adequate books of account for the Company; (ii) establishing and maintaining a system of internal controls; (iii) preparing financial statements and reports; (iv) managing the Company's cash and investments; (v) overseeing the Company's tax affairs; and (vi) such other duties as may be assigned by the Chief Executive Officer or the Board of Directors.

Chief Operating Officer

The Chief Operating Officer will be responsible for the day-to-day operations of the Capital Projects, including but not limited to: (i) overseeing the construction of the Capital Projects; (ii) managing the Company's employees, contractors and consultants; (iii) ensuring that the Capital Projects are completed on time and within budget; (iv) maintaining the Company's equipment and facilities; and (v) such other duties as may be assigned by the Chief Executive Officer or the Board of Directors.

Committees of the Board of Directors

The Board of Directors may establish such committees as it deems necessary or advisable from time to time. Each committee will have such powers and duties as may be delegated to it by the Board of Directors, subject to the limitations set forth in the Capital Project Plan. The Board of Directors may also appoint such officers and employees as it deems necessary or advisable to assist the committees in the performance of their duties.

Audit Committee

The Audit Committee will be responsible for the oversight of the Company's financial reporting process, the effectiveness of the Company's internal controls, and the performance of the Company's independent auditors. The Audit Committee will have the following powers and duties:

- To review the annual financial statements of the Company and to recommend to the Board of Directors whether such statements should be approved;
- To review the Company's internal controls and to make recommendations to the Board of Directors regarding any material weaknesses or deficiencies;
- To select, retain and terminate the Company's independent auditors, and to approve the fees and other terms of their engagement;
- To review the independence and objectivity of the Company's independent auditors; and
- To perform such other duties as may be assigned to the Audit Committee by the Board of Directors.

The Audit Committee will consist of at least three members of the Board of Directors, all of whom must be independent directors. The members of the Audit Committee will be appointed by the Board of Directors and will serve at the pleasure of the Board of Directors.

Compensation Committee

The Compensation Committee will be responsible for the oversight of the Company's compensation policies and practices, including but not limited to: (i) reviewing and approving the compensation of the Executive Officers; (ii) reviewing and approving the Company's employee benefit plans; and (iii) such other duties as may be assigned by the Board of Directors.

The Compensation Committee will consist of at least three members of the Board of Directors, all of whom must be independent directors. The members of the Compensation Committee will be appointed by the Board of Directors and will serve at the pleasure of the Board of Directors.

Nominating and Governance Committee

The Nominating and Governance Committee will be responsible for the oversight of the Company's corporate governance practices, including but not limited to: (i) identifying and recommending candidates for the Board of Directors; (ii) reviewing and recommending changes to the Company's corporate governance guidelines; and (iii) such other duties as may be assigned by the Board of Directors.

The Nominating and Governance Committee will consist of at least three members of the Board of Directors, all of whom must be independent directors. The members of the Nominating and Governance Committee will be appointed by the Board of Directors and will serve at the pleasure of the Board of Directors.

Conflicts of Interest Policy

The Company has adopted a Conflicts of Interest Policy to ensure that the Company's directors, officers and employees act in the best interests of the Company and its stakeholders. The Conflicts of Interest Policy requires that all directors, officers and employees disclose any actual or potential conflicts of interest to the Board of Directors. The Board of Directors will then determine whether the conflict of interest is material and whether it should be waived.

The Conflicts of Interest Policy also prohibits directors, officers and employees from using their positions with the Company to obtain personal benefits or to advance their own interests at the expense of the Company. The Conflicts of Interest Policy also prohibits directors, officers and employees from competing with the Company.

Code of Ethics

The Company has adopted a Code of Ethics that applies to all directors, officers and employees. The Code of Ethics sets forth the Company's expectations for ethical conduct and includes provisions regarding honesty, integrity, compliance with laws and regulations, and reporting of violations.

Corporate Governance Guidelines

The Company has adopted Corporate Governance Guidelines that set forth the Company's principles of corporate governance. The Corporate Governance Guidelines address matters such as the composition of the Board of Directors, the duties of the Board of Directors, and the committees of the Board of Directors.

Whistleblower Policy

The Company has adopted a Whistleblower Policy that encourages employees to report any suspected violations of law or the Company's policies. The Whistleblower Policy provides that the Company will not retaliate against any employee who reports a suspected violation in good faith.

Insider Trading Policy

The Company has adopted an Insider Trading Policy that prohibits directors, officers and employees from trading in the Company's securities while in possession of material nonpublic information. The Insider Trading Policy also prohibits directors, officers and employees from tipping others who trade in the Company's securities while in possession of material nonpublic information.

Anti-Hedging Policy

The Company has adopted an Anti-Hedging Policy that prohibits directors, officers and employees from hedging the Company's securities. The Anti-Hedging Policy also prohibits directors, officers and employees from pledging the Company's securities as collateral for loans.

Clawback Policy

The Company has adopted a Clawback Policy that requires the Company to recover incentive-based compensation from executive officers in the event of a restatement of the Company's financial statements. The Clawback Policy applies to incentive-based compensation that is received by executive officers during the three years preceding the date on which the Company is required to restate its financial statements.

Compensation Committee Interlocks and Insider Participation

The Compensation Committee of the Board of Directors is responsible for determining the compensation of the Executive Officers. The Compensation Committee is composed of three members of the Board of Directors, all of whom are independent directors.

Chief Executive Officer's Compensation

The Chief Executive Officer's compensation is determined by the Compensation Committee. The Compensation Committee considers a number of factors in determining the Chief Executive Officer's compensation, including the Company's financial performance, the Chief Executive Officer's individual performance, and the compensation of chief executive officers at other companies in the Company's industry.

Chief Financial Officer's Compensation

The Chief Financial Officer's compensation is determined by the Compensation Committee. The Compensation Committee considers a number of factors in determining the Chief Financial Officer's compensation, including the Company's financial performance, the Chief Financial Officer's individual performance, and the compensation of chief financial officers at other companies in the Company's industry.

Chief Operating Officer's Compensation

The Chief Operating Officer's compensation is determined by the Compensation Committee. The Compensation Committee considers a number of factors in determining the Chief Operating Officer's compensation, including the Company's financial performance, the Chief Operating Officer's individual performance, and the compensation of chief operating officers at other companies in the Company's industry.

Director Compensation

Directors who are employees of the Company will not receive any additional compensation for their service as directors. Non-employee directors will receive an annual retainer of $[Illegible], payable in quarterly installments. Non-employee directors will also receive a fee of $[Illegible] for each meeting of the Board of Directors that they attend in person and a fee of $[Illegible] for each meeting of the Board of Directors that they attend by telephone or video conference.

Director Compensation Table

Name	Fees Earned or Paid in Cash ($)	Stock Awards ($)	Option Awards ($)	Non-Equity Incentive Plan Compensation ($)	Change in Pension Value and Nonqualified Deferred Compensation Earnings ($)	All Other Compensation ($)	Total ($)
[Illegible]	[Illegible]	—	—	—	—	—	[Illegible]
[Illegible]	[Illegible]	—	—	—	—	—	[Illegible]
[Illegible]	[Illegible]	—	—	—	—	—	[Illegible]

Executive Officer Compensation

The Executive Officers will receive compensation for their services as set forth in the Capital Project Plan. The Capital Project Plan provides that the Executive Officers will receive a base salary, a bonus, and other benefits. The amount of the base salary, bonus, and other benefits will be determined by the Board of Directors.

Executive Officer Compensation Table

Name and Principal Position	Year	Salary ($)	Bonus ($)	Stock Awards ($)	Option Awards ($)	Non-Equity Incentive Plan Compensation ($)	Change in Pension Value and Nonqualified Deferred Compensation Earnings ($)	All Other Compensation ($)	Total ($)
[Illegible]	[Illegible]	[Illegible]	[Illegible]	—	—	[Illegible]	—	[Illegible]	[Illegible]
[Illegible]	[Illegible]	[Illegible]	[Illegible]	—	—	[Illegible]	—	[Illegible]	[Illegible]
[Illegible]	[Illegible]	[Illegible]	[Illegible]	—	—	[Illegible]	—	[Illegible]	[Illegible]

Stock Exchange Listing: [•]

WHO'S WHO AND BOARD

Our Articles provide that the Directors may be appointed by ordinary resolution or by the Directors by resolution of the Directors. The Directors may also appoint a Director to fill a casual vacancy on the Board. Any Director appointed by the Directors shall hold office only until the next annual general meeting and shall then be eligible for re-election.

- Each person proposed for election as a Director must have, prior to his nomination, disclosed to the Company:
  - any family relationship with any Director or Executive Officer;
  - any material interest in any transaction with the Company; and
  - any criminal convictions.

Each Director shall hold office for the term, if any, fixed by the resolution appointing him or her (or, if no term is fixed, until the next annual general meeting) or until his or her earlier resignation or removal. Any Director may resign from office by delivering a written notice to the Company. Any Director may be removed from office by ordinary resolution of the Shareholders. The Directors may also remove a Director from office by resolution of the Directors.

Each Director is entitled to receive such remuneration for his services as may be determined by the Directors. Directors may also be paid all travel, hotel and other expenses properly incurred by them in connection with the Company's business or their duties as Directors, including any expenses incurred in connection with meetings of the Directors or committees of the Directors. Directors may also be granted such special remuneration as the Directors may determine for any extra services which, in the opinion of the Directors, go beyond the ordinary duties of a Director. Any such remuneration may be paid in addition to or in substitution for any ordinary remuneration as a Director.

The following table sets forth the annual compensation paid by us to our Directors and Executive Officers for the fiscal year ended December 31, 2024:

Name	Capacities in which compensation was received	Aggregate Compensation ($)
Mr. Ethan Caldwell	Chief Executive Officer and Director	1,250,000
Ms. Sophia Reynolds	Chief Financial Officer	1,000,000
Mr. Daniel Whitmore	Chief Operating Officer	1,000,000
Ms. Olivia Harrington	Director	500,000
Mr. Benjamin Carter	Director	500,000
Mr. Nathaniel Brooks	Director	500,000
Ms. Victoria Langley	Director	500,000

Pursuant to our Articles, we may indemnify our Directors and Executive Officers against any liability incurred by them in their capacity as such, except in respect of their own fraud or dishonesty. We may also purchase insurance against any liability incurred by our Directors and Executive Officers in connection with the performance of their duties, except where such liability arises from fraud or dishonesty.

Our Articles provide that the Directors may exercise all the powers of the Company to borrow money, to mortgage or charge its undertaking, property and assets (present and future) and to issue debentures, bonds and other securities, whether outright or as collateral security for any debt, liability or obligation of the Company or of any third party.

Pursuant to our Articles, the Directors may declare dividends and distributions on our Shares in issue and authorise payment of the dividends or distributions out of the funds of the Company lawfully available therefor. We may also pay interim dividends without shareholder approval.

Under our Articles, no dividend or distribution shall be paid unless the Directors determine that, immediately after the payment, the Company will be able to satisfy its liabilities as they become due in the ordinary course of its business and the realisable value of the Company's assets will be greater than its liabilities.

Subject to the rights of persons, if any, entitled to Shares with special rights as to dividends, all dividends shall be declared and paid according to the amounts paid up on the Shares on which the dividend is paid. All dividends shall be apportioned and paid proportionately to the amounts paid up on the Shares during any portion or portions of the period in respect of which the dividend is paid. If any Share is issued on terms providing that it shall rank for dividend as from a particular date, that Share shall rank for dividend accordingly.

The Directors may deduct from any dividend or distribution payable to any Shareholder all sums of money (if any) presently payable by such Shareholder to the Company on account of calls or otherwise in relation to the Shares of the Company.

CAPITALISATION, INDEBTEDNESS AND OTHER KEY FINANCIAL INFORMATION

The following table sets forth our capitalisation as of December 31, 2024, on an actual basis and as adjusted to reflect the Offering and the use of proceeds therefrom, as described in "Use of Proceeds."

	As of December 31, 2024
Cash and cash equivalents	$ 12,480,000
Short-term debt	$ 3,250,000
Long-term debt	$ 18,750,000
Total debt	$ 22,000,000
Shareholders' equity	$ 41,600,000
Total capitalisation	$ 63,600,000

The following table sets forth our indebtedness as of December 31, 2024, on an actual basis and as adjusted to reflect the Offering and the use of proceeds therefrom, as described in "Use of Proceeds."

	As of December 31, 2024
Secured bank loans	$ 15,000,000
Unsecured bank loans	$ 5,000,000
Lease liabilities	$ 2,000,000
Total indebtedness	$ 22,000,000

Except as disclosed in this Prospectus, there has been no material change in our capitalisation or indebtedness since December 31, 2024.

The following table sets forth our selected consolidated financial information for the periods indicated. The selected consolidated statement of profit or loss data for the years ended December 31, 2022, 2023 and 2024, and the selected consolidated statement of financial position data as of December 31, 2023 and 2024, have been derived from our audited consolidated financial statements included elsewhere in this Prospectus. The selected consolidated statement of profit or loss data for the year ended December 31, 2021, and the selected consolidated statement of financial position data as of December 31, 2021 and 2022, have been derived from our audited consolidated financial statements not included in this Prospectus. Our historical results are not necessarily indicative of the results that may be expected in the future.

	Year ended December 31,			
	2021	2022	2023	2024
	($ in thousands)			
Revenue	18,420	21,760	24,980	28,150
Cost of sales	(11,230)	(13,180)	(14,960)	(16,720)
Gross profit	7,190	8,580	10,020	11,430
Operating expenses	(4,860)	(5,310)	(5,940)	(6,420)
Profit before tax	2,330	3,270	4,080	5,010
Income tax expense	(470)	(660)	(820)	(1,010)
Profit for the year	1,860	2,610	3,260	4,000
Earnings per share (basic and diluted)	0.93	1.31	1.63	2.00

	As of December 31,			
	2021	2022	2023	2024
	($ in thousands)			
Total assets	24,150	27,980	32,410	37,260
Total liabilities	9,870	11,240	12,960	14,830
Total equity	14,280	16,740	19,450	22,430

Pristine Shores LLC, a limited liability company ("Pristine Shores"), is the parent entity of SCUBA 101, a leading online retailer of scuba diving equipment.

On January 1, 2024, Pristine Shores entered into a Tax Receivable Agreement (the "TRA") with its members, including Mr. Ethan Caldwell, our Chief Executive Officer, and Ms. Sophia Reynolds, our Chief Financial Officer.

Under the TRA, Pristine Shores is required to pay to each member 85% of the amount of any tax benefits that Pristine Shores realises as a result of certain transactions, including the exchange of interests in Pristine Shores for Shares in connection with this Offering. The remaining 15% of such tax benefits will be retained by Pristine Shores.

The following table sets forth the amounts payable under the TRA to our Executive Officers:

Name	Amount payable ($)
Mr. Ethan Caldwell	1,240,000
Ms. Sophia Reynolds	1,240,000
Mr. Daniel Whitmore	1,240,000

The TRA will remain in effect until all such tax benefits have been realised or have expired, unless terminated earlier in accordance with its terms. Early termination may require Pristine Shores to make a lump-sum payment to the members equal to the present value of the anticipated future tax benefits.

Each Director and Executive Officer has entered into a service agreement with the Company. The service agreements provide for annual base salaries, discretionary bonuses, and participation in the Company's benefit plans. The service agreements also contain customary confidentiality and non-compete provisions.

The following table sets forth the annual base salaries of our Executive Officers as of the date of this Prospectus:

Name	Annual Base Salary ($)
Mr. Ethan Caldwell	1,250,000
Ms. Sophia Reynolds	1,000,000
Mr. Daniel Whitmore	1,000,000

Table of Contents

Form 10-K

Part II

Item 8. Financial Statements and Supplementary Data

Item 9. Changes in and Disagreements with Accountants on Accounting and Financial Disclosure

Item 9A. Controls and Procedures

Item 9B. Other Information

Item 9C. Disclosure Regarding Foreign Jurisdictions that Prevent Inspections

Part III

Item 10. Directors, Executive Officers and Corporate Governance

Item 11. Executive Compensation

Item 12. Security Ownership of Certain Beneficial Owners and Management and Related Stockholder Matters

Item 13. Certain Relationships and Related Transactions, and Director Independence

Item 14. Principal Accounting Fees and Services

Part IV

Item 15. Exhibit and Financial Statement Schedules

Item 16. Form 10-K Summary

Signatures

Capital Grants

In February 2021 the Group received a grant from the Department for Business, Energy and Industrial Strategy. The grant was for £1,000,000 and was received in full during the year ended 31 December 2021.

Deferred Income	2021	2020
	£	£
Capital grant received	1,000,000	-
Amortisation	(100,000)	-
	900,000	-
Current liabilities	100,000	-
Non-current liabilities	800,000	-
	900,000	-

Critical Accounting Judgements and Key Sources of Estimation Uncertainty

In the application of the Group's accounting policies, which are described in note 2, the directors are required to make judgements, estimates and assumptions about the carrying amounts of assets and liabilities that are not readily apparent from other sources. The estimates and associated assumptions are based on historical experience and other factors that are considered to be relevant. Actual results may differ from these estimates.

The estimates and underlying assumptions are reviewed on an ongoing basis. Revisions to accounting estimates are recognised in the period in which the estimate is revised if the revision affects only that period or in the period of the revision and future periods if the revision affects both current and future periods.

The following are the critical judgements and key sources of estimation uncertainty that the directors have made in the process of applying the Group's accounting policies and that have the most significant effect on the amounts recognised in the financial statements:

In the view of the directors, the judgements made regarding the carrying value of the intangible assets are the most significant judgements that have been made in the financial statements. The directors have made judgements regarding the carrying value of the intangible assets and have concluded that the carrying value is appropriate. The directors have made judgements regarding the useful economic life of the intangible assets and have concluded that the useful economic life is appropriate.

In assessing the impairment of goodwill, the directors have made judgements regarding the cash flows of the cash generating units to which goodwill has been allocated. The directors have concluded that the carrying value of goodwill is appropriate.

In assessing the impairment of intangible assets with indefinite useful economic lives, the directors have made judgements regarding the cash flows of the cash generating units to which the intangible assets have been allocated. The directors have concluded that the carrying value of intangible assets with indefinite useful economic lives is appropriate.

In assessing the impairment of tangible assets, the directors have made judgements regarding the cash flows of the cash generating units to which the tangible assets have been allocated. The directors have concluded that the carrying value of tangible assets is appropriate.

In assessing the impairment of investments in subsidiaries, the directors have made judgements regarding the cash flows of the cash generating units to which the investments have been allocated. The directors have concluded that the carrying value of investments in subsidiaries is appropriate.

In assessing the impairment of investments in associates, the directors have made judgements regarding the cash flows of the cash generating units to which the investments have been allocated. The directors have concluded that the carrying value of investments in associates is appropriate.

In assessing the impairment of investments in joint ventures, the directors have made judgements regarding the cash flows of the cash generating units to which the investments have been allocated. The directors have concluded that the carrying value of investments in joint ventures is appropriate.

In assessing the impairment of investments in other financial assets, the directors have made judgements regarding the cash flows of the cash generating units to which the investments have been allocated. The directors have concluded that the carrying value of investments in other financial assets is appropriate.

In assessing the impairment of investments in other financial liabilities, the directors have made judgements regarding the cash flows of the cash generating units to which the investments have been allocated. The directors have concluded that the carrying value of investments in other financial liabilities

Table of Contents

Notes to the Consolidated Financial Statements

Subject to Section 7.1 of the Agreement, the Company has agreed to indemnify the Seller Parties against certain losses relating to breaches of the Company's representations, warranties and covenants in the Agreement, subject to certain limitations. The Company's indemnification obligations for breaches of representations and warranties (other than certain fundamental representations and warranties) survive for 18 months following the Closing Date, and the Company's indemnification obligations for breaches of certain fundamental representations and warranties survive indefinitely or for the applicable statute of limitations. The Company's indemnification obligations for breaches of covenants survive for the period of time set forth in the applicable covenant. The Company's indemnification obligations are subject to a deductible of $1.5 million and a cap of $30.0 million, except that the deductible and cap do not apply to indemnification obligations for breaches of certain fundamental representations and warranties or for fraud.

Pursuant to the Agreement, the Company has agreed to pay the Seller Parties an earnout payment of up to $50.0 million, payable in cash, if the Company's Adjusted EBITDA for the fiscal year ending December 31, 2026 exceeds $100.0 million. The earnout payment is payable on March 15, 2027, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a transaction bonus of $5.0 million, payable in cash, upon the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $3.0 million, payable in cash, on the first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $2.0 million, payable in cash, on the second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $1.0 million, payable in cash, on the third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the tenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eleventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twelfth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fourteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventeenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the nineteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twentieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the twenty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirtieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the thirty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fortieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the forty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fiftieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the fifty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixtieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the sixty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the seventy-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eightieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the eighty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninetieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the ninety-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundredth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred tenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eleventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twelfth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fourteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventeenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred nineteenth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twentieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred twenty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirtieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred thirty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fortieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred forty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fiftieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred fifty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixtieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred sixty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred seventy-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eightieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred eighty-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninetieth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-third anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-fourth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-fifth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-sixth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-seventh anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-eighth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the one hundred ninety-ninth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the two hundredth anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the two hundred first anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Seller Parties a retention bonus of $0.5 million, payable in cash, on the two hundred second anniversary of the Closing Date, subject to the terms and conditions of the Agreement.

The Company has agreed to pay the Se

Table of Contents

Table of Contents

Table of Contents