Reported Induced Abortions in Wisconsin

20

20

May 2022 Release

Wisconsin Department of Health Services
Division of Public Health
Office of Health Informatics

Since January 1, 1987, medical facilities in Wisconsin have been required to report selected information on patients who obtained induced abortions. Wisconsin Statute § 69.186 also mandates the Department of Health Services (DHS) to publish an annual demographic summary of the information reported. A copy of the statute can be found in the Appendix.

The DHS produced this publication, which was prepared in the Office of Health Informatics, Division of Public Health. This annual report, Reported Induced Abortions in Wisconsin, was formerly titled Reported Induced Terminations of Pregnancy in Wisconsin. The name was changed to reflect the language in the statute.

This report was compiled by Laura Ninneman, Xiaoyan Wang, and Jen Feske in the Vital Records Section of the Office of Health Informatics. Lynette Childs, State Registrar, supervised the report preparation.

This publication is available on the Department of Health Services website, at http://www.dhs.wisconsin.gov/stats/ITOP.htm.

For further information about these tables, please contact:

Data Resource Center
Office of Health Informatics
Division of Public Health
1 W. Wilson Street
Madison, WI 53701
Telephone: 608-267-0233

E-mail: dhsdphdataresourcecenter@wisconsin.gov

Suggested citation:

Wisconsin Department of Health Services, Division of Public Health, Office of Health Informatics. **Reported Induced Abortions in Wisconsin**, **2020** (P-45360-20). May 2022.

Contents

| Foreword. | | ii |
|------------------------|---|------|
| | | |
| | n | |
| Key Findin | gs | 2 |
| Statewide | Historical Data, 1976-2020 | 4 |
| Table 1. | Number, Ratio and Rate of Reported Induced Abortions that Occurred in Wisconsin | |
| Summary | Distributions | 6 |
| Table 2. | Reported Induced Abortions by Month, Wisconsin Residents | |
| Table 3. | Reported Induced Abortions that Occurred in Wisconsin, by State of Residence | |
| Table 4. | Reported Induced Abortions by Age, Wisconsin | 7 |
| Table 5. | Reported Induced Abortions Among Minors (Age Less Than 18 Years) by Legal Status of Patient, Residents | 8 |
| Table 6. | Reported Induced Abortions by Marital Status, Wisconsin | |
| Table 7. | Reported Induced Abortions by Race and Hispanic Origin, Wisconsin | |
| Table 8. | Reported Induced Abortions by Education, Wisconsin | |
| Table 9. | Reported Induced Abortions by Estimated Gestation, Wisconsin | |
| Table 10. | Reported Induced Abortions by Reported Complications, Wisconsin | 11 |
| Table 11. | Reported Induced Abortions by Type of Procedure, Wisconsin Residents | 11 |
| Demograp | hic Characteristics of Patients | 12 |
| Table 12. | Reported Induced Abortions by Age and by Race and Hispanic Origin, Wisconsin Residents | |
| Table 13. | , | |
| Table 14. | | |
| Table 15. | | |
| | Reported Induced Abortions by Estimated Gestation and Age, Wisconsin Residents | |
| Table 1 <i>7</i> . | Reported Induced Abortions by County of Residence and Age, Wisconsin Residents | 16 |
| Trend Info | rmation, 2016-2020 | 17 |
| Table 18. | Number and Rate of Reported Induced Abortions by Age, Wisconsin Residents | 17 |
| Table 19. | Number and Rate of Reported Induced Abortions by County of Residence, Wisconsin Residents | 18 |
| | r Annual Averages, 2018-2020 | |
| Table 20. Residents | Three-Year Annual Average Number of Reported Induced Abortions by County of Residence, Wiscon | |
| | Three-Year Annual Average Number of Reported Induced Abortions by County of Residence by Age | ∠U |
| | Residents | • |
| | Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence | |
| | elected Racial Categories, Wisconsin Residents | |
| | Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence | |
| | lispanic Origin, Wisconsin Residents | |
| Table 24. | Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence Hispanic Origin, Wisconsin Residents | e by |
| Ruce and I | Tispanic Origin, ** isconsin residents | |
| Annendiv | | 25 |

Introduction

Reported Induced Abortions in Wisconsin, 2020 presents summary tables of information collected through the Wisconsin Induced Abortion Reporting System, as stipulated in Wis. Stat. § 69.186.

The tables in this publication summarize data for calendar year 2020, trend information for the years 2016-2020, and three-year annual average information by county. The tables categorize and cross-classify reported induced abortions by patient characteristics that include age, educational attainment, marital status, race and ethnicity, and state and county of residence; by an estimate of gestational age; and by reported complications. The data is based on reports of induced abortions performed in Wisconsin for both residents and non-residents.

Data Limitations and Caveats. The accuracy of the data presented in these tables is affected by a number of factors. State and county of residence, race, ethnicity, and marital status are self-defined and reported by patients, which can affect accuracy of the characteristics measured. The education attainment measure is defined in the reporting form as the highest grade completed; however, some patients may overlook the definition and give the highest grade attended.

A major limitation is the unknown number of induced abortions obtained by Wisconsin residents in other states. This report includes only those reported induced abortions that occurred in Wisconsin and cannot provide information on all Wisconsin residents who sought and obtained abortions.

Assessing the incidence of complications is somewhat problematic. Some complications do not occur immediately or become apparent while the patient is in post-procedure recovery, therefore, some complications are missed or misreported.

Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Education categories have also changed to match how the data is now collected. Use caution when comparing data by race or education to data from previous years as the new categories are not comparable to previous years.

Key Findings

- The number of induced abortions reported for Wisconsin residents in 2020 was 6,336, compared to the 6,372 reported in 2019 (see Table 3).
- The total number of induced abortions reported as occurring in Wisconsin in 2020 was 6,430, down from 6,511 in 2019 (see Table 1).
- The estimated 2020 Wisconsin resident induced abortion rate was 5.8 per 1,000 women aged 15-44, compared to 5.9 in 2019. According to the U.S. Centers for Disease Control and Prevention, the national rate was 11.4 per 1,000 women age 15-44 in 2019; this is the most recent year for which national data are available.¹
- The estimated resident induced abortion ratio is the number of reported induced abortions per 100 live births. This ratio was 10 per 100 live births in Wisconsin in 2020, the same as in 2019 (see Table 1).² The most recent national ratio was 19.5 per 100 live births in 2019.
- Women in the age group 20-24 accounted for the largest proportion (30 percent) of reported induced abortions to Wisconsin residents in 2020. Thirteen percent of reports were for women 35 years of age or older. Those aged 18-19 obtained 7 percent of the reported induced abortions and those aged 15-17 obtained 3 percent (see Table 4).
- In 2020, there were 185 induced abortions reported for Wisconsin residents who were minors (less than 18 years of age). Written consent (usually by a parent) was provided in 165 of these; the patient was an emancipated minor in 1; and a court granted a petition to waive the parental consent requirement in 19 (see Table 5).
- By law, the adult consent requirement for a minor's induced abortion is waived if the pregnancy
 was the result of sexual assault, if the procedure was a medical emergency, or if the pregnancy
 was the result of sexual intercourse with a caregiver. There were no such waivers reported in
 2020.

Kortsmit K, Mandel MG, Reeves JA, et al. Abortion surveillance—United States, 2019. MMWR Surveill Summ 2021;70(No. SS-9):1-29. DOI: http://dx.doi.org/10.15585/mmwr.ss7009a1.

Calculation of a true Wisconsin resident induced abortion ratio and rate would require knowing the number of Wisconsin residents obtaining induced abortions in other states. Estimates can be made for 2020 by combining the number of reported induced abortions for Wisconsin residents obtained in Wisconsin (6,336) and in Minnesota (548 in 2020) with 60,615 Wisconsin resident live births for 2020 and the estimated population of females aged 15 to 44 in Wisconsin in 2020 (1,093,638). Based on these figures, the estimated Wisconsin resident abortion ratio in 2020 was 11 reported induced abortions per 100 live births. The 2020 estimated resident abortion rate calculated using these figures was 6 reported induced abortions per 1,000 women aged 15-44.

Key Findings

- Eighty-four percent of reported induced abortions to Wisconsin residents were obtained by women who had never been married; 12 percent by currently married women; 3 percent by women who were divorced; and less than 1 percent by women who were widowed (see Table 6).
- Fifty-four percent of induced abortions reported for Wisconsin residents were obtained by white women, 34 percent by black women, and 1 percent by American Indian women. Twelve percent of abortions were obtained by Hispanic women (of any race), while 87 percent were obtained by non-Hispanic women (see Table 7).
- Fifty-nine percent of reported induced abortions among Wisconsin residents in 2020 were obtained within the first 8 weeks of gestation (see Table 9).
- Of the 6,336 reported induced abortions among Wisconsin residents in 2020, 61 percent were surgical, 39 percent were chemically induced, and less than 1 percent were surgical procedures following a failed or incomplete chemically induced abortion. In 2019, these proportions were 66 percent, 33 percent, and 1 percent, respectively (see Table 11).

Table 1. Number, Ratio and Rate of Reported Induced Abortions that Occurred in Wisconsin, 1976-2020

| Year | Number | Ratio* | Rate** |
|--------------|-------------------------|-----------|--------|
| Case-Based C | ontinuous Reporti | ng System | |
| 2020 | 6,430 | 11 | 6 |
| 2019 | 6,511 | 10 | 6 |
| 2018 | 6,224 | 9 | 6 |
| 201 <i>7</i> | <i>5</i> ,818 | 9 | 5 |
| 2016 | 5,612 | 8 | 5 |
| 2015 | 5,660 | 8 | 5 |
| 2014 | 5,800 | 9 | 5 |
| 2013 | 6,462 | 10 | 6 |
| 2012 | 6,927 | 10 | 6 |
| 2011 | 7,249 | 10 | 6 |
| 2010 | 7,825 | 11 | 7 |
| 2009 | 8,542 | 12 | 8 |
| 2008 | 8,229 | 11 | 7 |
| 2007 | 8,267 | 11 | 7 |
| 2006 | 9,580 | 14 | 8 |
| 2005 | 9,81 <i>7</i> | 14 | 8 |
| 2004 | 9,943 | 14 | 9 |
| 2003 | 10 , 5 <i>57</i> | 16 | 9 |
| 2002 | 10,489 | 15 | 9 |
| 2001 | 10,925 | 16 | 9 |
| 2000 | 11,040 | 16 | 10 |
| 1999 | 11,013 | 16 | 9 |
| 1998 | 11,681 | 18 | 10 |
| 1997 | 13,218 | 20 | 11 |
| 1996 | 13,673 | 20 | 12 |
| 1995 | 12,782 | 19 | 11 |
| 1994 | 13,396 | 20 | 12 |
| 1993 | 14,671 | 21 | 13 |
| 1992 | 15,549 | 22 | 14 |
| 1991 | 16,237 | 23 | 14 |
| 1990 | 16,848 | 23 | 15 |
| 1989 | 1 7, 575 | 25 | 16 |
| 1988 | 17,986 | 25 | 16 |
| 1987 | 17,318 | 24 | 16 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services. The source for the pre-1987 numbers reported in this table is Maternal and Child Health Statistics, Wisconsin, 1986. The reporting of induced abortions on a case basis began in Wisconsin on January 1, 1987. Before that date, an annual survey was conducted of medical facilities and provided only the total number of reported induced abortions in the state.

^{*} The ratio is the number of reported induced abortions occurring in Wisconsin per 100 Wisconsin live births. (The 2020 ratio is based on the number of live births in 2020)

^{**} The 2020 rate is the number of reported induced abortions occurring in Wisconsin per 1,000 Wisconsin women aged 15-44. (The 2020 rate is based on population estimates for July 1, 2020.)

Table 1. Number, Ratio and Rate of Reported Induced Abortions that Occurred in Wisconsin, 1976-2020

| Year | Number | Ratio* | Rate** |
|---------------|-----------------|--------|------------|
| Annual Facili | ity Survey | | |
| 1976 | 14,243 | 22 | 14 |
| 1977 | 16,133 | 24 | 16 |
| 1978 | 1 <i>7,</i> 764 | 26 | 1 <i>7</i> |
| 1979 | 20,035 | 28 | 18 |
| 1980 | 21,754 | 29 | 20 |
| 1981 | 20,819 | 28 | 19 |
| 1982 | 19,412 | 26 | 18 |
| 1983 | 18,866 | 26 | 1 <i>7</i> |
| 1984 | 18,836 | 26 | 1 <i>7</i> |
| 1985 | 17,309 | 24 | 15 |
| 1986 | 17,454 | 24 | 15 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services. The source for the pre-1987 numbers reported in this table is Maternal and Child Health Statistics, Wisconsin, 1986. The reporting of induced abortions on a case basis began in Wisconsin on January 1, 1987. Before that date, an annual survey was conducted of medical facilities and provided only the total number of reported induced abortions in the state.

^{*} The ratio is the number of reported induced abortions occurring in Wisconsin per 100 Wisconsin live births. (The 2020 ratio is based on the number of live births in 2020)

^{**} The 2020 rate is the number of reported induced abortions occurring in Wisconsin per 1,000 Wisconsin women aged 15-44. (The 2020 rate is based on population estimates for July 1, 2020.)

Summary Distributions

Table 2. Reported Induced Abortions by Month, Wisconsin Residents, 2020

| Month | Number | Percent |
|-----------|------------|---------|
| January | 545 | 9 |
| February | 536 | 8 |
| March | <i>517</i> | 8 |
| April | 605 | 10 |
| May | <i>557</i> | 9 |
| June | 544 | 9 |
| July | 543 | 9 |
| August | 526 | 8 |
| September | 501 | 8 |
| October | 515 | 8 |
| November | 421 | 7 |
| December | 526 | 8 |
| | | |
| Total | 6,336 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Table 3. Reported Induced Abortions that Occurred in Wisconsin, by State of Residence, 2020

| State of Residence | Number | Percent |
|--------------------|--------|---------|
| Wisconsin | 6,336 | 99 |
| Illinois | 56 | 1 |
| Michigan | 13 | 0 |
| lowa | 12 | 0 |
| Minnesota | 4 | 0 |
| Other State | 9 | 0 |
| Other Country | 0 | 0 |
| | | |
| Total | 6,430 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Summary Distributions

Table 4. Reported Induced Abortions by Age, Wisconsin, 2020

| | Occurred in | Wisconsin | Wisconsin Residents | | Resident Age-Specific | |
|------------------------|-------------|-----------|---------------------|---------|--------------------------|-----|
| Age | Number | Percent | Number | Percent | Rate per 1,000* | |
| Less than 15 | 14 | 0 | 14 | 0 | | |
| 1 <i>5</i> -1 <i>7</i> | 174 | 3 | 1 <i>7</i> 1 | 3 | Less than 18 | 1.7 |
| 18-19 | 453 | 7 | 445 | 7 | 18-19 | 5.9 |
| 20-24 | 1,908 | 30 | 1 , 876 | 30 | 20-24 | 9.7 |
| 25-29 | 1,864 | 29 | 1,835 | 29 | 25-29 | 9.9 |
| 30-34 | 1,196 | 19 | 1,188 | 19 | 30-34 | 6.7 |
| 35-39 | 61 <i>7</i> | 10 | 607 | 10 | 35-39 | 3.3 |
| 40-44 | 196 | 3 | 192 | 3 | 40 and older | 1.2 |
| 45 and older | 8 | 0 | 8 | 0 | | |
| | | | | | | |
| Total | 6,430 | 100 | 6,336 | 100 | | 5.8 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: The "Wisconsin Residents" columns include only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

^{*} The total rate is the number of reported induced abortions per 1,000 Wisconsin women aged 15-44 (based on July 1, 2020 population counts); age-specific rates are the number per 1,000 women in each age group. The rate among females less than 18 years of age was calculated using the female population aged 15-17; the rate among females aged 40 and older was calculated using the female population aged 40-44.

Summary Distributions

Table 5. Reported Induced Abortions Among Minors (Age Less Than 18 Years) by Legal Status of Patient, Wisconsin Residents, 2020

| Legal Status | Number |
|---|--------|
| A If the postions is less than 10 years ald indicate the sireumstances of the postions | |
| A. If the patient is less than 18 years old, indicate the circumstances of the patient.1. Patient is an emancipated minor. | <5 |
| 2. A court granted a petition to waive the parental consent. | 19 |
| 3. Consent was provided by an adult on behalf of the patient (go to B). | 165 |
| 4. None of the above apply (go to C). | 0 |
| Total <18 | 185 |
| | . 00 |
| B. Specify the status of the adult providing written consent for the patient's abortion. | |
| 1. Parent | 138 |
| 2. Guardian or legal custodian | <5 |
| 3. Adult family member | 24 |
| 4. Foster parent or treatment foster parent | 0 |
| Total <18 for whom adult provided consent | 165 |
| | |
| C. Specify the reason that consent was not legally required in this case. | |
| 1. A medical emergency exists that requires an immediate abortion. | 0 |
| The minor provided a written statement that the pregnancy was the result of a sexual assault; the assault was reported as required by law. | 0 |
| A psychiatrist or licensed psychologist provided a written statement that the minor is likely to commit suicide rather than file a petition or approach a person empowered to give consent. | 0 |
| 4. The minor provided a written statement that the pregnancy is the result of sexual intercourse with a caregiver; this was reported as required by law. | 0 |
| The minor provided a written statement that she has been abused by a person empowered to give consent; this was reported as required by law. | 0 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

Table 6. Reported Induced Abortions by Marital Status, Wisconsin, 2020

| | Occurred in Wisconsin | | Wisconsin | Percent Wisconsin | |
|----------------|-----------------------|---------|-----------|----------------------|-----------|
| Marital Status | Number | Percent | Number | Percent | Residents |
| Married | 792 | 12 | 782 | 12 | 99 |
| Not married: | | | | | |
| Never married | 5,386 | 84 | 5,312 | 84 | 99 |
| Divorced | 185 | 3 | 176 | 3 | 95 |
| Widowed | 7 | 0 | 6 | 0 | 86 |
| Unknown | 60 | 1 | 60 | 1 | 100 |
| | | | | | |
| Total | 6,430 | 100 | 6,336 | 100 | 99 |

Note: The "Wisconsin Residents" columns include only induced abortions that were obtained in Wisconsin by Wisconsin residents.

Information about Wisconsin residents who obtained induced abortions in other states is not available.

Table 7. Reported Induced Abortions by Race and Hispanic Origin, Wisconsin, 2020

| | Occurred in | Wisconsin | Wisconsin | Residents | Percent Wisconsin |
|---------------------|---------------|-----------|-----------|-----------|----------------------|
| Race/Ethnicity | Number | Percent | Number | Percent | Residents |
| White | 3,51 <i>7</i> | 55 | 3,446 | 54 | 98 |
| Black | 2,1 <i>57</i> | 34 | 2,143 | 34 | 99 |
| Amer. Indian | 67 | 1 | 66 | 1 | 99 |
| Laotian/Hmong | 47 | 1 | 47 | 1 | 100 |
| Other Asian/Pac Isl | 145 | 2 | 143 | 2 | 99 |
| Other | 1 <i>57</i> | 2 | 154 | 2 | 98 |
| Multi | 217 | 3 | 214 | 3 | 99 |
| Unknown | 123 | 2 | 123 | 2 | 100 |
| | | | | | |
| Hispanic | <i>7</i> 66 | 12 | 754 | 12 | 98 |
| Non-Hispanic | 5,588 | 87 | 5,506 | 87 | 99 |
| Unknown | 76 | 1 | 76 | 1 | 100 |
| | | | | | |
| Total | 6,430 | 100 | 6,336 | 100 | 99 |

 $Source: \quad Office \ of \ Health \ Informatics, \ Division \ of \ Public \ Health, \ Wisconsin \ Department \ of \ Health \ Services.$

Note: The "Wisconsin Residents" columns include only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Use caution when comparing data by race to data from previous years as the new categories are not comparable to previous years.

Table 8. Reported Induced Abortions by Education, Wisconsin, 2020

| Years of | Occurred in | Wisconsin | Wisconsin | Residents | Percent Wisconsin |
|--------------------------------------|-------------|-----------|-----------|-----------|----------------------|
| Education | Number | Percent | Number | Percent | Residents |
| 8 th Grade or Less | 36 | 1 | 36 | 1 | 100 |
| 9-12 th Grade: No diploma | 484 | 8 | 479 | 8 | 99 |
| High School Graduate or GED | 2,821 | 44 | 2,782 | 44 | 99 |
| Some College/Associate Degree | 2,188 | 34 | 2,151 | 34 | 98 |
| Bachelor's Degree or Higher | 821 | 13 | 810 | 13 | 99 |
| Unknown | 80 | 1 | 78 | 1 | 98 |
| | | | | | |
| Total | 6,430 | 100 | 6,336 | 100 | 99 |

Note: The "Wisconsin Residents" columns include only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. Beginning with the 2020 report, education categories have changed to match how the data is now collected. Use caution when comparing data by education to data from previous years as the new categories are not comparable to previous years.

Table 9. Reported Induced Abortions by Estimated Gestation, Wisconsin, 2020

| Weeks of | Occurred in | n Wisconsin | Wisconsin | Percent Wisconsin | |
|-----------------|-------------|-------------|-----------|----------------------|-----------|
| Gestation | Number | Percent | Number | Percent | Residents |
| 8 weeks or less | 3,780 | 59 | 3,718 | 59 | 98 |
| 9-10 | 1,251 | 20 | 1,237 | 20 | 99 |
| 11-12 | 585 | 9 | 579 | 9 | 99 |
| 13-15 | 420 | 7 | 417 | 7 | 99 |
| 16-20 | 341 | 5 | 333 | 5 | 98 |
| Over 20 | 53 | 1 | 52 | 1 | 98 |
| | | | | | |
| Total | 6,430 | 100 | 6,336 | 100 | 99 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Notes: The "Wisconsin Residents" columns include only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

The data provided for what is termed "weeks of gestation" in the tables cannot be classified precisely or consistently. In some cases, it refers to the patient's reported weeks since the last menstrual period. In other cases, it is the physician's estimate of weeks since conception. Reporting instructions ask for the number of weeks since the patient's last menstrual period. If this information is unavailable, reporters are asked to substitute a clinical estimate of gestation. It is not known which reports used which measure, nor the proportion of reports using each. A physician's estimate of gestational age based on clinical observation is generally more reliable and may be several weeks less than the patient's reported weeks since the last menstrual period. Readers should be aware of the imprecision in the measure. The table groups the reported weeks into categories used by the U.S. Centers for Disease Control and Prevention and the Alan Guttmacher Institute. Data based on the probable post-fertilization age shows that there were 2 abortions performed that were over 20 weeks gestation. Additional details on those 2 abortions are not available due to the small numbers of procedures.

Table 10. Reported Induced Abortions by Reported Complications, Wisconsin, 2020

| Complications | Occurred in Wisconsin | Wisconsin Residents |
|---------------------|-----------------------|---------------------|
| None | <i>5,</i> 768 | 5,691 |
| Hemorrhage | 15 | 15 |
| Infection | 5 | 5 |
| Uterine Perforation | 0 | 0 |
| Cervical Laceration | 0 | 0 |
| Retained Products | 36 | 36 |
| Other | 607 | 590 |
| | | |
| Total | 6,430 | 6,336 |

Notes: The "Wisconsin Residents" column includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

* Each induced abortion could have more than one type of complication reported. Reporting instructions ask providers to report "any and all complications that are identified which are a result of the procedure and which occurred during the visit in which the procedure was performed. For chemically induced abortions, wait until the procedure is completed to answer this question."

Table 11. Reported Induced Abortions by Type of Procedure, Wisconsin Residents, 2020

| Type of Procedure | Number | Percent |
|---|--------|---------|
| Chemically Induced (any non-surgical procedure including oral, injected and vaginally inserted chemicals) | 2,478 | 39 |
| Surgical | 3,837 | 61 |
| Surgical (following a failed or incomplete chemically induced abortion) | 21 | 0 |
| | | |
| Total | 6,336 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

Table 12. Reported Induced Abortions by Age and by Race and Hispanic Origin, Wisconsin Residents, 2020

| | | | | | | | | Rac | 9 | | | | | | | | Ethni | city |
|------------|--------------|-----|-------------|-----|-------------|-----|-------------|------------|--------------------|------|------------|-----|------------|------------------|-------|-----|-------|------|
| Age | Whi | te | Black | | Ame Indi | | Laoti Hm | | Oth Asian Is | /Pac | Otl | ner | Μυ | l t i | Tota | al | Hispo | anic |
| | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct |
| <15 | 6 | 0 | <5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | <5 | 1 | <5 | 1 | 14 | 0 | 5 | 1 |
| 15-17 | 90 | 3 | 55 | 3 | <5 | 6 | 0 | 0 | <5 | 1 | 6 | 4 | 10 | 5 | 171 | 3 | 25 | 3 |
| 15-17 | 12 | 3 | 1 <i>7</i> | 3 | <5 | 0 | 0 | U | 75 | | 0 | 4 | <5 | 3 | 34 | J | 5 | 3 |
| 16 | 35 | | 13 | | Ö | | 0 | | Ö | | <5 | | <5 | | 54 | | 11 | |
| 1 <i>7</i> | 43 | | 25 | | <5 | | Ö | | <5 | | <5 | | 5 | | 83 | | 9 | |
| | | | | | | | | | | | | | | | | | | |
| 18-19 | 249 | 7 | 141 | 7 | 7 | 11 | <5 | 9 | 9 | 6 | 9 | 6 | 1 <i>7</i> | 8 | 445 | 7 | 80 | 11 |
| 18 | 103 | | 67 | | <5 | | <5 | | <5 | | 6 | | 7 | | 199 | | 40 | |
| 19 | 146 | | 74 | | <5 | | 0 | | 6 | | <5 | | 10 | | 246 | | 40 | |
| 20-24 | 1,046 | 30 | 625 | 29 | 19 | 29 | 11 | 23 | 18 | 13 | 65 | 42 | 66 | 31 | 1,876 | 30 | 266 | 35 |
| 20 | 1 <i>7</i> 9 | | 101 | | <5 | | <5 | | <5 | | 9 | | 12 | | 315 | | 51 | |
| 21 | 220 | | 113 | | <5 | | 5 | | <5 | | 1 <i>7</i> | | 14 | | 383 | | 63 | |
| 22-24 | 647 | | 411 | | 11 | | <5 | | 11 | | 39 | | 40 | | 1,178 | | 152 | |
| 25-29 | 911 | 26 | <i>7</i> 11 | 33 | 21 | 32 | 8 | 1 <i>7</i> | 39 | 27 | 39 | 25 | 68 | 32 | 1,835 | 29 | 199 | 26 |
| 30-34 | 636 | 19 | 408 | 19 | 7 | 11 | 16 | 34 | 37 | 26 | 1 <i>7</i> | 11 | 34 | 16 | 1,188 | 19 | 108 | 14 |
| 35-39 | 378 | 11 | 1 <i>57</i> | 7 | <5 | 6 | 7 | 15 | 25 | 18 | 13 | 8 | 15 | 7 | 607 | 10 | 58 | 8 |
| 40+ | 130 | 4 | 42 | 2 | <5 | 6 | <5 | 2 | 13 | 9 | <5 | 2 | <5 | 1 | 200 | 3 | 13 | 2 |
| | | | | | | | | | | | | | | | | | | |
| Total | 3,446 | 100 | 2,143 | 100 | 66 | 100 | 47 | 100 | 143 | 100 | 154 | 100 | 214 | 100 | 6,336 | 100 | 754 | 100 |

Source: Wisconsin Induced Abortion Reporting System, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: There were 123 procedures where race was unknown. This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Use caution when comparing data by race to data from previous years as the new categories are not comparable to previous years.

Table 13. Reported Induced Abortions by Age and Marital Status, Wisconsin Residents, 2020

Marital Status

| | Marr | ied | Never M | Narried | Divor | ced | Widov | ved | Unkno | wn | Tota | ıl lı |
|---------------|------|-----|--------------|----------------|-------|-----|-------|------------|-------|-----|--------------|-------|
| Age | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct |
| <15 | 0 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 |
| 1 <i>5-17</i> | 0 | 0 | 1 <i>7</i> 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 <i>7</i> 1 | 3 |
| 18-19 | <5 | 0 | 436 | 8 | 0 | 0 | 0 | 0 | 7 | 12 | 445 | 7 |
| 20-24 | 53 | 7 | 1,799 | 34 | 9 | 5 | <5 | 1 <i>7</i> | 14 | 23 | 1,876 | 30 |
| 25-29 | 217 | 28 | 1,568 | 30 | 36 | 21 | 0 | 0 | 14 | 23 | 1,835 | 29 |
| 30-34 | 239 | 31 | 874 | 1 <i>7</i> | 55 | 31 | <5 | 67 | 16 | 27 | 1,188 | 19 |
| 35-39 | 195 | 25 | 354 | 7 | 50 | 28 | <5 | 1 <i>7</i> | 7 | 12 | 607 | 10 |
| 40+ | 76 | 10 | 96 | 2 | 26 | 15 | 0 | 0 | <5 | 3 | 200 | 3 |
| | | | | | | | | | | | | |
| Total | 782 | 100 | 5,312 | 100 | 176 | 100 | 6 | 100 | 60 | 100 | 6,336 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. A "<5" indicates there were fewer than five reports.

Table 14. Reported Induced Abortions by Education, Race, and Hispanic Origin, Wisconsin Residents, 2020

| | | Race | | | | | | | | | | | | | | Ethni | city | |
|-------------------------------|-------|------------|-------|-----|--------------|-----|---------------|-----|--------------------|------|-----|-----|-----|------------------|-------|-------|------------|------|
| Years of | Whi | te | Bla | ck | Amer Indi | | Laotic Hmc | | Oth Asian Is | /Pac | Oth | er | Μυ | l t i | Tota | al | Hisp | anic |
| | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct |
| 8 th Grade or Less | 19 | 1 | <5 | 0 | <5 | 3 | <5 | 2 | 5 | 4 | <5 | 2 | <5 | 1 | 36 | 1 | 16 | 2 |
| 9-12 th Grade; No | | | | | | | | | | | | | | | | | | |
| Diploma | 225 | 7 | 184 | 9 | 7 | 11 | <5 | 6 | 6 | 4 | 16 | 10 | 23 | 11 | 479 | 8 | 89 | 12 |
| High School | | | | | | | | | | | | | | | | | | |
| Graduate or GED | 1,312 | 38 | 1,179 | 55 | 30 | 46 | 16 | 34 | 30 | 21 | 70 | 46 | 82 | 38 | 2,782 | 44 | 331 | 44 |
| Some College/Associate | | | | | | | | | | | | | | | | | | |
| Degree | 1,285 | 37 | 635 | 30 | 19 | 29 | 20 | 43 | 30 | 21 | 51 | 33 | 83 | 39 | 2,151 | 34 | 254 | 34 |
| Bachelor's Degree | | | | | | | | | | | | | | | | | | |
| or Higher | 573 | 1 <i>7</i> | 113 | 5 | 7 | 11 | 6 | 13 | <i>7</i> 1 | 50 | 9 | 6 | 23 | 11 | 810 | 13 | 47 | 6 |
| Unknown | 32 | 1 | 29 | 1 | <5 | 2 | <5 | 2 | <5 | 1 | 5 | 3 | <5 | 1 | 78 | 1 | 1 <i>7</i> | 2 |
| | | | | | | | | | | | | | | | | | | |
| Total | 3,446 | 100 | 2,143 | 100 | 66 | 100 | 47 | 100 | 143 | 100 | 154 | 100 | 214 | 100 | 6,336 | 100 | 754 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: There were 123 procedures where race was unknown. This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. A "<5" indicates there were fewer than five reports. Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Education categories have also changed to match how the data is now collected. Use caution when comparing data by race or education to data from previous years as the new categories are not comparable to previous years.

Table 15. Reported Induced Abortions by Marital Status, Race, and Hispanic Origin, Wisconsin Residents, 2020

| | | | | | | | | R | ace | | | | | | | | Ethnici | ty |
|----------------|-------|-----|---------|-----|--------------|-----|----------------|-----|---------------|-----|-----|-----|-----|-----|-------|-----|---------|------|
| Marital Status | Wh | ite | e Black | | Amer Indi | | Laotic Hm c | | Oth Asian/ | - | Oth | er | Μυ | lti | Tot | al | Hispo | ınic |
| | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct |
| Married | 534 | 16 | 82 | 4 | <5 | 5 | 18 | 38 | 79 | 55 | 25 | 16 | 15 | 7 | 782 | 12 | 84 | 11 |
| Not married | | | | | | | | | | | | | | | | | | |
| Never | | | | | | | | | | | | | | | | | | |
| married | 2,738 | 80 | 2,018 | 94 | 61 | 92 | 26 | 55 | 62 | 43 | 125 | 81 | 189 | 88 | 5,312 | 84 | 645 | 86 |
| Divorced | 145 | 4 | 18 | 1 | <5 | 3 | <5 | 4 | <5 | 1 | <5 | 1 | 6 | 3 | 176 | 3 | 16 | 2 |
| Widowed | <5 | 0 | 0 | 0 | 0 | 0 | <5 | 2 | 0 | 0 | 0 | 0 | <5 | 1 | 6 | 0 | <5 | 0 |
| Unknown | 25 | 1 | 25 | 1 | 0 | 0 | 0 | 0 | <5 | 1 | <5 | 2 | <5 | 1 | 60 | 1 | 8 | 1 |
| | | | | | | | | | | | | | | | | | | |
| Total | 3,446 | 100 | 2,143 | 100 | 66 | 100 | 47 | 100 | 143 | 100 | 154 | 100 | 214 | 100 | 6,336 | 100 | 754 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Note: There were 123 procedures where race was unknown. This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available. A "<5" indicates there were fewer than five reports. Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Use caution when comparing data by race to data from previous years as the new categories are not comparable to previous years.

Table 16. Reported Induced Abortions by Estimated Gestation and Age, Wisconsin Residents, 2020

| | | Age | | | | | | | | | | | | | | | | |
|-----------------------|-----|-----|-----|-----|-----|-------------|-------|-----|-------|-----|-------------|-----|-----|------------|-----|------------|----------------|-----|
| | <1 | 5 | 15- | 17 | 18- | 18-19 20-24 | | | 25- | 29 | 30- | 34 | 35- | 39 | 40 | + | Tot | al |
| Weeks of Gestation | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct | Num | Pct |
| 8 weeks | | | | | | | | | | | | | | | | | | |
| or less | 6 | 43 | 73 | 43 | 240 | 54 | 1,050 | 56 | 1,122 | 61 | <i>7</i> 19 | 61 | 385 | 63 | 123 | 62 | 3 <i>,</i> 718 | 59 |
| 9-10 | <5 | 14 | 33 | 19 | 97 | 22 | 427 | 23 | 331 | 18 | 210 | 18 | 103 | 1 <i>7</i> | 34 | 1 <i>7</i> | 1,237 | 20 |
| 11-12 | <5 | 29 | 27 | 16 | 46 | 10 | 171 | 9 | 167 | 9 | 97 | 8 | 51 | 8 | 16 | 8 | 579 | 9 |
| 13-15 | 0 | 0 | 22 | 13 | 28 | 6 | 118 | 6 | 115 | 6 | 80 | 7 | 39 | 6 | 15 | 8 | 417 | 7 |
| 16-20 | <5 | 14 | 12 | 7 | 30 | 7 | 103 | 6 | 85 | 5 | 64 | 5 | 26 | 4 | 11 | 6 | 333 | 5 |
| Over 20 | 0 | 0 | <5 | 2 | <5 | 1 | 7 | 0 | 15 | 1 | 18 | 2 | <5 | 1 | <5 | 1 | 52 | 1 |
| | | | | | | | | | | | | | | | | | | |
| Total | 14 | 100 | 171 | 100 | 445 | 100 | 1.876 | 100 | 1.835 | 100 | 1.188 | 100 | 607 | 100 | 200 | 100 | 6.336 | 100 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

A "<5" indicates there were fewer than five reports.

The data provided for what is termed "weeks of gestation" in the tables cannot be classified precisely or consistently. In some cases, it refers to the patient's reported weeks since last menstrual period; in other cases, it is the physician's estimate of weeks since conception. Reporting instructions ask for the number of weeks since patient's last menstrual period. If this information is unavailable, the reporters are asked to substitute a clinical estimate of gestation. It is not known which reports used which measure, nor the proportion of reports using each. A physician's estimate of gestational age based on clinical observation is generally more reliable and may be several weeks less than the patient's reported weeks since last menstrual period. Readers should be aware of the imprecision in the measure. The table groups the reported weeks into categories used by the Centers for Disease Control and Prevention and the Alan Guttmacher Institute. Data based on the probable post-fertilization age shows that there were 2 abortions performed that were over 20 weeks gestation. Additional details on those 2 abortions are not available due to the small numbers of procedures.

Table 17. Reported Induced Abortions by County of Residence and Age, Wisconsin Residents, 2020

| | | Α | ge | | |
|----------------|-----|------------|------------|-----|--------------|
| County | <20 | 20-24 | 25-34 | 35+ | Total |
| Brown | 28 | 92 | 98 | 32 | 250 |
| Columbia | 5 | 26 | 31 | 8 | 70 |
| Dane | 69 | 238 | 363 | 123 | 793 |
| Dodge | 9 | 16 | 24 | 6 | 55 |
| Fond du Lac | 12 | 24 | 37 | 12 | 85 |
| Jefferson | 6 | 14 | 36 | 8 | 64 |
| Kenosha | 11 | 53 | 74 | 10 | 148 |
| Manitowoc | 8 | 1 <i>7</i> | 29 | 12 | 66 |
| Milwaukee | 261 | 764 | 1,447 | 296 | 2,768 |
| Outagamie | 16 | 42 | 76 | 33 | 167 |
| Ozaukee | 8 | 8 | 26 | 10 | 52 |
| Portage | 6 | 1 <i>7</i> | 24 | 6 | 53 |
| Racine | 25 | 93 | 116 | 34 | 268 |
| Rock | 32 | 57 | 78 | 12 | 1 <i>7</i> 9 |
| Sheboygan | 12 | 28 | 51 | 7 | 98 |
| Walworth | 11 | 25 | 32 | 13 | 81 |
| Washington | 7 | 22 | 35 | 10 | 74 |
| Waukesha | 20 | 70 | 104 | 66 | 260 |
| Winnebago | 19 | 67 | 54 | 19 | 159 |
| Wood | 6 | 12 | 1 <i>7</i> | 6 | 41 |
| Other Counties | 59 | 191 | 271 | 84 | 605 |
| Total | 630 | 1,876 | 3,023 | 807 | 6,336 |

Source: Office of Health Informatics, Division of Public Health, Wisconsin Department of Health Services.

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies for some counties.

Only counties that had at least five reports for each age group are shown in this table.

Table 18. Number and Rate of Reported Induced Abortions by Age, Wisconsin Residents, 2016-2020

| | 2016 | | 2017 | | 201 | 8 | 201 | 9 | 202 | !O |
|-------|-------------|-------|--------|-------|----------------|-------|----------------|-------|--------|-------------|
| Age | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* |
| <18 | 193 | 1.7 | 188 | 1.6 | 169 | 1.5 | 194 | 1.8 | 185 | 1. <i>7</i> |
| 18-19 | 383 | 5.1 | 361 | 4.7 | 409 | 5.5 | 484 | 6.5 | 445 | 5.9 |
| 20-24 | 1,640 | 8.2 | 1,684 | 8.2 | 1,839 | 9.3 | 1,880 | 9.7 | 1,876 | 9.7 |
| 25-29 | 1,525 | 8.8 | 1,649 | 9.1 | 1 <i>,77</i> 1 | 10.1 | 1 <i>,</i> 763 | 9.8 | 1,835 | 9.9 |
| 30-34 | 985 | 5.4 | 1,008 | 5.4 | 1,080 | 6.0 | 1,188 | 6.7 | 1,188 | 6.7 |
| 35-39 | 559 | 3.3 | 565 | 3.2 | 615 | 3.4 | 625 | 3.4 | 607 | 3.3 |
| 40+ | 18 <i>7</i> | 1.1 | 185 | 1.1 | 159 | 1.0 | 238 | 1.5 | 200 | 1.2 |
| | | | | | | | | | | |
| Total | 5,472 | 5.0 | 5,640 | 5.0 | 6,042 | 5.6 | 6,372 | 5.9 | 6,336 | 5.8 |

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available.

^{*} The total rate is the number of reported induced abortions per 1,000 women aged 15-44; age-specific rates are the number per 1,000 women in each age group. The rate among child-bearing females less than 18 years of age was calculated using the female population aged 15-17; the rate among child-bearing females aged 40 and older was calculated using the female population aged 40-44. Wisconsin provisional population estimates for July 1, 2020, prepared by the Office of Health Informatics, were used to calculate the 2020 rates.

Table 19. Number and Rate of Reported Induced Abortions by County of Residence, Wisconsin Residents, 2016-2020

| 2010-2020 | 2016 | | 2017 | | 2018 | | 2019 | | 2020 | |
|-------------|------------|-------|------------|-------|--------|-------|----------|-------------|--------|-------|
| County | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* |
| Total | 5,461 | 5.0 | 5,640 | 5.2 | 6,042 | 5.6 | 6,372 | 5.9 | 6,336 | 5.8 |
| Adams | 9 | | 10 | | 8 | | 11 | | 8 | |
| Ashland | <5 | | 0 | | <5 | | <5 | | <5 | |
| Barron | <5 | | <5 | | <5 | | 0 | | <5 | |
| Bayfield | <5 | | <5 | | <5 | | 0 | | 0 | |
| Brown | 234 | 4.7 | 168 | 3.3 | 223 | 4.4 | 285 | 5.6 | 250 | 4.9 |
| Buffalo | <5 | | <5 | | 0 | | <5 | | <5 | |
| | | | | | | | | | | |
| Burnett | <5 | | 0 | | 0 | | 0 | | <5 | |
| Calumet | 11 | | 14 | | 12 | | 16 | | 13 | |
| Chippewa | <5 | | <5 | | <5 | | 6 | | <5 | |
| Clark | 9 | | 9 | | 10 | | 10 | | <5 | |
| Columbia | 45 | 4.7 | 63 | 6.7 | 62 | 6.6 | 66 | 7.0 | 70 | 7.4 |
| Crawford | 9 | | <5 | | <5 | | 9 | | <5 | |
| Dane | 748 | 6.7 | 860 | 7.5 | 821 | 7.2 | 815 | <i>7</i> .1 | 793 | 6.8 |
| Dodge | 47 | 3.3 | 61 | 4.3 | 40 | 2.9 | 52 | 3.7 | 55 | 4.0 |
| Door | 22 | 5.8 | 11 | | 23 | 6.3 | 23 | 6.2 | 15 | |
| Douglas | <5 | | 0 | | 0 | 0.0 | 0 | 0.2 | 0 | |
| Dunn | <5 | | <5 | | <5 | | <5 | | <5 | |
| Eau Claire | 6 | | 15 | | 10 | | 11 | | 10 | |
| | | | 13 | | 10 | | | | | |
| Florence | <5 | | <5 | | 0 | | 0 | | <5 | |
| Fond du Lac | 47 | 2.5 | 74 | 4.0 | 70 | 3.8 | 81 | 4.4 | 85 | 4.5 |
| Forest | <5 | | <5 | | <5 | | <5 | | <5 | |
| Grant | 1 <i>7</i> | | 24 | 2.6 | 32 | 3.5 | 30 | 3.3 | 24 | 2.6 |
| Green | 19 | | 22 | 3.6 | 25 | 4.1 | 35 | 5.7 | 22 | 3.6 |
| Green Lake | 10 | | 11 | | <5 | | 19 | | 10 | |
| lowa | 14 | | 20 | 5.3 | 18 | | 28 | 7.3 | 29 | 7.6 |
| Iron | <5 | | 0 | | <5 | | 0 | , ,, | 0 | |
| Jackson | 11 | | 7 | | 10 | | 10 | | 9 | |
| Jefferson | 60 | 3.7 | 53 | 3.3 | 60 | 3.7 | 75 | 4.7 | 64 | 4.0 |
| Juneau | 11 | | 16 | | 14 | | 21 | 5.4 | 22 | 5.6 |
| Kenosha | 121 | 3.6 | 149 | 4.4 | 153 | 4.6 | 153 | 4.5 | 148 | 4.3 |
| Kewaunee | 8 | | 10 | | 7 | | 11 | | 6 | |
| La Crosse | 52 | 2.1 | 53 | 2.1 | 55 | 2.2 | 11 65 | 2.6 | 47 | 1.9 |
| Lafayette | <5 | | 9 | 2.1 | 9 | Z.Z | 10 | 2.0 | 8 | 117 |
| Langlade | 6 | | 6 | | 8 | | 6 | | 8 | |
| Lincoln | 12 | | 1 <i>7</i> | | 18 | | 9 | | 9 | |
| Manitowoc | 35 | 2.6 | 43 | 3.3 | 60 | 4.6 | 57 | 4.4 | 66 | 5.1 |
| Marathon | 72 | 3.0 | 52 | 2.2 | 75 | 3.2 | 73 | 3.1 | 91 | 3.9 |
| Marinette | 15 | | 16 | 2.2 | 16 | J.2 | 23 | 3.7 | 33 | 5.2 |
| Marquette | 11 | | 17 | | 9 | | 9 | 3./ | 17 | 5.2 |
| Menominee | 9 | | 8 | | 10 | | 8 | | 6 | |
| | , | | 0 | | 10 | | 0 | | • | |

(Continued)

Table 19. Number and Rate of Reported Induced Abortions by County of Residence, Wisconsin Residents, 2016-2020 (continued)

| | 2016 | | 2017 | | 2018 | | 2019 | | 2020 | |
|-------------|------------|-------|--------------|-------|--------|-------|-------------|-------|--------------|-------|
| County | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* |
| Milwaukee | 2,330 | 11.0 | 2,347 | 11.1 | 2,529 | 12.0 | 2,625 | 12.5 | 2,768 | 13.0 |
| Monroe | 24 | 3.0 | 21 | 2.7 | 23 | 2.9 | 25 | 3.2 | 24 | 3.0 |
| | | | | | | | | | | |
| Oconto | 18 | | 14 | | 16 | | 32 | 5.6 | 15 | |
| Oneida | 13 | | 10 | | 20 | 4.1 | 13 | | 12 | |
| Outagamie | 120 | 3.5 | 136 | 3.9 | 155 | 4.5 | 1 <i>77</i> | 5.1 | 167 | 4.7 |
| Ozaukee | 50 | 3.4 | 40 | 2.8 | 53 | 3.6 | 50 | 3.4 | 52 | 3.4 |
| Pepin | <5 | | 0 | | 0 | | 0 | | <5 | |
| Pierce | <5 | | 0 | | <5 | | 0 | | 0 | |
| | | | | | | | | | | |
| Polk | 0 | | <5 | | 0 | | 0 | | <5 | |
| Portage | 53 | 3.6 | 48 | 3.3 | 46 | 3.2 | 49 | 3.4 | 53 | 3.7 |
| Price | <5 | | <5 | | <5 | | <5 | | <5 | |
| Racine | 205 | 5.7 | 1 <i>7</i> 6 | 5.0 | 231 | 6.5 | 241 | 6.8 | 268 | 7.6 |
| Richland | 15 | | 12 | | 6 | | <5 | | 8 | |
| Rock | 160 | 5.2 | 156 | 5.1 | 199 | 6.5 | 185 | 6.1 | 1 <i>7</i> 9 | 5.8 |
| | | | | | | | | | | |
| Rusk | <5 | | 0 | | <5 | | <5 | | 0 | |
| St. Croix | <5 | | <5 | | 0 | | 0 | | 0 | |
| Sauk | 39 | 3.5 | 50 | 4.6 | 55 | 5.1 | 50 | 4.6 | 54 | 4.9 |
| Sawyer | <5 | | <5 | | 0 | | <5 | | 0 | |
| Shawano | 14 | | 16 | | 19 | | 23 | 3.5 | 21 | 3.1 |
| Sheboygan | <i>7</i> 1 | 3.6 | 81 | 4.1 | 99 | 5.1 | 113 | 5.8 | 98 | 5.0 |
| | | | | | | | | | | |
| Taylor | <5 | | <5 | | <5 | | <5 | | <5 | |
| Trempealeau | 8 | | <5 | | 8 | | 7 | | <5 | |
| Vernon | 6 | | 6 | | 10 | | 15 | | <5 | |
| Vilas | 8 | | 12 | | 11 | | 8 | | 6 | |
| Walworth | 85 | 4.4 | 77 | 4.1 | 95 | 5.1 | 89 | 4.8 | 81 | 4.3 |
| Washburn | <5 | | <5 | -101 | 0 | 0.1 | 0 | -1.0 | <5 | |
| | | | | | | | | | | |
| Washington | 92 | 4.0 | 79 | 3.5 | 96 | 4.2 | 97 | 4.3 | 74 | 3.2 |
| Waukesha | 238 | 3.5 | 283 | 4.2 | 274 | 4.1 | 285 | 4.2 | 260 | 3.7 |
| Waupaca | 29 | 3.6 | 23 | 2.9 | 25 | 3.2 | 32 | 4.1 | 30 | 3.8 |
| Waushara | 6 | | 10 | ۷٠/ | 14 | 5.2 | 14 | 7.1 | 7 | 2,0 |
| Winnebago | 116 | 3.5 | 123 | 3.8 | 125 | 3.9 | 124 | 3.8 | 159 | 4.9 |
| Wood | 37 | 3.0 | 59 | 4.8 | 44 | 3.6 | 63 | 5.2 | 41 | 3.4 |

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties.

A "<5" indicates there were fewer than five reports for county residents. Rates based on fewer than 20 reports are omitted because they are subject to large random fluctuations.

^{*} The rate is the number of induced abortions per 1,000 women aged 15-44. Wisconsin provisional population estimates for July 1, 2020, prepared by the Office of Health Informatics, were used to calculate the 2020 rates.

Table 20. Three-Year Annual Average Number of Reported Induced Abortions by County of Residence, Wisconsin Residents, 2018-2020

| Adams 9 Marinette 24 Ashland <5 Marquette 12 Barron <5 Menominee 8 Bayfield <5 Milwaukee 2,641 Brown 253 Monroe 24 Buffelo <5 Oconto 21 Burnett <5 Oneida 15 Calumet 14 Outagamie 166 Chippewa <5 Ozaukee 52 Clark 8 Pepin <5 Columbia 66 Pierce <5 Clark 8 Pepin <5 Dane 810 Portage 49 | County | Annual Average Number | County | Annual Average Number |
|---|----------|---------------------------------------|---------------------------|--------------------------|
| Barron <5 Menominee 8 Bayfield <5 | | 9 | | 24 |
| Barron <5 Menominee 8 Bayfield <5 | Ashland | <5 | Marquette | 12 |
| Brown 253 Monroe 24 Buffalo <5 | Barron | <5 | | 8 |
| Brown 253 Monroe 24 Buffalo <5 | Bayfield | <5 | | 2,641 |
| Burnett <5 | • | 253 | Monroe | 24 |
| Calumet 14 Outagamie 166 Chippewa <5 | Buffalo | <5 | Oconto | 21 |
| Chippewa <5 Ozaukee 52 Clark 8 Pepin <5 | Burnett | <5 | Oneida | 15 |
| Chippewa <5 Ozaukee 52 Clark 8 Pepin <5 | Calumet | 14 | Outagamie | 166 |
| Clark 8 Pepin <5 | Chippewa | <5 | - | 52 |
| Columbia 66 Pierce <5 Crawford 5 Polk <5 | | | | |
| Crawford 5 Polk <5 Dane 810 Portage 49 Dodge 49 Price <5 | | 66 | | <5 |
| Dane 810 Portage 49 Dodge 49 Price <5 | | | | |
| Dodge 49 Price <5 | | | | |
| Door 20 Racine 247 Douglas 0 Richland 6 Dunn <5 | | | | |
| Douglas 0 Richland 6 Dunn <5 | | | | |
| Dunn <5 Rock 188 Eau Claire 10 Rusk <5 | | | | |
| Eau Claire 10 Rusk <5 | | | | |
| Florence <5 St. Croix 0 Fond du Lac 79 Sauk 53 Forest <5 | | | | |
| Fond du Lac 79 Sauk 53 Forest <5 | | | | |
| Forest <5 Sawyer <5 Grant 29 Shawano 21 Green 27 Sheboygan 103 Green Lake 11 Taylor <5 | | | | |
| Grant 29 Shawano 21 Green 27 Sheboygan 103 Green Lake 11 Taylor <5 | | | | |
| Green Lake 27 Sheboygan 103 Green Lake 11 Taylor <5 | | | , | |
| Green Lake 11 Taylor <5 lowa 25 Trempealeau 5 lron <5 | | | | |
| lowa 25 Trempealeau 5 Iron <5 | | | | |
| Iron <5 | | | | |
| Jackson 10 Vilas 8 Jefferson 66 Walworth 88 Juneau 19 Washburn <5 | | | | |
| Jefferson 66 Walworth 88 Juneau 19 Washburn <5 | | | | |
| Juneau 19 Washburn <5 | | | | |
| Kenosha 151 Washington 89 Kewaunee 8 Waukesha 273 La Crosse 56 Waupaca 29 Lafayette 9 Waushara 12 Langlade 7 Winnebago 136 Lincoln 12 Wood 49 Manitowoc 61 Unknown <5 | | | | |
| Kewaunee 8 Waukesha 273 La Crosse 56 Waupaca 29 Lafayette 9 Waushara 12 Langlade 7 Winnebago 136 Lincoln 12 Wood 49 Manitowoc 61 Unknown <5 | | | | |
| La Crosse 56 Waupaca 29 Lafayette 9 Waushara 12 Langlade 7 Winnebago 136 Lincoln 12 Wood 49 Manitowoc 61 Unknown <5 | | | | |
| Lafayette 9 Waushara 12 Langlade 7 Winnebago 136 Lincoln 12 Wood 49 Manitowoc 61 Unknown <5 | | _ | | |
| Langlade7Winnebago136Lincoln12Wood49Manitowoc61Unknown<5Marathon80 | | | | |
| Lincoln 12 Wood 49 Manitowoc 61 Unknown <5 | - | | | |
| Manitowoc 61 Unknown <5 Marathon 80 | | · · · · · · · · · · · · · · · · · · · | • | |
| Marathon 80 | | | | |
| | | | OHKHOWH | \ J |
| | Maramon | 00 | Three-Year Annual Average | 6,250 |

 $Source: \quad Office \ of \ Health \ Informatics, \ Division \ of \ Public \ Health, \ Wisconsin \ Department \ of \ Health \ Services.$

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties.

A "<5" indicates there were fewer than five reports for county residents during the three-year period.

Table 21. Three-Year Annual Average Number of Reported Induced Abortions by County of Residence by Age, Wisconsin Residents, 2018-2020

| | | | Age | | | Age | | | |
|-------------|-----|-------|------------|-------|-------------------------|-----|------------|-------|-------------|
| County | <20 | 20-24 | 25+ | Total | County | <20 | 20-24 | 25+ | Total |
| Brown | 31 | 81 | 141 | 253 | Monroe | <5 | 7 | 13 | 24 |
| Columbia | 5 | 23 | 38 | 66 | Oconto | <5 | 6 | 12 | 21 |
| Dane | 73 | 251 | 486 | 810 | Outagamie | 16 | 50 | 100 | 166 |
| Dodge | 6 | 15 | 28 | 49 | Ozaukee | 6 | 10 | 36 | 52 |
| Door | <5 | 6 | 13 | 20 | Portage | 6 | 19 | 25 | 49 |
| Eau Claire | <5 | <5 | <5 | 10 | Racine | 29 | 77 | 141 | 247 |
| Fond du Lac | 11 | 23 | 45 | 79 | Rock | 25 | 61 | 102 | 188 |
| Grant | <5 | 10 | 15 | 29 | Sauk | <5 | 1 <i>7</i> | 32 | 53 |
| Green | <5 | 7 | 1 <i>7</i> | 27 | Shawano | <5 | 5 | 11 | 21 |
| lowa | <5 | 10 | 13 | 25 | Sheboygan | 15 | 28 | 60 | 103 |
| Jackson | <5 | <5 | <5 | 10 | Walworth | 8 | 31 | 50 | 88 |
| Jefferson | 7 | 21 | 39 | 66 | Washington | 8 | 27 | 54 | 89 |
| Juneau | <5 | 6 | 10 | 19 | Waukesha | 22 | 73 | 179 | 273 |
| Kenosha | 16 | 56 | 79 | 151 | Waupaca | <5 | 9 | 16 | 29 |
| La Crosse | 6 | 20 | 29 | 56 | Waushara | <5 | <5 | 6 | 12 |
| Manitowoc | 8 | 19 | 35 | 61 | Winnebago | 14 | 49 | 73 | 136 |
| Marathon | 7 | 24 | 49 | 80 | Wood | 7 | 13 | 29 | 49 |
| Marinette | <5 | 6 | 14 | 24 | Other Counties | 19 | 54 | 101 | 1 <i>75</i> |
| Milwaukee | 237 | 743 | 1,661 | 2,641 | | | | | |
| | | | | | Three-Year | | | | |
| | | | | | Annual Average Total | 629 | 1,865 | 3,756 | 6,250 |

Notes:

This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties.

Counties shown had at least five reported induced abortions in each age group during the three-year period.

Women ages less than 20 were grouped into a single category for which three-year averages could be shown.

Columns may not sum to the three-year annual average totals due to rounding.

A "<5" indicates there were fewer than an average of five reports for county residents per age group over the three year period.

Table 22. Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence by Age and Selected Racial Categories, Wisconsin Residents, 2018-2020

| | | | Age | | |
|-------------------|-----|-------------|-------|-------|----------------|
| County | <18 | 18-19 | 20-24 | 25+ | Total |
| Brown | 8 | 22 | 81 | 141 | 253 |
| White | <5 | 1 <i>7</i> | 59 | 105 | 185 |
| Black | <5 | <5 | 9 | 13 | 26 |
| | | | | | |
| Dane | 20 | 53 | 251 | 486 | 810 |
| White | 12 | 33 | 154 | 316 | 515 |
| Black | 6 | 14 | 70 | 100 | 190 |
| | | | | | |
| Milwaukee | 70 | 1 <i>67</i> | 743 | 1,661 | 2,641 |
| White | 14 | 47 | 213 | 501 | 774 |
| Black | 45 | 97 | 427 | 939 | 1 , 507 |
| | | | | | |
| Racine | 9 | 20 | 77 | 141 | 247 |
| White | 5 | 11 | 37 | 84 | 136 |
| Black | <5 | 6 | 23 | 42 | 73 |
| | | | | | |
| Three-Year Annual | | | | | |
| Average Total | 183 | 446 | 1,865 | 3,756 | 6,250 |
| White | 95 | 260 | 1,051 | 2,112 | 3,518 |
| Black | 63 | 130 | 587 | 1,170 | 1,951 |

Notes:

This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties.

Counties shown had at least five reported induced abortions in each of these race and age groups during the three-year period.

Women ages 25 and older were grouped into a single category for which three-year averages could be shown.

Columns may not sum to the three-year annual average totals due to rounding.

Table 23. Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence by Age and Hispanic Origin, Wisconsin Residents, 2018-2020

| | Age | | | | | |
|-------------------|-----|-------|-------|-------|--|--|
| County | <20 | 20-24 | 25+ | Total | | |
| Milwaukee | 237 | 743 | 1,661 | 2,641 | | |
| Non-Hispanic | 192 | 620 | 1,458 | 2,270 | | |
| Hispanic | 43 | 111 | 174 | 328 | | |
| | | | | | | |
| Three-Year Annual | 629 | 1,865 | 3,756 | 6,250 | | |
| Average Total | 027 | 1,003 | 3,730 | 0,230 | | |
| Non-Hispanic | 518 | 1,584 | 3,358 | 5,460 | | |
| Hispanic | 107 | 261 | 357 | 725 | | |

Notes: This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents.

Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties.

Counties shown had at least five reported induced abortions in each ethnicity-by-age group during the three-year period.

Women aged less than 20 and 25 and older were grouped into a single category for which three-year averages could be shown.

Columns may not sum to the three-year annual average totals due to rounding.

Table 24. Three-Year Annual Average Number of Reported Induced Abortions by Selected County of Residence by Race and Hispanic Origin, Wisconsin Residents, 2018-2020

| | Race | | | | | | Ethnicity | | |
|-----------|-------|-------|--------------------|------------------------|---------------------------|-------|-----------|-------|----------|
| County | White | Black | American Indian | Laotian or Hmong | Other Asian/Pac Isl | Other | Multi | Total | Hispanic |
| Brown | 185 | 26 | 19 | <5 | 5 | <5 | 6 | 285 | 33 |
| Dane | 515 | 190 | <5 | 13 | 51 | 7 | 29 | 902 | 92 |
| Milwaukee | 774 | 1,507 | 19 | 13 | 69 | 52 | 78 | 2,969 | 328 |
| | | | | | | | | | |
| Total | 3,518 | 1,951 | <i>7</i> 8 | 63 | 187 | 92 | 162 | 6,975 | 725 |

Notes:

This table includes only induced abortions that were obtained in Wisconsin by Wisconsin residents. Information about Wisconsin residents who obtained induced abortions in other states is not available; therefore, the counts underestimate frequencies in some counties. Beginning with the 2020 report, race categories are now being reported in a manner that is similar to other Vital Records reports. Use caution when comparing data by race to data from previous years as the new categories are not comparable to previous years.

Counties shown had at least five reported induced abortions in each of these race and ethnic groups during the three-year period.

Columns may not sum to the three-year annual average totals due to rounding.

The total includes a three-year annual average of 198 reports for which patient race was reported as Unknown.

Induced Abortion Reporting (Wis. Stat. § 69.186)

- 1) On or before January 15 annually, each hospital, clinic or other facility in which an induced abortion is performed shall file with the department a report for each induced abortion performed in the hospital, clinic or other facility in the previous calendar year. Each report shall contain all of the following information with respect to each patient obtaining an induced abortion in the hospital, clinic or other facility:
 - (a) The state and, if this state, the county, of residence.
 - (b) Patient number.
 - (c) Race.
 - (d) Age.
 - (e) Marital status.
 - (f) Month and year in which the induced abortion was performed.
 - (g) Education.
 - (h) The number of weeks since the patient's last menstrual period.
 - (hf) The probable postfertilization age of the unborn child, as defined in s. 253.107 (1) (c), and whether an ultrasound was used to assist in making the determination of postfertilization age of the unborn child, or, if the probable postfertilization age of the unborn child was not determined, the nature of the medical emergency, as defined in s. 253.10 (2) (d).
 - (hm)Whether the abortion was a chemically induced abortion, a surgical abortion or a surgical abortion following a failed or incomplete chemical abortion.
 - (i) Complications, if any, resulting from performance of the induced abortion.
 - (j) If the patient is a minor, whether consent was provided under s. 48.375 (4) (a) 1. for the abortion and, if so, the relationship of the individual providing consent to the minor; or, if consent under s. 48.375 (4) (a) 1. was not provided, on which of the bases under s. 48.375 (4) (a) 2. or (b) 1., 1g., 1m., 2. or 3. the abortion was performed.
 - (k) If the unborn child is considered to be capable of experiencing pain under s. 253.107 (3) (a), the nature of the medical emergency, as defined in s. 253.10 (2) (d), that the pregnant woman had.
 - (1) If the unborn child is considered to be capable of experiencing pain under s. 253.107 (3) (a), a statement whether the method of abortion used was one that, in reasonable medical judgment, provided the best opportunity for the unborn child to survive or, if such a method was not used, the basis of the determination that termination of the pregnancy in that manner posed a greater risk either of the death of the pregnant woman or of the substantial and irreversible physical impairment of a major bodily function of the woman than other available methods.
- 2) The department shall collect the information under sub. (1) in a manner which the department shall specify and which ensures the anonymity of a patient who receives an induced abortion, a health care provider who provides an induced abortion and a hospital, clinic or other facility in which an induced abortion is performed. The department shall publish annual demographic summaries of the information obtained under this section, except that the department may not disclose any information obtained under this section that reveals the identity of any patient, health care provider or hospital, clinic or other facility and shall ensure anonymity in all of the following ways:
 - (m) The department may use information concerning the patient number under sub. (1) (b) or concerning the identity of a specific reporting hospital, clinic or other facility for purposes of information collection only and may not reproduce or extrapolate this information for any purpose.
 - (n) The department shall immediately destroy all reports submitted under sub. (1) after information is extrapolated from the reports for use in publishing the annual demographic summary under this subsection. information is extrapolated from the reports for use in publishing the annual demographic summary under this subsection.

In section 69.186, the term "induced abortion" means:

The termination of a uterine pregnancy by a physician of a woman known by the physician to be pregnant, for a purpose other than to produce a live birth or to remove a dead fetus.

Wisconsin Department of Health Services
Division of Public Health
Office of Health Informatics
Reported Induced Abortions in Wisconsin, 2020
P-45360

