

ACHD Complaints System

Service Request # AIR-20181001-181399

AIR QUALITY - ODOR

Date Incident Occurred: 10/01/2018

Time Incident Occurred: 08:49 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : ODOR VERY INTENSE TODAY.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/01/2018

Compl. Time: 08:49 AM

Complainant:

██████████
██████████████████
██████████████████

Email:

Phone(s):

██████████

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST
CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181001-181400

AIR QUALITY - ODOR

Date Incident Occurred: 10/01/2018

Time Incident Occurred: 06:00 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : TIME NOTICED POLLUTANT: 6AM
MESSAGE: THERE IS A BAD ODOR IN THE AIR SMELLS LIKE ROTTEN EGGS
IT IS COMING FROM US STEEL IN MCKEESPORT & ARCELOR MITTOL
LOCATED IN MONESSON PA

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 10-01-2018 08:01 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	

ACHD Complaints System

AIR-20190125-182055	01/25/2019	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181001-181401

AIR QUALITY - ODOR

Date Incident Occurred: 09/30/2018

Time Incident Occurred: 10:07 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint :

TIME NOTICED POLLUTANT: 9:00AM
MESSAGE: I START SMELLS BAD AIR AT 9:30AM TODAY 9/30 WHEN THE
WIND BLOWING NORTH TO SOUTH

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

**PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST
DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654

WORK

724-2266654

OTHER

724-2266614

FAX

Additional Comments:

ANSWERING SERVICE 10-01-2018 @ 08:01 AM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	

ACHD Complaints System

AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181001-181402

AIR QUALITY - ODOR

Date Incident Occurred: 10/01/2018

Time Incident Occurred: 06:00 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : AWOKEN BY SMELL OF INDUSTRY IN HOME WITH ALL THE WINDOWS CLOSED. OVER POWERING SMELL THROUGH OUT NEIGHBORHOOD.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/01/2018

Compl.Time: 09:35 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018
AIR-20171204-177994	12/02/2017
AIR-20171204-177997	12/03/2017

ACHD Complaints System

AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20181001-181405

AIR QUALITY - ODOR

Date Incident Occurred: 10/01/2018

Time Incident Occurred: 05:30 AM

Complaint Property :

Apt/Unit#:

City: , PA 15232

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : ACRID SMELL IN SHADYSIDE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15232 GENERAL AREA

, PA 15232

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171120-177734	09/30/2017	
AIR-20181107-181601	11/06/2018	
AIR-20190205-182167	02/05/2019	

ACHD Complaints System

Service Request # AIR-20181002-181408

AIR QUALITY - ODOR

Date Incident Occurred: 10/02/2018

Time Incident Occurred: 10:12 AM

Complaint Property : **3340 SMALLMAN ST**

Apt/Unit#:

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/02/2018

Compl.Time: 10:12 AM

Nature of Complaint : HE IS VERY ANGRY. KITCHENRAMA CONTINUES TO HAVE DUST EVERYWHERE. THERE WAS JUST AN ARTICLE PUT OUT ABOUT HOW DANGEROUS THIS DUST IS TO BREATH IN. HE IS GETTING MARRIED AND HOPES TO HAVE A CHILD SOMEDAY AND DOESN'T WANT THE CHILD BREATHING THIS IN. HE WANTS TO KNOW WHY NOTHING HAS BEEN DONE ABOUT THIS. HE HAS VIDEO OF THE TOXIC DUST COMING FROM THE GARAGE. YOU CAN JUST TELL THEY ARE A BUNCH OF ILLEGAL IMMIGRANTS AND MUST BE PAYING SOMEONE OFF BECAUSE YOU KNOW HOW THE CITY WORKS. HE WILL GET TO THE BOTTOM OF THIS AND GET THEM SHUT DOWN. PLEASE HAVE JIM BOLLINGER CALL HIM BACK

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: PITTSBURGH KITCHENRAMMA

3340 SMALLMAN ST
LAWRENCEVILLE, 15201

Phone(s): 412-6872308 WORK
Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180717-180738	07/16/2018
AIR-20180904-181209	09/03/2018
AIR-20180619-180548	06/18/2018
AIR-20180712-180712	07/12/2018

ACHD Complaints System

AIR-20180611-180510	06/11/2018	
AIR-20181029-181560	10/26/2018	
AIR-20180521-180382	05/21/2018	
AIR-20180919-181333	09/19/2018	

ACHD Complaints System

Service Request # AIR-20181002-181409

AIR QUALITY - ODOR

Date Incident Occurred: 10/02/2018

Time Incident Occurred: 11:20 AM

Complaint Property : **OLD FREEPORT RD**

Apt/Unit#:

City: FOX CHAPEL, PA 15238

Municipality: FOX CHAPEL BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : ODOR FROM ALCOSAN

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/02/2018

Compl.Time: 11:20 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **ALCOSAN WASTE WATER TREATMENT FOX CHAPEL**

OLD FREEPORT RD

FOX CHAPEL, PA 15238

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180829-181159	08/28/2018	
AIR-20180926-181374	09/21/2018	
AIR-20180831-181185	08/31/2018	
AIR-20180807-180876	08/07/2018	
AIR-20180807-180877	08/07/2018	
AIR-20180807-180878	08/07/2018	
AIR-20180807-180879	08/07/2018	
AIR-20180807-180880	08/07/2018	
AIR-20180807-180881	08/07/2018	
AIR-20180807-180882	08/07/2018	
AIR-20180807-180883	08/07/2018	
AIR-20180807-180884	08/07/2018	

ACHD Complaints System

AIR-20180807-180885	08/07/2018	
AIR-20180807-180886	08/07/2018	
AIR-20180807-180887	08/07/2018	
AIR-20180807-180888	08/07/2018	
AIR-20180807-180889	08/07/2018	
AIR-20180807-180890	08/07/2018	
AIR-20180807-180891	08/07/2018	
AIR-20180807-180892	08/07/2018	
AIR-20180807-180893	08/07/2018	
AIR-20180807-180894	08/07/2018	
AIR-20180807-180895	08/07/2018	
AIR-20180807-180896	08/07/2018	
AIR-20180807-180897	08/07/2018	
AIR-20180807-180898	08/07/2018	
AIR-20180807-180899	08/07/2018	
AIR-20180807-180900	08/07/2018	
AIR-20180807-180901	08/07/2018	
AIR-20180807-180902	08/07/2018	
AIR-20180807-180903	08/07/2018	
AIR-20180807-180904	08/07/2018	
AIR-20180807-180905	08/07/2018	
AIR-20180807-180906	08/07/2018	
AIR-20180807-180907	08/07/2018	
AIR-20180807-180908	08/07/2018	
AIR-20180807-180909	08/07/2018	
AIR-20180807-180910	08/07/2018	
AIR-20180807-180911	08/07/2018	
AIR-20180807-180912	08/07/2018	
AIR-20180807-180913	08/07/2018	
AIR-20180807-180914	08/07/2018	
AIR-20180807-180915	08/07/2018	
AIR-20180807-180916	08/07/2018	
AIR-20180807-180917	08/07/2018	
AIR-20180807-180918	08/07/2018	
AIR-20180807-180919	08/07/2018	
AIR-20180807-180920	08/07/2018	
AIR-20180807-180921	08/07/2018	
AIR-20180807-180922	08/07/2018	
AIR-20180807-180924	08/07/2018	
AIR-20180807-180925	08/07/2018	
AIR-20180807-180926	08/07/2018	
AIR-20180807-180927	08/07/2018	
AIR-20180807-180928	08/07/2018	
AIR-20180807-180929	08/07/2018	
AIR-20180807-180930	08/07/2018	
AIR-20180807-180932	08/06/2018	

ACHD Complaints System

AIR-20180824-181107	08/24/2018	
AIR-20180904-181208	09/03/2018	
AIR-20180821-181075	08/20/2018	
AIR-20180821-181076	08/21/2018	
AIR-20181011-181461	10/05/2018	
AIR-20180905-181215	09/04/2018	
AIR-20180906-181221	09/06/2018	
AIR-20180608-180491	06/08/2018	
AIR-20180919-181329	09/18/2018	
AIR-20180827-181121	08/25/2018	
AIR-20180827-181124	08/25/2018	

ACHD Complaints System

Service Request # AIR-20181002-181410

AIR QUALITY - ODOR

Date Incident Occurred: 10/01/2018

Time Incident Occurred: 11:05 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/2/18

-11:05AM

-METALICO RECYCLING, NEVILLE ISLAND

-STRONG ODOR OF BURNING PLASTIC AND SMOKE COMING FROM THE SHREDDER. I CAN SMELL IT INSIDE MY HOME.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/02/2018

Compl.Time: 11:11 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181003-181412

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 10/03/2018

Feedback : N

Time Incident Occurred: 08:57 AM

Comp Date: 10/03/2018

Complaint Property : **FERRY ST**

Compl.Time: 08:57 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : SMOKE IS BLOWING RIGHT INTO HOUSE THIS MORNING COMING RIGHT AT THEM

Complainant:



Email:

Phone(s):



Complaint Against: PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST
CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:
Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181003-181413

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/03/2018

Time Incident Occurred: 09:23 AM

Complaint Property : HOCHBERG RD

Apt/Unit#:

City: PENN HILLS, PA 15235

Municipality: PENN HILLS, MUNICIPALITY OF

Census Tract: 55651

Ward:

Nature of Complaint : BURNING ANY AND ALL TYPES OF WOOD PRODUCTS IN A LARGE METAL PIT THROUGHOUT THE DAY – NO REGARD FOR NEIGHBORS – A LOT OF SMOKE AND POLLINATION FROM THE BURN

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: HOCHBERG ROAD 15235

HOCHBERG RD

PENN HILLS, PA 15235

Phone(s):

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170906-176327	09/04/2017
AIR-20170905-176319	09/04/2017
AIR-20181024-181533	10/24/2018
AIR-20181011-181462	10/11/2018
AIR-20181010-181450	10/10/2018

ACHD Complaints System

Service Request # AIR-20181003-181414

AIR QUALITY - ODOR

Date Incident Occurred: 10/03/2018

Time Incident Occurred: 01:29 AM

Complaint Property :

Apt/Unit#:

City: NEVILLE ISLAND, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : 125 AM . I LIVE AT [REDACTED] AND ITS COMING FROM ACROSS RIVER APPEARS TO BE NEVILLE ISLAND AREA.LARGE BANGING , METAL SCRATCHING AND SOUNDS LIKE A BACKUP BEEPING NOISE LIKE A GARBAGE TRUCK

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/03/2018

Compl.Time: 01:29 AM

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s):

Complaint Against: 15225 GENERAL AREA

NEVILLE ISLAND, PA 15225

Phone(s):

Additional Comments: WEBSITE COMPLAINT 10-03-2018 @ 01:29 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-178000	12/02/2017
AIR-20181105-181580	11/03/2018

ACHD Complaints System

Service Request # AIR-20181003-181415

AIR QUALITY - ODOR

Date Incident Occurred: 10/02/2018

Time Incident Occurred: 03:23 PM

Complaint Property : **900 MAIN ST**

Apt/Unit#:

City: **BUENA VISTA, PA 15018**

Municipality: **ELIZABETH TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

FACILITY WASN'T PROPERLY RECOVERING HEPTANE AFTER THE CARBIDE MANUFACTURING PROCESS. HE SAID THE RECOVERY RATE WAS MUCH LESS THAN IT SHOULD BE. HE SAID THE PAPERWORK SHOULD SHOW THAT THEY ARE USING MUCH MORE THAN THEY SHOULD BE. ACCORDING TO CALLER THE CHANGE IN RECOVERY PROCESS STARTED IN FEBRUARY 2018.

Complainant:

***Website,Anonymous**

, PA

Email:

Phone(s):

Complaint Against:

BASIC CARBIDE

900 MAIN ST

BUENA VISTA, PA 15018

Phone(s): 724-4461630

Additional Comments: EMAIL TO THE DEP 10-03-2018 @ 08:21 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181003-181416

AIR QUALITY - OPEN BURNING

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 10/03/2018

Feedback : N

Time Incident Occurred: 03:13 PM

Comp Date: 10/03/2018

Complaint Property : **1958 VARLEY ST**

Compl.Time: 03:13 PM

Apt/Unit#:

City: **SPRING HILL, PA 15212**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : PLEASE CHECK SPRINGHILL BREWERY @ 1958 VARLEY STREET
FIRE IN PIT-CAN SMELLS LIKE BURNING PAPER & CARDBOARD – FIRE IS
LOCATED IN BACK OF BUILDING – THIS FIRE IS NOT FOR FOOD
PREPARATION

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED] HOME

Complaint Against: **SPRING HILL BREWERY**

1958 VARLEY ST
SPRING HILL, PA 15212

Phone(s):

Additional Comments: [REDACTED] WOULD LIKE A CALL BACK AFTER THE INSPECTORS DO
THE INVESTIGATION

Supervisor:

Created By: CALL INTO ACHD - BERNIE KOVAC

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181003-181417

AIR QUALITY - ODOR

Date Incident Occurred: 10/02/2018

Time Incident Occurred: 09:15 PM

Complaint Property : **BRIMINGHAM BRIDGE**

Apt/Unit#:

City: **UPTOWN, PA 15219**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : PESTILENT ODOR IN BLVD. OF THE ALLIES BY THE BIRMINGHAM BRIDGE
(FROM ASPHALT PLANT BESIDE THE BRIDGE)

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: **BRIMINGHAM BRIDGE 15219**

BRIMINGHAM BRIDGE

UPTOWN, PA 15219

Phone(s):

Additional Comments: WEBSITE COMPLAINT 10-02-2018 @ 09:15 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181003-181418

AIR QUALITY - ODOR

Date Incident Occurred: 10/02/2018

Time Incident Occurred: 07:00 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/02/2018

Compl.Time: 04:34 PM

Nature of Complaint : THERE WAS THICK SMOKE AND EMISSIONS COMING OFF METALICO'S SHREDDER ON NEVILLE ISLAND ALL MORNING TODAY (10/2/18) STARTING AT AROUND 7:00 A.M. (THE CAMERA IS NOT YET SHOWING THE AFTERNOON). THIS INCLUDED THE TIME AROUND 11:05 A.M.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017

ACHD Complaints System

AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	

ACHD Complaints System

AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	

ACHD Complaints System

AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181004-181419

AIR QUALITY - ODOR

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 12:05 PM

Complaint Property : **100 RIVER RD**

Apt/Unit#:

City: BRACKENRIDGE, PA 15014

Municipality: BRACKENRIDGE BOROUGH

Census Tract: UNKNOWN

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/03/2018

Compl.Time: 09:40 PM

Nature of Complaint : TRUCK IDILING ALL NIGHT. CALLED LOCAL POLICE TO HAVE TRUCK REMOVED. LOCAL POLICE WOULD NOT MAKE THE TRUCK MOVE OR WRITE A CITATION.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

RESIDENCE

Complaint Against:

***ALLEGHENY LUDLUM CORPORATION**

100 RIVER RD

BRACKENRIDGE, PA 15014

Phone(s):

724-2241000

WORK

724-2241000

OTHER

724-2265292

FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20090210-36460	02/10/2009
AIR-20090901-67200	09/01/2009
AIR-20131015-156024	10/15/2013
AIR-20131015-156025	10/15/2013
AIR-20171117-177699	11/17/2017
AIR-20170928-176843	09/20/2017
AIR-20180404-179979	04/04/2018
AIR-20180531-180447	05/29/2018

ACHD Complaints System

AIR-20181107-181599	11/06/2018	
AIR-20180820-181062	08/18/2018	
AIR-20180516-180351	05/15/2018	
AIR-20180726-180790	07/26/2018	

ACHD Complaints System

Service Request # AIR-20181004-181420

AIR QUALITY - ODOR

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 02:40 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/4/18

-2:40PM

-METALICO RECYCLING, NEVILLE ISLAND

-STRONG ODOR OF BURNING PLASTIC COMING FROM METALICO. BAD ENOUGH TO WHERE I HAVE TO CLOSE MY WINDOWS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/04/2018

Compl.Time: 02:42 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	

ACHD Complaints System

AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181004-181421

AIR QUALITY - ODOR

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 11:24 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : METALLICA HEAVY SMOKE COMING FROM SHREDDER, EXPLOSION AT 11:24 AM, OCTOBER 4, 2018

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/04/2018

Compl.Time: 11:48 AM

Complainant:



Email:

Phone(s):



CELL PHONE

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017

ACHD Complaints System

AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	

ACHD Complaints System

AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	

ACHD Complaints System

AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181005-181422

AIR QUALITY - ODOR

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 08:13 AM

Complaint Property : **5603 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : TIME NOTICED POLLUTANT: 7:30PM
MESSAGE: REPORTING BAD ODOR FROM FACTORY - CAUSING BURNING EYES

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

GOTTLIEB, INC.
5603 GRAND AV
PITTSBURGH, PA 15225

Phone(s):

412-2690708 WORK
412-2690708 OTHER
412-2690712 FAX

Additional Comments: ANSWERING SERVICE 10-05-2018 @ 08:01 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20090623-53700	06/23/2009
AIR-20090610-51840	06/10/2009
AIR-20120322-151153	03/22/2012
AIR-20171109-177477	11/09/2017
AIR-20180503-180261	05/02/2018
AIR-20180828-181144	08/28/2018

ACHD Complaints System

Service Request # AIR-20181005-181423

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 10/05/2018

Feedback : N

Time Incident Occurred: 10:10 AM

Comp Date: 10/05/2018

Complaint Property : **FERRY ST**

Compl.Time: 10:14 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : HEAVY ODOR TODAY

IF JIM STOPS OUT HAVE HIM STOP AT THE HOUSE AND SEE HIM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	

ACHD Complaints System

AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181005-181424

AIR QUALITY - ODOR

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 02:40 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : AFTER REVIEWING YESTERDAY'S VIDEO OF METALICO, I AM FILING THE FOLLOWING COMPLAINT.

-10/4/18

-2:40PM

-METALICO RECYCLING, NEVILLE ISLAND

- HEAVY SMOKE AND EMISSIONS COMING FROM THE SHREDDER AT METALICO FROM ABOUT 7:00 A.M. TO 3:00 P.M., WHICH INCLUDES THE TIME (2:40 P.M.) WHEN SONIA REPORTED A STRONG ODOR OF BURNING PLASTIC COMING FROM METALICO. BAD ENOUGH TO WHERE SHE HAD TO CLOSE HER WINDOWS. YOU CAN USE THE LINK BELOW TO VIEW A GIF THAT RUNS FROM 2:40 - 2:45 P.M.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017

ACHD Complaints System

AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	

ACHD Complaints System

AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	

ACHD Complaints System

AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181009-181440

AIR QUALITY - ODOR

Date Incident Occurred: 10/08/2018

Time Incident Occurred: 08:54 AM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : 10/08/2018 08:45 AM

MESSAGE: THERE IS A STRONG SULFUR ODOR IN THIS AREA
PERSON REFUSED TELEPHONE # ALSO

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/08/2018

Compl.Time: 08:45 AM

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: ANSWERING SERVICE 10-09-2018 @ 08:01 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171017-176976	10/17/2017
AIR-20171017-176984	09/15/2017
AIR-20171109-177462	09/23/2017
AIR-20171117-177696	09/29/2017
AIR-20171128-177846	11/28/2017
AIR-20171204-177998	12/04/2017
AIR-20171017-177008	09/16/2017
AIR-20170922-176749	09/15/2017
AIR-20181113-181620	11/12/2018
AIR-20181220-181790	12/20/2018
AIR-20190103-181877	01/03/2019

ACHD Complaints System

AIR-20181214-181730	12/13/2018	
AIR-20181214-181731	12/13/2018	
AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	

ACHD Complaints System

Service Request # AIR-20181009-181441

AIR QUALITY - ODOR

Date Incident Occurred: 10/07/2018

Time Incident Occurred: 10:45 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/08/2018

Compl.Time: 05:58 AM

Nature of Complaint : MESSAGE: HAS LEFT SEVERAL MESSAGES. GOT HOME ON 10/7 AND STATES AIR WAS UNBREATHABLE AND HIS WINDOWS WERE CLOSED. COMING FOR US STEEL. STATED THERE WAS AN INVERSION ON 10/7/18. PLEASE CALL TO DISCUSS. WANTS TO KNOW STATUS OF SUIT AGAINST US STEEL.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 10-09-2018 @ 08:01 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017

ACHD Complaints System

AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	

ACHD Complaints System

AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	

ACHD Complaints System

AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	

ACHD Complaints System

AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181009-181442

AIR QUALITY - ODOR

Date Incident Occurred: 10/08/2018

Time Incident Occurred: 08:57 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : 10/08/2018 08:54 AM

MESSAGE: PGW (PITTSBURGH GLASS WORKS) BUILDING IS CAUSING THE ODOR

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

ANSWERING SERVICE 10-08-2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	

ACHD Complaints System

AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181009-181443

AIR QUALITY - ODOR

Date Incident Occurred: 10/08/2018

Time Incident Occurred: 03:32 PM

Complaint Property :

Apt/Unit#:

City: NEVILLE ISLAND, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : MESSAGE: BURNING GARBAGE ON NEVILLE ISLAND- THE ODOR IS FOUL.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] HOME

Complaint Against: * NEVILLE ISLAND GENERAL AREA

NEVILLE ISLAND, PA 15225

Phone(s):

Additional Comments: ANSWERING SERVICE 10-09-2018@ 08:01 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180709-180689	07/09/2018

ACHD Complaints System

Service Request # AIR-20181009-181444

AIR QUALITY - ODOR

Date Incident Occurred: 10/09/2018

Time Incident Occurred: 11:39 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/09/2018

Compl.Time: 11:39 AM

Nature of Complaint : IS ANYONE MONITORING THE AIR QUALITY COMING OUT OF THE CLAIRTON MILL. I OPEN MY WINDOWS AT NIGHT AND FREQUENTLY CANNOT TOLERATE THE SMELL OF THE AIR. AT FIRST YOU THINK YOUR HOUSE IS ON FIRE UNTIL YOU REALIZE IT IS COMING THROUGH THE WINDOWS. I WOULD SAY IT USUALLY OCCURS AFTER 11PM. I HAVE NO RESPIRATORY PROBLEMS BUT THIS CANNOT BE GOOD FOR PEOPLE WITH COPD OR ASTHMA. MY DAUGHTER LIVES IN THE CITY OF PHILADELPHIA AND I CAN OPEN WINDOWS AT NIGHT AND EXPERIENCE A MUCH BETTER QUALITY OF AIR. IF ANYONE READS THIS, THANK YOU FOR YOUR TIME.

Complainant:



Email:



Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 10-09-2018 @ 11:39 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017

ACHD Complaints System

AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	

ACHD Complaints System

AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	

ACHD Complaints System

AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	

ACHD Complaints System

AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20190125-182055	01/25/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181009-181446

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/09/2018

Time Incident Occurred: 01:45 PM

Complaint Property : **VANCE AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15108**

Municipality: **CORAOPOLIS BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint :

1606 VANCE AVE HAS LARGE PIT LESS THAN 15" FROM NEIGHBOR BURNING TRASH, PAINTED/STAINED WOOD AND OTHER CONSTRUCTION DEBRIS. LARGE FLAMES HIGHER THAN 8 - 10 FOOT. WERE THROWING PIZZA BOXES AND WHAT EVER THEY COULD FIND TO GET THE FIRE GOING BUT THE WOOD IS SO WET THAT THEY COULD

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

VANCE AVENUE 15108

VANCE AV

PITTSBURGH, PA 15108

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171220-178545	12/20/2017
AIR-20180621-180564	06/21/2018

ACHD Complaints System

Service Request # AIR-20181009-181447

AIR QUALITY - ODOR

Date Incident Occurred: 10/09/2018

Time Incident Occurred: 02:13 PM

Complaint Property : **25 HECKEL RD**

Apt/Unit#:

City: **MC KEES ROCKS, PA 15136**

Municipality: **KENNEDY TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMELL FROM SEALED MANHOLE COVERS FILLING HOUSE EVEN THOUGH THE WINDOWS ARE CLOSED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***OHIO VALLEY GENERAL HOSPITAL**

25 HECKEL RD

MC KEES ROCKS, PA 15136

Phone(s): 412-7776155 WORK
Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180813-180998	08/13/2018	
AIR-20181212-181721	12/12/2018	
AIR-20180816-181028	08/15/2018	

ACHD Complaints System

Service Request # AIR-20181010-181448

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/09/2018

Time Incident Occurred: 05:27 PM

Complaint Property : **NICHOLAS PL**

Apt/Unit#:

City: **SEWICKLEY, PA 15143**

Municipality: **SEWICKLEY BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT FIREPIT SAFETY

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/09/2018

Compl.Time: 05:27 PM

MESSAGE MY NEIGHBOR AND MYSELF THAT SURROUND THE PROPERTY WE ARE CONCERNED ABOUT. 331 NICHOLAS PLACE SEWICKLEY PA 15143 SETS UP A FIREPIT THROUGHOUT THE WEEK LATE AT NIGHT. THEY BURN RUBBISH, TRASH, PLASTIC ETC. MY DAUGHTER HAS BREATHING ISSUES AND THE SMOKE IS TERRIBLE. THEY ARE RIGHT ON A PROPERTY LINE A FOOT AWAY FROM MY NEIGHBORS FENCE, WE WOULD LIKE THEM TO MOVE IT 15 FEET AWAY LIKE THE LAW STATES. THEY RUN A HOSE TO KEEP IT FROM SPEADING. OUR POLICE, AND FIRE DEPARTMENT HAS STOPPED BY, THEY TOLD US YOU NEED TO GET INVOLVED FOR THEM TO MOVE IT. THANK YOU SO MUCH!!

Complainant:

Email:

Phone(s):

Complaint Against: **NICHOLAS PLACE 15143**

NICHOLAS PL

SEWICKLEY, PA 15143

Phone(s):

Additional Comments: WEBSITE 10-09-2018 @ 05:27 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

AIR-20180525-180404	05/24/2018
---------------------	------------

ACHD Complaints System

AIR-20181025-181541	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181010-181449

AIR QUALITY - ODOR

Date Incident Occurred: 10/10/2018

Time Incident Occurred: 02:50 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

10/10/18

-2:50PM-3:06PM

-METALICO RECYCLING, NEVILLE ISLAND

-HEAVY ODOR OF BURNING PLASTIC AND A LOT OF CREAM-COLORED SMOKE COMING FROM THE SHREDDER. SMOKE CAN ALSO BE SEEN COMING FROM THE LARGE OPEN BUILDING DIRECTLY TO THE LEFT OF THE SHREDDER

<PICTURES ATTACHED IN FILE>

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017

ACHD Complaints System

AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	

ACHD Complaints System

AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	

ACHD Complaints System

AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181010-181450

AIR QUALITY - ODOR

Date Incident Occurred: 10/10/2018

Time Incident Occurred: 04:05 PM

Complaint Property : **HOCHBERG RD**

Apt/Unit#:

City: **PENN HILLS, PA 15235**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **55651**

Ward:

Nature of Complaint : 408 HOCHBERG ROAD IS BURNING TRASH AND SMELLS LIKE BURNING TIRES. HAS ALREADY CALLED THE LOCAL POLICE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **HOCHBERG ROAD 15235**

HOCHBERG RD

PENN HILLS, PA 15235

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170906-176327	09/04/2017	
AIR-20170905-176319	09/04/2017	
AIR-20181024-181533	10/24/2018	
AIR-20181003-181413	10/03/2018	
AIR-20181011-181462	10/11/2018	

ACHD Complaints System

Service Request # AIR-20181011-181451

AIR QUALITY - ODOR

Date Incident Occurred: 10/09/2018

Time Incident Occurred: 07:25 PM

Complaint Property : **938 LARIMER AV**

Apt/Unit#:

City: **TURTLE CREEK, PA 15145**

Municipality: **WILKINS TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **RELEASE AT ANKER INDUSTRIES AT 7:25 PM ON 10/9/2018.**

<PICTURES IN FILE>

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

WORK

Complaint Against:

ANKER INDUSTRIES

938 LARIMER AV

TURTLE CREEK, PA 15145

Phone(s):

412-8234114

WORK

412-8234114

OTHER

412-8233640

FAX

Additional Comments:

EMAIL INTO ACHD - JIM KELLY 10-10-2018 @ 08:36 AM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20100317-86900	03/17/2010
AIR-20111116-150175	11/16/2011
AIR-20180829-181163	08/29/2018
AIR-20180717-180734	07/16/2018
AIR-20181011-181452	10/11/2018

ACHD Complaints System

Service Request # AIR-20181011-181452

AIR QUALITY - ODOR

Date Incident Occurred: 10/10/2018

Time Incident Occurred: 09:20 PM

Complaint Property : **938 LARIMER AV**

Apt/Unit#:

City: **TURTLE CREEK, PA 15145**

Municipality: **WILKINS TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : PLEASE SEE THE ATTACHED PHOTO SENT TO ME FOR ANKER INDUSTRIES IN WILKINS TOWNSHIP. THIS WAS AT 2120 ON 10/10/2018.

<PICTURE IN FILE>

Complainant:

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

WORK

Complaint Against:

ANKER INDUSTRIES

938 LARIMER AV

TURTLE CREEK, PA 15145

Phone(s):

412-8234114

WORK

412-8234114

OTHER

412-8233640

FAX

Additional Comments:

EMAIL TO ACHD - NICK CAITO

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20100317-86900	03/17/2010
AIR-20111116-150175	11/16/2011
AIR-20180829-181163	08/29/2018
AIR-20180717-180734	07/16/2018
AIR-20181011-181451	10/10/2018

ACHD Complaints System

Service Request # AIR-20181011-181453

AIR QUALITY - ODOR

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 10:02 AM

Complaint Property :

Apt/Unit#:

City: MCKEES ROCKS, PA 15136

Municipality: MCKEES ROCKS BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : HORRIBLE ROTING FOUL SEWAGE GAGING SMELL IN ENTIRE NEIGHBORHOOD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15136 GENERAL AREA

MCKEES ROCKS, PA 15136

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171002-176881	10/02/2017	
AIR-20180504-180265	05/04/2018	
AIR-20180507-180283	05/07/2018	
AIR-20180920-181339	09/20/2018	
AIR-20180904-181206	09/01/2018	
AIR-20180803-180844	08/02/2018	
AIR-20180827-181122	08/25/2018	
AIR-20180827-181129	08/24/2018	
AIR-20180817-181037	08/16/2018	

ACHD Complaints System

Service Request # AIR-20181011-181454

AIR QUALITY - ODOR

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 09:58 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/11/18

-9:58AM

-METALICO RECYCLING, NEVILLE ISLAND

-FAIRLY LARGE EXPLOSION/A LOT OF THICK SMOKE COMING FROM THE SHREDDER. IT SHOOK THE HOUSE AND WINDOWS.

-THERE HAS BEEN AN ODOR OF BURNING PLASTIC/TAR WAFTING OVER FOR THE PAST HOUR.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/11/2018

Compl.Time: 10:05 AM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018

ACHD Complaints System

AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	

ACHD Complaints System

AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	

ACHD Complaints System

AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181011-181455

AIR QUALITY - ODOR

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 08:50 AM

Complaint Property : **10 FEDERAL ST**

Apt/Unit#: **GATE 10**

City: **NATRONA HIGHTS, PA 15065**

Municipality: **HARRISON TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/11/2018

Compl.Time: 11:23 AM

Nature of Complaint : HEAVY LIME DUST COVERING EVERYTHING, COULD ACTUALLY SEE THE CLOUDS COMING TOWARDS THE HOUSE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***HARSCO METALS NATRONA FACILITY**

10 FEDERAL ST

NATRONA HIGHTS, PA 15065

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171218-178408	12/18/2017
AIR-20171204-177983	12/03/2017
AIR-20171006-176905	10/06/2017
AIR-20171005-176901	10/05/2017
AIR-20170928-176831	09/27/2017
AIR-20170928-176832	09/27/2017
AIR-20171130-177903	11/30/2017
AIR-20171006-176903	10/06/2017
AIR-20171120-177729	11/20/2017
AIR-20171204-177999	12/01/2017
AIR-20180228-179629	02/28/2018

ACHD Complaints System

AIR-20180404-179981	04/02/2018	
AIR-20180501-180227	05/01/2018	
AIR-20180502-180241	05/02/2018	
AIR-20180430-180204	04/28/2018	
AIR-20180430-180221	04/30/2018	
AIR-20180829-181160	08/29/2018	
AIR-20180829-181162	08/29/2018	
AIR-20180810-180965	08/10/2018	
AIR-20181011-181457	10/11/2018	
AIR-20180822-181084	08/21/2018	
AIR-20180919-181331	09/19/2018	
AIR-20180727-180795	07/27/2018	
AIR-20190103-181878	01/03/2019	
AIR-20180711-180697	07/11/2018	
AIR-20180816-181034	08/16/2018	
AIR-20190205-182158	02/05/2019	
AIR-20180726-180786	07/26/2018	
AIR-20180726-180787	07/26/2018	
AIR-20180726-180789	07/26/2018	
AIR-20180523-180391	05/22/2018	
AIR-20180523-180395	05/22/2018	
AIR-20190110-181933	01/09/2019	
AIR-20180816-181029	08/16/2018	

ACHD Complaints System

Service Request # AIR-20181011-181457

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 10/11/2018

Feedback : N

Time Incident Occurred: 09:00 AM

Comp Date: 10/11/2018

Complaint Property : **10 FEDERAL ST**

Compl.Time: 01:47 PM

Apt/Unit#: GATE 10

City: NATRONA HIGHTS, PA 15065

Municipality: HARRISON TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : DUST COVERING EVERYTHING

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: *HARSCO METALS NATRONA FACILITY

10 FEDERAL ST
NATRONA HIGHTS, PA 15065

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171218-178408	12/18/2017	
AIR-20171204-177983	12/03/2017	
AIR-20171006-176905	10/06/2017	
AIR-20171005-176901	10/05/2017	
AIR-20170928-176831	09/27/2017	
AIR-20170928-176832	09/27/2017	
AIR-20171130-177903	11/30/2017	
AIR-20171006-176903	10/06/2017	
AIR-20171120-177729	11/20/2017	
AIR-20171204-177999	12/01/2017	
AIR-20180228-179629	02/28/2018	
AIR-20180404-179981	04/02/2018	

ACHD Complaints System

AIR-20180501-180227	05/01/2018	
AIR-20180502-180241	05/02/2018	
AIR-20180430-180204	04/28/2018	
AIR-20180430-180221	04/30/2018	
AIR-20180829-181160	08/29/2018	
AIR-20180829-181162	08/29/2018	
AIR-20180810-180965	08/10/2018	
AIR-20181011-181455	10/11/2018	
AIR-20180822-181084	08/21/2018	
AIR-20180919-181331	09/19/2018	
AIR-20180727-180795	07/27/2018	
AIR-20190103-181878	01/03/2019	
AIR-20180711-180697	07/11/2018	
AIR-20180816-181034	08/16/2018	
AIR-20190205-182158	02/05/2019	
AIR-20180726-180786	07/26/2018	
AIR-20180726-180787	07/26/2018	
AIR-20180726-180789	07/26/2018	
AIR-20180523-180391	05/22/2018	
AIR-20180523-180395	05/22/2018	
AIR-20190110-181933	01/09/2019	
AIR-20180816-181029	08/16/2018	

ACHD Complaints System

Service Request # AIR-20181011-181458

AIR QUALITY - ODOR

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 01:51 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint :

SUBJECT UNDERGROUND FIRE/SMELL
MESSAGE OUR MUNICIPALITY (CREIGHTON, PA) HAS ENCOURAGED US TO
SUBMIT TO THE HEALTH
DEPARTMENT FOR THE ODORS COMING FROM THE UNDERGROUND FIRE
AT THE NOW CLOSED
PITTSBURGH GLASS WORKS PLANT ON FREEPORT ROAD IN CREIGHTON,
PA. AT TIMES IT IS
BAD ENOUGH TO MAKE BREATHING MORE DIFFICULT. NO ONE SEEMS TO
BE ANSWERING ANY
QUESTIONS ABOUT HOW LONG THIS WILL BURN, OR HOW OUR HEALTH
WILL BE AFFECTED?

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

**PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST
DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654

WORK

724-2266654

OTHER

724-2266614

FAX

Additional Comments:

WESBITE 10-11-2018 @ 1:51 PM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

ACHD Complaints System

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	

ACHD Complaints System

AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181011-181459

AIR QUALITY - ODOR

Date Incident Occurred: 10/08/2018

Time Incident Occurred: 08:07 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/8/18

-8:07 PM

-STRONG ODOR OF BURNING PLASTIC COMING FROM METALICO ON NEVILLE ISLAND. THE SHREDDER IS NOT OPERATING BUT THERE IS A LOT OF NOISE COMING FROM A FRONT LOADER MOVING METAL AT ONE OF THE PITS.

-THIS NOISE AND ACTIVITY HAS BEEN HAPPENING A LOT LATELY WITH IT STARTING AFTER 5PM AND GOING STEADILY TILL WELL PAST 10PM. THERE ARE ALSO TIMES WHEN THIS NOISE CAN BE HEARD ALL NIGHT LONG UNTIL DAWN. SOMETIMES I CAN HEAR ANOTHER MACHINE OPERATING. IT'S NOT THE SHREDDER BUT IT SOUNDS SIMILAR, LIKE A CONVEYER BELT WITH METAL RUMBLING ON IT. THE OTHER RECENT DATES I'VE HEARD THIS ARE:

-10/4/18 @10:10PM

-10/5/18 @9:45PM

WHAT ARE THEIR ALLOWED OPERATING TIMES? I'VE BEEN TOLD THEY "CLEAN" AT NIGHT BUT THIS IS DEFINITELY MORE THAN CLEANING. THE NOISE IS ALMOST AS BAD AS DURING A FULL DAY OF OPERATIONS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/08/2018

Compl.Time: 08:34 PM

ACHD Complaints System

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017
AIR-20171221-178598	12/21/2017
AIR-20180227-179605	02/27/2018
AIR-20180227-179606	02/27/2018
AIR-20180227-179607	02/27/2018
AIR-20180103-178758	01/03/2018
AIR-20180123-178926	01/23/2018
AIR-20180213-179274	02/13/2018
AIR-20180214-179285	02/13/2018
AIR-20180214-179286	02/13/2018
AIR-20180214-179287	02/13/2018
AIR-20180214-179290	02/07/2018
AIR-20180110-178837	01/09/2018
AIR-20171206-178040	11/30/2017
AIR-20180221-179498	02/21/2018
AIR-20171201-177955	12/01/2017
AIR-20171214-178357	12/04/2017
AIR-20180220-179445	02/20/2018
AIR-20180220-179446	02/20/2018
AIR-20180220-179451	02/19/2018
AIR-20180226-179603	02/26/2018
AIR-20180227-179615	02/27/2018
AIR-20171204-178002	12/04/2017
AIR-20171204-178003	12/04/2017
AIR-20180306-179748	03/05/2018
AIR-20180413-180059	04/13/2018
AIR-20180514-180314	05/14/2018
AIR-20180322-179930	03/21/2018
AIR-20180322-179931	03/21/2018
AIR-20180508-180289	05/08/2018

ACHD Complaints System

AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	

ACHD Complaints System

AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	

ACHD Complaints System

AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181011-181460

AIR QUALITY - ODOR

Date Incident Occurred: 10/08/2018

Time Incident Occurred: 10:40 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/8/18

-10:40PM

-PERIODIC WIFFS OF THE BURNING PLASTIC ODOR COMING FROM METALICO RECYCLING -THE NOISE HAS GOTTEN WORSE AND THERE IS DEFINITELY SOME KIND OF METAL-CHURNING MACHINE OPERATING THERE. IT'S BEEN CONSISTENT LIKE THIS FOR THE PAST HALF HOUR. I CAN ALSO HEAR LARGE LOADS OF METAL BEING DUMPED EVERY FEW MINUTES, LOUD BANGS, AND LOTS OF BACK-UP BEEPING. -IT'S LITERALLY LOUD ENOUGH TO HEAR THROUGH MY CLOSED WINDOWS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017

ACHD Complaints System

AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	

ACHD Complaints System

AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	

ACHD Complaints System

AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181011-181461

AIR QUALITY - ODOR

Date Incident Occurred: 10/05/2018

Time Incident Occurred: 11:10 AM

Complaint Property : **OLD FREEPORT RD**

Apt/Unit#:

City: FOX CHAPEL, PA 15238

Municipality: FOX CHAPEL BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : HORRIBLE SMELL LIKE LYSOL OR SOME CLEANER GIVING EVERYONE A HEADACHE

Complainant:



Email:

Phone(s):



Complaint Against: **ALCOSAN WASTE WATER TREATMENT FOX CHAPEL**

OLD FREEPORT RD

FOX CHAPEL, PA 15238

Phone(s):

Additional Comments: CALL INTO ACHD - JIM BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180829-181159	08/28/2018
AIR-20180926-181374	09/21/2018
AIR-20180831-181185	08/31/2018
AIR-20180807-180876	08/07/2018
AIR-20180807-180877	08/07/2018
AIR-20180807-180878	08/07/2018
AIR-20180807-180879	08/07/2018
AIR-20180807-180880	08/07/2018
AIR-20180807-180881	08/07/2018
AIR-20180807-180882	08/07/2018
AIR-20180807-180883	08/07/2018

ACHD Complaints System

AIR-20180807-180884	08/07/2018	
AIR-20180807-180885	08/07/2018	
AIR-20180807-180886	08/07/2018	
AIR-20180807-180887	08/07/2018	
AIR-20180807-180888	08/07/2018	
AIR-20180807-180889	08/07/2018	
AIR-20180807-180890	08/07/2018	
AIR-20180807-180891	08/07/2018	
AIR-20180807-180892	08/07/2018	
AIR-20180807-180893	08/07/2018	
AIR-20180807-180894	08/07/2018	
AIR-20180807-180895	08/07/2018	
AIR-20180807-180896	08/07/2018	
AIR-20180807-180897	08/07/2018	
AIR-20180807-180898	08/07/2018	
AIR-20180807-180899	08/07/2018	
AIR-20180807-180900	08/07/2018	
AIR-20180807-180901	08/07/2018	
AIR-20180807-180902	08/07/2018	
AIR-20180807-180903	08/07/2018	
AIR-20180807-180904	08/07/2018	
AIR-20180807-180905	08/07/2018	
AIR-20180807-180906	08/07/2018	
AIR-20180807-180907	08/07/2018	
AIR-20180807-180908	08/07/2018	
AIR-20180807-180909	08/07/2018	
AIR-20180807-180910	08/07/2018	
AIR-20180807-180911	08/07/2018	
AIR-20180807-180912	08/07/2018	
AIR-20180807-180913	08/07/2018	
AIR-20180807-180914	08/07/2018	
AIR-20180807-180915	08/07/2018	
AIR-20180807-180916	08/07/2018	
AIR-20180807-180917	08/07/2018	
AIR-20180807-180918	08/07/2018	
AIR-20180807-180919	08/07/2018	
AIR-20180807-180920	08/07/2018	
AIR-20180807-180921	08/07/2018	
AIR-20180807-180922	08/07/2018	
AIR-20180807-180924	08/07/2018	
AIR-20180807-180925	08/07/2018	
AIR-20180807-180926	08/07/2018	
AIR-20180807-180927	08/07/2018	
AIR-20180807-180928	08/07/2018	
AIR-20180807-180929	08/07/2018	
AIR-20180807-180930	08/07/2018	

ACHD Complaints System

AIR-20180807-180932	08/06/2018	
AIR-20180824-181107	08/24/2018	
AIR-20180904-181208	09/03/2018	
AIR-20180821-181075	08/20/2018	
AIR-20180821-181076	08/21/2018	
AIR-20180905-181215	09/04/2018	
AIR-20180906-181221	09/06/2018	
AIR-20181002-181409	10/02/2018	
AIR-20180608-180491	06/08/2018	
AIR-20180919-181329	09/18/2018	
AIR-20180827-181121	08/25/2018	
AIR-20180827-181124	08/25/2018	

ACHD Complaints System

Service Request # AIR-20181011-181462

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 04:22 PM

Complaint Property : **HOCHBERG RD**

Apt/Unit#:

City: **PENN HILLS, PA 15235**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **55651**

Ward:

Nature of Complaint : 408 HOCHSBURG IS BURNING GARBAGE AND WOOD. FILLS NEIGHBORHOOD

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **HOCHBERG ROAD 15235**

HOCHBERG RD

PENN HILLS, PA 15235

Phone(s):

Additional Comments: CALL IN ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170906-176327	09/04/2017	
AIR-20170905-176319	09/04/2017	
AIR-20181024-181533	10/24/2018	
AIR-20181003-181413	10/03/2018	
AIR-20181010-181450	10/10/2018	

ACHD Complaints System

Service Request # AIR-20181012-181463

AIR QUALITY - ODOR

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 11:03 AM

Complaint Property : **109 48TH ST**

Apt/Unit#:

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint :

DATE 10/11/2018 11:03 AM

TYPE HEALTH HAZARD

ADDRESS PITTSBURGH

COMMENTS POLLUTION

MCCONWAY AND TORLEY COMPANY CONTINUES TO POLLUTE OUR BREATHING AIR.

WHAT CONCERNS ME THE MOST IS THAT THERE ISN'T MUCH POLITICAL LEADERSHIP FOR IMPROVING THE SITUATION. WE NEED MORE RAPID TRANSIT. LESS FOSSIL FUELS, BETTER EMISSIONS CONTROLS ON TRUCKS, AND BETTER/ADEQUATE AIR PERMIT ENFORCEMENT

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/11/2018

Compl.Time: 11:03 AM

Complainant: ***Website,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***MCCONWAY AND TORLEY GROUP**

109 48TH ST

LAWRENCEVILLE, PA 15201 - 2755

Phone(s): 412-6824700 WORK
412-6824700 OTHER
412-6824725 FAX

Additional Comments: FORWARD FROM 311 10-12-2018 08:10 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

AIR-20150513-162632	05/13/2015
---------------------	------------

ACHD Complaints System

AIR-20150430-162432	04/30/2015	
AIR-20150430-162433	04/30/2015	
AIR-20150501-162454	05/01/2015	
AIR-20150501-162456	05/01/2015	
AIR-20150827-164604	08/27/2015	
AIR-20150730-163820	07/30/2015	
AIR-20150327-161963	03/27/2015	
AIR-20150430-162439	04/30/2015	
AIR-20150430-162446	04/30/2015	
AIR-20150520-162695	05/20/2015	
AIR-20160121-166861	01/21/2016	
AIR-20151117-165925	11/17/2015	
AIR-20151217-166362	12/17/2015	
AIR-20160120-166844	01/20/2016	
AIR-20160303-167684	03/03/2016	
AIR-20160105-166582	01/05/2016	
AIR-20150930-165158	09/30/2015	
AIR-20151125-166024	11/25/2015	
AIR-20160401-168322	04/01/2016	
AIR-20160205-167203	02/05/2016	
AIR-20160210-167248	02/10/2016	
AIR-20160212-167301	02/12/2016	
AIR-20160225-167521	02/25/2016	
AIR-20150916-164947	09/16/2015	
AIR-20160203-167162	02/03/2016	
AIR-20171120-177743	09/30/2017	
AIR-20180110-178836	01/09/2018	
AIR-20171213-178309	12/12/2017	
AIR-20180717-180725	07/17/2018	
AIR-20180822-181090	08/22/2018	

ACHD Complaints System

Service Request # AIR-20181012-181464

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/11/2018

Time Incident Occurred: 09:23 AM

Complaint Property : **SHADY AV**

Apt/Unit#:

City: **SQUIRREL HILL, PA 15217**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/11/2018

Compl.Time: 09:23 AM

Nature of Complaint :

DATE 10/11/2018 9:23 AM

TYPE HEALTH HAZARD

ADDRESS [REDACTED]

COMMENTS CALLER SAYS EVERY NIGHT AROUND 7PM A VERY STRONG ODOR IS COMING FROM SOMEWHERE NEAR SHADY/MURRAY AVES. SAID SHE HAS TO CLOSE WINDOWS. WANTS TO KNOW IF A BUSINESS IS COOKING OR CLEANING (GOOD LUCK!! HAHA) SHE HAS NO IDEA WHERE ODOR IS COMING FROM AND SURPRISED NO OTHER CALLS ON THIS

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

SHADY AVENUE 15217

SHADY AV

SQUIRREL HILL, PA 15217

Phone(s):

Additional Comments: EMAIL FROM 311 10-12-2018 @ 08:07 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171206-178036	11/30/2017

ACHD Complaints System

Service Request # AIR-20181012-181465

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/10/2018

Time Incident Occurred: 05:30 PM

Complaint Property : **GRANT ST**

Apt/Unit#:

City: **SOUTH PARK TOWNSHIP, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

NAME OFFICER [REDACTED]

EMAIL [REDACTED]

SUBJECT OPEN BURN VIOLATION REPORTED FROM FIRE COMPANY MESSAGE ON 10/10/18 AT APPROX 1738HRS THIS OFFICER RECEIVED REPORT OF OPEN BURN VIOLATION AT 3819 GRANT STREET S PARK PA 15129 IN WHICH LIBRARY FIRE CO PUT OUT UNATTENDED FIRE CONTAINING CONSTRUCTION MATERIALS CAUSING SMOKE IN NEIGHBORHOOD. FIRE COMPANY REQUESTED COMPLAINT FILED. OWNER OF THE RESIDENCE IS A TODD HORST 3819 GRANT STREET S PARK PA 15129 (CELL) [REDACTED]

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

GRANT STREET 15129

GRANT ST

SOUTH PARK TOWNSHIP, PA 15129

Phone(s):

Additional Comments: WEBSITE COMPLAINT 10-11-2018 @ 04:35 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181015-181479

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/14/2018

Time Incident Occurred: 06:20 PM

Complaint Property :

Apt/Unit#:

City: CORAOPOLIS, PA 15108

Municipality: KENNEDY TOWNSHIP

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/14/2018

Compl.Time: 06:20 PM

Nature of Complaint :

610PM KENNEDY TWP I KNOW YOU HAVE MADE GREAT STRIDES WITH AIR QUALITY., BUT IF YOU WANT TO REALLY GET SERIOUS YOU SHOULD BAN THE USE OF WOOD BURNING FIREPLACES. THREE OR FOUR NIGHTS A WEEK I HAVE STINGING EYES AND DISCOMFORT FROM PEOPLE BURNING IN MY AREA. I JUST WALKED TO THE END OF MY ROAD AND SAW SMOKE COMING FROM A CHIMNEY. IT WAS GOING NOT UP BUT DOWN AND HEADED FOR MY HOUSE. MY DAD IS 91 AND HAS TO BE WATCHED FOR RESPIRATORY PROBLEMS. MY WIFE IS A RETIRED SCHOOL NURSE AND HAD CONSTANT ISSUES WITH KIDS WITH ASAMA. A LOT OF TIMES THE SMELLS ARE REALLY BAD AS I AM CONVINCED PEOPLE ARE BURNING MORE THAN LOGS. IT NOT ALWAYS THE BIG PLANTS THAT HARM PEOPLE. IF YOU DON'T THINK ABOUT ME AND MY DAD, THINK ABOUT THE HARM THAT IS BEING DONE TO CHILDREN.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

HOME

Complaint Against:

15108 GENERAL AREA

CORAOPOLIS, PA 15108

Phone(s):

Additional Comments:

WEBSITE COMPLAINT 10-14-2018 @ 06:20 PM

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

ACHD Complaints System

Service Request # AIR-20181015-181480

AIR QUALITY - ODOR

Date Incident Occurred: 10/15/2018

Time Incident Occurred: 09:34 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : 10/15/18

-9:28AM

-METALICO RECYCLING, NEVILLE ISLAND

-LARGE EXPLOSION/SMOKE COMING FROM THE SHREDDER. IT SHOOK THE HOUSE AND WINDOWS.

-THERE'S ALSO BEEN A FAINT ODOR OF BURNING PLASTIC/INDUSTRIAL THAT'S BEEN NOTICEABLE FOR THE PAST HOUR.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/15/2018

Compl.Time: 09:34 AM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018

ACHD Complaints System

AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	

ACHD Complaints System

AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	

ACHD Complaints System

AIR-20180925-181370	09/25/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181015-181482

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/04/2018

Time Incident Occurred: 03:21 PM

Complaint Property :

Apt/Unit#:

City: GIBSONIA, PA 15044

Municipality: UNKNOWN REMAINDER

Census Tract: 99999

Ward:

Nature of Complaint : UNKNOWN NEIGHBOR BURNING

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

SANDY HILL ROAD 15044

GIBSONIA, PA 15044

Phone(s):

Additional Comments: CALL INTO ACHD - NICHOLAS CAITO

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/04/2018

Compl. Time: 03:31 PM

ACHD Complaints System

Service Request # AIR-20181015-181483

AIR QUALITY - ODOR

Date Incident Occurred: 10/15/2018

Time Incident Occurred: 09:25 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

10/15/18

-9:25AM TO 12:55PM

-METALICO RECYCLING, NEVILLE ISLAND

-STRONG ODOR OF BURNING PLASTIC/INDUSTRIAL -THE ODOR HAS BEEN CONSISTENT FOR OVER 3 HOURS, SOMETIMES GETTING VERY HEAVY.

-THERE'S ALSO BEEN A CONSISTENT SMOGGY HAZE OVER THE AREA WITH PERIODS OF THICK CREAMY SMOKE. THE WIND IS BLOWING DIRECTLY ACROSS FROM METALICO TOWARDS MY HOME.

-I'M TRYING TO DO SOME OUTSIDE WORK ON MY BACK PORCH BUT THE ODOR IS BURNING MY THROAT AND CAUSING A HEADACHE MAKING ME HAVE TO STOP AND GO INSIDE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/15/2018

Compl.Time: 01:01 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017

ACHD Complaints System

AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	

ACHD Complaints System

AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	

ACHD Complaints System

AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181016-181484

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/16/2018

Time Incident Occurred: 08:42 AM

Complaint Property : **LEECHBURG RD**

Apt/Unit#:

City: **PLUM BORO, 15239**

Municipality: **PLUM BOROUGH**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/16/2018

Compl.Time: 08:42 AM

Nature of Complaint :

THEY ARE ONCE AGAIN GATHERING A LARGE PILE OF DEBRIS BEHIND ROMANO CARPETING 3140 LEECHBURG ROAD 15239 . AND BUILDING NEXT TO IT . THEY HAVE BEEN PILING IT UP ALL WEEK AND I SUSPECT WILL SET ON FIRE LATER IN WEEK . THIS IS 3RD TIME THIS YEAR THEY HAVE HAD A ENORMOUS BURN PILE THEY HAVE LIGHTED OFF WITH TREES , GARBAGE, RUG REMNANTS ETC. LOCAL POLICE AND FIRE WILL DO NOTHING TO STOP THEM AND ODOR AND SMOKE DRIFTS OVER THE ENTIRE AREA . WILL YOU PLEASE LOOK INTO AND STOP THEM FROM DOING IT. PLUM BORO SEEMS TO THINK THEY ARE EXEMPT FROM ALLEGHENY COUNTY RULES PEOPLE ARE CONSTANTLY BURNING IN THE AREA NO ONE DOES ANYTHING ABOUT IT.

Complainant:

[REDACTED]

Email:

, PA
[REDACTED]

Phone(s):

Complaint Against: LEECHBURG ROAD 15239

LEECHBURG RD
PLUM BORO, 15239

Phone(s):

Additional Comments: WEBSITE 10-16-2018 @ 08:42 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181017-181499

AIR QUALITY - ODOR

Date Incident Occurred: 10/17/2018

Time Incident Occurred: 11:38 AM

Complaint Property :

Apt/Unit#:

City: , PA 15235

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

GETTING GREY DEPOSITS IN HOUSE. BELIEVE ITS AIR QUALITY RELATED, POSSIBLY PASSING TRAINS OR SOME OTHER INDUSTRY. HE WOULD LIKE CALLED PRIOR TO AN INSPECTOR COMING OUT.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/17/2018

Compl.Time: 11:44 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

HOME
CELL PHONE

Complaint Against:

15235 GENERAL AREA

, PA 15235

Phone(s):

Additional Comments:

CALL INTO ACHD - NICHOLAS CAITO

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171218-178407	12/17/2017	
AIR-20180413-180062	04/11/2018	
AIR-20180803-180850	08/02/2018	

ACHD Complaints System

Service Request # AIR-20181017-181500

AIR QUALITY - ODOR

Date Incident Occurred: 10/16/2018

Time Incident Occurred: 10:00 AM

Complaint Property :

Apt/Unit#:

City:

Municipality:

Census Tract: UNKNOWN

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/17/2018

Compl.Time: 10:00 AM

Nature of Complaint :

WHILE I WAS IN THE PLUM MUNICIPAL BUILDING AN ODOR COMPLAINT CAME IN REGARDING A CRUDE CONDENSATE ODOR ALONG SALTSBURG RD. IN PLUM BORO, I WENT OUT TO INVESTIGATE WITH THE PLUM CODE ENFORCEMENT OFFICER. THERE WAS AN ODOR EMANATING FROM THE PROPERTY LOCATED ABOVE THE PARKING LOT OF AMPLIFY CHURCH – PITTSBURGH EAST ALONG SALTSBURG ROAD. WHEN WE ARRIVED THE ODOR WAS VERY STRONG AND EXCAVATING WAS TAKING PLACE AT A LOCAL WELL SITE OWNED BY PENNECO ENVIRONMENTAL SOLUTIONS, LLC. NEIGHBORS HAD BEEN REPORTING ODORS IN THE AREA FOR OVER A WEEK WITH NO ACTION TAKEN BY ANY COMPANY UNTIL LAST FRIDAY WHEN THE WELL OWNER MADE THEIR REPORT TO THE DEP. APPARENTLY A CRUDE CONDENSATE LINE (2") HAD BEEN LEAKING FOR A WHILE WHICH EVENTUALLY MIGRATED TO THE STORM DRAINS AND INTO THE WETLAND AREA OF CATTAILS AS IT CONTINUED ON DOWN TO APPROXIMATELY 15 FEET OF SALTSBURG ROAD. THE DEP FROM WATER QUALITY WAS ONSITE EARLIER PRIOR TO OUR ARRIVAL TUESDAY 10/16/18, THEY SURVEYED THE EXTENT OF THE INCIDENT AND THE ONGOING CLEANUP. PLEASE REVIEW ATTACHMENT LISTING THE DEP PERSONNEL THAT WAS EITHER ONSITE OR NOTIFIED OF THE INCIDENT. <ATTACHMENT IN FILE>

Complainant:

Bollinger,James

301 39TH ST

LAWRENCEVILLE, PA 15301

Email:

Phone(s):

412-5788186

Complaint Against:

PENNECO ENVIRONMENTAL SOLUTIONS

6608 US 22 # 301

DELMONT, PA 15626

Phone(s):

734-4686014

Additional Comments:

CALLED IN BY JAMES BOLLINGER

ACHD Complaints System

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
---------------	------------------------

ACHD Complaints System

Service Request # AIR-20181022-181519

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/20/2018

Time Incident Occurred: 07:37 PM

Complaint Property :

Apt/Unit#:

City: , PA 15211

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

NEIGHBOR HAS A LARGE PILE OF CARDBOARD THAT HE IS BURNING IN A FIRE PIT BEHIND HIS HOUSE. THIS OCCURRED SAT. 10/20 2:30 PM. HIS HOUSE IS ON GREENLEAF ST [REDACTED]. (NOT SURE HIS EXACT ADDRESS).

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/20/2018

Compl.Time: 03:37 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

Complaint Against: 15211 GENERAL AREA

, PA 15211

Phone(s):

Additional Comments: WEBSITE COMPLAINT 10-20-2018 @ 03:37 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181022-181521

AIR QUALITY - ODOR

Date Incident Occurred: 10/22/2018

Time Incident Occurred: 10:37 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/22/18

-10:37AM

-METALICO RECYCLING, NEVILLE ISLAND

-HEAVY ODOR OF BURNING PLASTIC AND SOME SMOKE COMING FROM THE SHREDDER. IT COMES IN WAVES OF SEVERITY AND SUPER STRONG RIGHT NOW.

-10:46AM

-NEVILLE GALVANIZING, NEVILLE ISLAND

-A LOT OF THICK, CREAMY SMOKE COMING FROM A BUILDING. THERE'S A THICK SMOG COVERING THIS PORTION OF THE ISLAND.

PICTURE ATTACHED IN FILE

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/22/2018

Compl.Time: 10:40 AM

ACHD Complaints System

AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	

ACHD Complaints System

AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	

ACHD Complaints System

AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181022-181523

AIR QUALITY - ODOR

Date Incident Occurred: 10/22/2018

Time Incident Occurred: 01:46 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/22/18

-1:46PM

-METALICO RECYCLING, NEVILLE ISLAND

-STILL A HEAVY ODOR OF BURNING PLASTIC AND COMING FROM THE SHREDDER. THERE'S A LOT OF SMOKE AND A SMOGGY HAZE THAT'S HANGING OVER THEM. I WAS UP IN THE HILLS OF EMSWORTH EARLIER (ACROSS FROM MY HOUSE) AND I COULD SMELL IT ALL WAY UP THERE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/22/2018

Compl.Time: 02:02 PM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018

ACHD Complaints System

AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	

ACHD Complaints System

AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	

ACHD Complaints System

AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181022-181524

AIR QUALITY - ODOR

Date Incident Occurred: 10/18/2018

Time Incident Occurred: 08:57 AM

Complaint Property : **626 COCHRANS MILL RD**

Apt/Unit#:

City: **PLEASANT HILLS, PA 15236**

Municipality: **PLEASANT HILLS BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : HORRIBLE SMELL COMING FROM SEWAGE PLANT. VOICE MAIL FORWARDED FROM CLAUDIA DETTLINGER TO ENFORCEMENT. I COULDNT UNDERSTAND THE MANS NAME AND HE DIDNT LEAVE A PHONE NUMBER BUT VOICEMAIL IS ON FILE

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **PLEASANT HILLS SEWAGE TREATMENT PLANT**

626 COCHRANS MILL RD

PLEASANT HILLS, PA 15236

Phone(s):

Additional Comments: CALL INTO ACHD - CLAUDIA DETTLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181023-181525

AIR QUALITY - ODOR

Date Incident Occurred: 10/23/2018

Time Incident Occurred: 09:28 AM

Complaint Property : **3005 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint :

-10/23/18

-7:30AM CONTINUING TO 9:15AM

-NEVILLE GALVANIZING AND METALICO RECYCLING, NEVILLE ISLAND.

-A LOT OF SMOKE COMING FROM THE NEVILLE GALVANIZING BUILDING AND A LOT OF SMOKE COMING FROM THE SHREDDER AT METALICO.

-IT'S ALL MIXING TO CREATE A THICK SMOGGY HAZE OVER THAT SECTION OF THE ISLAND.

-THERE'S A BAD ODOR OF BURNING PLASTIC AND SOME OTHER STRANGE ODORS THAT I'M CATCHING A WHIFF OF.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/23/2018

Compl.Time: 09:28 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***NEVILLE GALVANIZING INCORPORATED**

3005 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7719799

WORK

412-7719799

OTHER

412-7712712

FAX

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180226-179604	02/26/2018
AIR-20180312-179847	03/10/2018

ACHD Complaints System

AIR-20180425-180161	04/25/2018	
AIR-20180427-180186	04/27/2018	

ACHD Complaints System

Service Request # AIR-20181023-181526

AIR QUALITY - ODOR

Date Incident Occurred: 10/19/2018

Time Incident Occurred: 01:06 PM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : VERY HEAVY SMELTING SMELL COMING OFF NEVILLE ISLAND

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

HOME

Complaint Against:

*NEVILLE ISLAND

PITTSBURGH, PA 15225

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20151112-165846	11/12/2015	
AIR-20180220-179447	02/18/2018	
AIR-20190207-182206	02/07/2019	

ACHD Complaints System

Service Request # AIR-20181023-181527

AIR QUALITY - ODOR

Date Incident Occurred: 10/19/2018

Time Incident Occurred: 09:16 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/19/2018

Compl.Time: 09:16 AM

Nature of Complaint :

FOUL INDUSTRIAL ODOR DUE TO MORNING INVERSION, STARTED TODAY ABOUT 4 AM, FRIDAY, OCTOBER 19, 2018
LIVES NEAR MINADEO SCHOOL, SQUIRREL HILL SOUTH NEAR GLENFIELD AREA, 6502 LILAC STREET, PITTSBURGH 15217
SMELL PITTSBURGH AND PURPLE AIR ARE REPORTING HIGH LEVELS IN GLASSPORT, BRADDOCK, LIBERTY
WANTS TO KNOW WHAT THE HEALTH DEPT. IS DOING ABOUT THIS ON-GOING PROBLEM
WANTS A CALL BACK

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: CALL INTO THE ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018

ACHD Complaints System

AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20181023-181528

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/23/2018

Time Incident Occurred: 03:18 PM

Complaint Property : **MAIN ST**

Apt/Unit#:

City: **CARNEGIE, PA 15106**

Municipality: **CARNEGIE BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : THE CONVENICE STORE (ACTUAL NAME OF STORE) 801 WEST MAIN STREET CARNEGIE

RECONFIGURED PARKING LOT SO THAT CAR EXHUAST IS DRIECTLY UNDER HIS FURNACE INTAKE CAUSING FUMES TO COME INTO HIS HOUSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

MAIN STREET 15106

MAIN ST

CARNEGIE, PA 15106

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181023-181529

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/12/2018

Time Incident Occurred: 07:17 PM

Complaint Property : **107 RIDGE RD**

Apt/Unit#:

City: **CHESWICK, PA 15024**

Municipality: **CHESWICK BOROUGH**

Census Tract: **54190**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/12/2018

Compl.Time: 07:17 PM

Nature of Complaint : TIP OR COMPLAINT: NOT SURE ENTIRELY IF THIS IS AN EPA ISSUE BUT MY NEIGHBOR BURNS STUFF DAILY. THERE'S BLACK SMOKE DAILY. HE'S CURRENTLY BURNING A ROOF TOP WITH SHINGLES AND A GIANT PLASTIC TARP OF SOME SORT. I CAN SMELL THIS OH MY HOUSE AND HAVE A HUSBAND WITH ASTHMA AND A 5 YEAR OLD CHILD. THANKS FOR YOUR TIME AND I APOLOGIZE IF THIS ISN'T THE RIGHT AREA OF COMPLAINT BUT THE BURNING DAILY IS TRULY THE CASE...EVEN IN THE RAIN. ALSO CAN THIS BE PRIVATE? THESE PEOPLE DON'T PLAY NICELY....

Complainant:

[REDACTED]

, PA

Email:

Phone(s):

[REDACTED]

Complaint Against:

RICK TONEY

107 RIDGE RD

CHESWICK, PA 15024

Phone(s):

Additional Comments: EMAIL TO DEP

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

ACHD Complaints System

Service Request # AIR-20181024-181530

AIR QUALITY - ODOR

Date Incident Occurred: 10/24/2018

Time Incident Occurred: 08:43 AM

Complaint Property : **11 BOGGS RD**

Apt/Unit#:

City: IMPERIAL, PA 15126

Municipality: FINDLAY TOWNSHIP

Census Tract: 54520

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/24/2018

Compl.Time: 08:43AM

Nature of Complaint : [REDACTED] CALLED THE POLICE TO COMPLAIN ABOUT THE ODOR FROM THE LANDFILL

Complainant: Findlay Township Police,
21 MARGARET ST
IMPERIAL, PA 15126

Email:

Phone(s): 724-6957777 MAIN

Complaint Against: *BFI IMPERIAL LANDFILL
11 BOGGS RD
IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
PDW-20100607-96220	06/07/2010
PDW-20101203-116140	12/03/2010
PDW-20100908-108680	09/08/2010
PDW-20100929-111280	09/29/2010
PDW-20110414-129781	04/14/2011
PDW-20120314-151053	03/14/2012
AIR-20180221-179495	02/20/2018
AIR-20180409-180019	04/07/2018
AIR-20180312-179841	03/09/2018
AIR-20180312-179842	03/11/2018
AIR-20180315-179898	03/14/2018

ACHD Complaints System

AIR-20180501-180225	05/01/2018	
AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181130-181675	11/30/2018	
AIR-20181220-181787	12/19/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20181024-181531

AIR QUALITY - ODOR

Date Incident Occurred: 10/18/2018

Time Incident Occurred: 11:58 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/19/2018

Compl.Time: 05:07 PM

Nature of Complaint : I OBSERVED HEAVY EMISSIONS THAT HUNG OVER THE RIVER. I NOTICED THAT AFTER THE SHREDDER SEEMED TO STOP OPERATING THE EMISSIONS CONTINUED. IT LOOKED AS THOUGH THEIR SOURCE WAS FROM FURTHER BACK FROM THE RIVER, MAYBE FROM SOMEWHERE ELSE ON METALICO'S PROPERTY OR ON ANOTHER SITE. I HAVE SEEN DUST CLOUDS THAT CAME FROM NEVILLE AGGREGATES BEHIND METALICO AND THIS DID NOT LOOK LIKE THAT. THE EMISSIONS WERE HANGING OVER THE RIVER. I COULD NOT PINPOINT THE SOURCE EVEN AFTER DRIVING OVER TO METALICO ON NEVILLE ISLAND.

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] CELL PHONE

Complaint Against: ***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018

ACHD Complaints System

AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	

ACHD Complaints System

AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	

ACHD Complaints System

AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181024-181532

AIR QUALITY - ODOR

Date Incident Occurred: 10/18/2018

Time Incident Occurred: 11:54 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : 10/18/18

METALICO

WHILE WATCHING METALICO BETWEEN 11:54-11:56 A.M., I SAW A TRUCK MOVING LEFT TO RIGHT, TO THE RIGHT OF THE OPEN BUILDING. WHILE THE TRUCK WAS MOVING SLOWLY (SLOWER THAN THE VIDEO MAKES IT SEEM), IT STILL RAISED A LARGE DUST CLOUD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018

ACHD Complaints System

AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	

ACHD Complaints System

AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	

ACHD Complaints System

AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181024-181533

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/24/2018

Time Incident Occurred: 09:42 AM

Complaint Property : **HOCHBERG RD**

Apt/Unit#:

City: **PENN HILLS, PA 15235**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **55651**

Ward:

Nature of Complaint : 408 HOCHBERG ROAD IS BURNING LARGE FIRE IN FRONT YARD RIGHT NOW

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **HOCHBERG ROAD 15235**

HOCHBERG RD

PENN HILLS, PA 15235

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170906-176327	09/04/2017	
AIR-20170905-176319	09/04/2017	
AIR-20181003-181413	10/03/2018	
AIR-20181011-181462	10/11/2018	
AIR-20181010-181450	10/10/2018	

ACHD Complaints System

Service Request # AIR-20181024-181534

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 10/18/2018

Feedback : N

Time Incident Occurred: 11:54 AM

Comp Date: 10/21/2018

Complaint Property : **4500 NEVILLE RD**

Compl.Time: 05:11 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : I ALSO SAW SMOKE AND EMISSIONS COMING FROM THE "SILOS" AT LINDY PAVING. THOSE EMISSIONS CONTINUED FOR SOME TIME. THE ATTACHED PHOTOS WERE TAKEN AT 12:06 P.M.

<PICTURES IN FILE>

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

LINDY PAVING (FORMER TRUMBULL) ASPHALT PLANT 4500 NEVILLE ROAD

4500 NEVILLE RD

PITTSBURGH, PA 15225

Phone(s):

412-2646933

WORK

412-4272882

OTHER

412-2646957

FAX

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

ACHD Complaints System

Service Request # AIR-20181024-181535

AIR QUALITY - ODOR

Date Incident Occurred: 10/24/2018

Time Incident Occurred: 11:39 AM

Complaint Property : **PARKRIDGE LA**

Apt/Unit#:

City: **CORAOPOLIS, PA 15108**

Municipality: **MOON TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : ODOR FROM LAWN CARE

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/24/2018

Compl.Time: 11:39 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

PARKRIDGE VILLAGE PARKRIDGE LANE

PARKRIDGE LA

CORAOPOLIS, PA 15108

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171025-177196	10/25/2017	
AIR-20171101-177284	11/01/2017	
AIR-20170921-176703	09/20/2017	
AIR-20180501-180230	05/01/2018	
AIR-20180501-180231	05/01/2018	

ACHD Complaints System

Service Request # AIR-20181024-181536

AIR QUALITY - ODOR

Date Incident Occurred: 10/24/2018

Time Incident Occurred: 02:21 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/24/18

-2:09PM

-METALICO RECYCLING, NEVILLE ISLAND

-BIG EXPLOSION AT THE SHREDDER AND TO THE RIGHT OF THE SHREDDER, ALSO SAW FLAMES. LOTS OF SMOKE AND A STRONG ODOR OF BURNING PLASTIC.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/24/2018

Compl.Time: 02:21 PM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017

ACHD Complaints System

AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	

ACHD Complaints System

AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181025-181537

AIR QUALITY - ODOR

Date Incident Occurred: 10/25/2018

Time Incident Occurred: 07:00 AM

Complaint Property : **ELM ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15133**

Municipality: **MCKEESPORT CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

FIRST NOTICED: ABOUT 7AM
DID NOT CONTACT SOMEONE
10/25/2018 07:15 AM

MESSAGE: SHE LIVES IN A PRIVATE RESIDENCE, SAID THAT AS SOON AS SHE OPENED HER FRONT DOOR IT SMELLS LIKE ROTTEN EGGS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/25/2018

Compl.Time: 07:12 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

ELM STREET 15133

ELM ST

PITTSBURGH, PA 15133

Phone(s):

Additional Comments: ANSWERING SERVICE 10-25-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177986	12/02/2017

ACHD Complaints System

Service Request # AIR-20181025-181538

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/25/2018

Time Incident Occurred: 07:00 AM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA 15217

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : 10/25/18 7 AM IN FOREST HILLS, PA WE HAD TERRIBLE SMELLING SMOKY AIR AND FOG TODAY.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/25/2018

Compl.Time: 08:42 AM

Complainant:

[REDACTED]

Email: [REDACTED], PA

Phone(s):

Complaint Against: 15217 IN GENERAL

PITTSBURGH, PA 15217

Phone(s):

Additional Comments: WEBSITE 10-25-2018 @ 08:42 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170912-176435	09/07/2017
AIR-20171205-178016	11/30/2017
AIR-20171017-176961	10/15/2017
AIR-20170926-176801	09/20/2017
AIR-20171025-177206	09/20/2017
AIR-20171130-177914	11/28/2017
AIR-20171130-177921	11/28/2017
AIR-20180702-180621	07/02/2018

ACHD Complaints System

Service Request # AIR-20181025-181539

AIR QUALITY - ODOR

Date Incident Occurred: 10/25/2018

Time Incident Occurred: 01:05 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : CREIGHTON FIRE SMELLS TODAY

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/25/2018

Compl. Time: 01:05 PM

Complainant:

██████████
██████████
██████████

Email:

Phone(s):

██████████

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST
CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018
AIR-20190129-182074	01/28/2019

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	

ACHD Complaints System

Service Request # AIR-20181025-181540

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/25/2018

Time Incident Occurred: 02:16 PM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA 15219

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/25/2018

Compl.Time: 02:16 PM

Nature of Complaint :

CALLED TO COMPLAIN ABOUT THE "JAIL TRAIL" ON 2ND AVENUE. HE SAID THEY SPRAYED CHEMICALS TO KILL THE WEEDS AND NOW EVERY TIME HE RIDES HIS BICYCLE THROUGH THERE HE CAN TASTE IT ON HIS TONGUE. HE WAS WONDERING IF WE WERE AWARE THAT THEY SPRAYED THE CHEMICALS AND WOULD LIKE A CALL BACK.

Complainant:



, PA

Email:



Phone(s):

Complaint Against: 15219 GENERAL AREA

PITTSBURGH, PA 15219

Phone(s):

Additional Comments: CALL INTO ACHD - CLAUDIA DETTLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170915-176567	09/11/2017
AIR-20171122-177788	11/21/2017
AIR-20171024-177159	09/18/2017
AIR-20180119-178910	01/19/2018
AIR-20180111-178868	01/10/2018
AIR-20180209-179159	02/09/2018
AIR-20180420-180122	04/19/2018

ACHD Complaints System

Service Request # AIR-20181025-181541

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 10/25/2018

Time Incident Occurred: 03:12 PM

Complaint Property : **NICHOLAS PL**

Apt/Unit#:

City: **SEWICKLEY, PA 15143**

Municipality: **SEWICKLEY BOROUGH**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/25/2018

Compl.Time: 03:12 PM

Nature of Complaint :

CALLED TO COMPLAIN ABOUT HER NEIGHBOR AT 331 NICHOLAS BURNING GARBAGE AND PLASTIC IN HIS BACK YARD. HE IS ONLY ABOUT A FOOT AWAY FROM OTHER PROPERTIES SHE HAS COMPLAINED TO HER BOROUGH AND LOCAL POLICE, THE POLICE COME OUT AND TELL HIM HIS IS NOT ALLOWED TO BURN. HE STOPS WHEN THEY TELL HIM TO BUT CONTINUES TO BURN WHEN THE POLICE AREN'T THERE. THE POLICE DEPARTMENT TOLD [REDACTED] THAT IT WAS UP TO HER AND THE OTHER NEIGHBORS TO CALL US. THIS HAS BEEN GOING ON FOR AROUND 5 MONTHS AND RECENTLY HE STARTED DOING HIS BURNING AROUND 11 PM. [REDACTED] STATED THAT RIGHT NOW HE HAS A PILE OF ITEMS TO BURN NEXT TO THE AREAR WHERE HE HAS BEEN DOING THE BURNING.

Complainant:

[REDACTED]
[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: NICHOLAS PLACE 15143

NICHOLAS PL

SEWICKLEY, PA 15143

Phone(s):

Additional Comments: CALL INTO ACHD - CLAUDIA DETTLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180525-180404	05/24/2018
AIR-20181010-181448	10/09/2018

ACHD Complaints System

Service Request # AIR-20181026-181542

AIR QUALITY - ODOR

Date Incident Occurred: 10/26/2018

Time Incident Occurred: 01:18 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : LARGE EXPLOSIAN AT METALICO LARGE PLUME STILL COMING OFF SHREDDER.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/26/2018

Compl.Time: 01:21 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017

ACHD Complaints System

AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	

ACHD Complaints System

AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	

ACHD Complaints System

AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181029-181559

AIR QUALITY - ODOR

Date Incident Occurred: 10/26/2018

Time Incident Occurred: 04:45 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : MESSAGE: ODOR COMING FORM UNITED STATES STEEL CLAIRTON COKE WORKS— STRONG SULFUR SMELL ON THE OUTSIDE

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/26/2018

Compl.Time: 04:45 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 10-29-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20181001-181400	10/01/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181029-181560
AIR POLLUTION - GENERAL

Compl Status : OPEN
Emergency : NOT AN EMERGENCY
Feedback : N
Comp Date: 10/26/2018
Compl.Time: 05:21 PM

Date Incident Occurred: 10/26/2018
Time Incident Occurred: 05:17 PM
Complaint Property : **3340 SMALLMAN ST**

Apt/Unit#:
City: **LAWRENCEVILLE, PA 15201**
Municipality: **PITTSBURGH CITY**
Census Tract: **30603**
Ward: **06**

Nature of Complaint : OCTOBER 26 ,2018
5:17 PM
I'M COMPLAINING AGAIN ABOUT KITCHENRAMMA LOCATED ON SMALLMAN ST., PITTSBURGH, PA

MY TENANTS WHO LIVE AT [REDACTED] ARE
COMPLAINING
ABOUT HEALTH ISSUES !

KITCHEN RAMS IS CONSTANTLY CUTTING STONE, I.E. MARBLE, GRANITE
AND POLLUTING
THE AIR THAT WE BREATHE IN OUR COMMUNITY.

NEIGHBORHOOD WE HAVE COMPLAINED IN THE SPRING OF 2018 AND IN
THE SUMMER OF 2018.

WHAT HAVE YOU BEEN DOING TO HELP US KEEP THE AIR CLEAN. ?

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] CELL PHONE

Complaint Against: **PITTSBURGH KITCHENRAMMA**

3340 SMALLMAN ST
LAWRENCEVILLE, 15201

Phone(s): 412-6872308 WORK

Additional Comments: WEBSITE 10-26-2018 @ 05:21 PM

Supervisor:
Created By: Sagel, Karen

ACHD Complaints System

Actions:**Previous Complaints on Complaint Property:**

SR Num	Date Complained	
AIR-20180717-180738	07/16/2018	
AIR-20180904-181209	09/03/2018	
AIR-20180619-180548	06/18/2018	
AIR-20180712-180712	07/12/2018	
AIR-20181002-181408	10/02/2018	
AIR-20180611-180510	06/11/2018	
AIR-20180521-180382	05/21/2018	
AIR-20180919-181333	09/19/2018	

ACHD Complaints System

Service Request # AIR-20181029-181561

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/29/2018

Time Incident Occurred: 01:13 PM

Complaint Property : **MOUNT JOSEPH ST**

Apt/Unit#:

City: **CARRICK, PA 15210**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/29/2018

Compl.Time: 01:13 PM

Nature of Complaint :

NEIGHBOR AT 1701 MOUNT JOSEPH STREET CARRICK HAS LARGE DESIEL DUMP TRUCK IDILING FOR HOURS AT HOUSE. SMOKE IS FILLING NEIGHBOR WITH BLACK SMOKE. THIS HAS BEEN GOING ON FOR THE PAST COUPLE DAYS. HE ONLY DOES THIS AT NIGHT OR ON THE WEEKENDS. HE IS NOT HOME DURING THE WEEK DAYS. KAREN M SAGEL ADVISED WHEN HE DOES IT AGAIN TO CALL THE LOCAL POLICE DEPARTMENT THEN NOTIFY ACHD SO WE CAN ENFORCE OFF THE POLICE REPORT. UNLESS WE OR THE LOCAL POLICE WITNESS THE EVENT IT CAN NOT BE ENFORECED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **MOUNT JOSEPH STREET 15210**

MOUNT JOSEPH ST
CARRICK, PA 15210

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181031-181562	10/31/2018

ACHD Complaints System

Service Request # AIR-20181031-181562

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/31/2018

Time Incident Occurred: 10:50 AM

Complaint Property : **MOUNT JOSEPH ST**

Apt/Unit#:

City: **CARRICK, PA 15210**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : NEIGHBOR AT 1701 RUNNING DIESEL TRUCK AGAIN

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **MOUNT JOSEPH STREET 15210**

MOUNT JOSEPH ST

CARRICK, PA 15210

Phone(s):

Additional Comments: CALL INTO ACHD KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181029-181561	10/29/2018

ACHD Complaints System

Service Request # AIR-20181031-181563

AIR POLLUTION - GENERAL

Date Incident Occurred: 10/30/2018

Time Incident Occurred: 07:34 PM

Complaint Property : **5532 HACIENDA DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15236**

Municipality: **BALDWIN BOROUGH**

Census Tract: **54805**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/30/2018

Compl.Time: 07:43 PM

Nature of Complaint : I WALK OUTSIDE THIS EVENING AT 7:41 PM AND IT STUNK SO BAD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

ZALAR'S LLC

5532 HACIENDA DR

PITTSBURGH, PA 15236

Phone(s): 412-8485889

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL. JAMES BOLLINGER, DAVID KELLEY, AND NICHOLAS CAITO

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180306-179737	03/06/2018	
AIR-20180604-180459	06/02/2018	
AIR-20180604-180460	06/02/2018	
AIR-20180604-180461	06/02/2018	
AIR-20180604-180462	06/02/2018	
AIR-20180604-180463	06/02/2018	
AIR-20180604-180464	06/02/2018	
AIR-20180604-180465	06/02/2018	
AIR-20180604-180466	06/02/2018	
AIR-20180918-181321	09/18/2018	
AIR-20180918-181322	09/18/2018	

ACHD Complaints System

AIR-20180918-181323	09/18/2018	
AIR-20180924-181367	09/24/2018	
AIR-20180529-180424	05/26/2018	
AIR-20180529-180425	05/26/2018	
AIR-20180529-180427	05/26/2018	
AIR-20180619-180550	06/19/2018	
AIR-20180619-180551	06/19/2018	
AIR-20180619-180552	06/19/2018	
AIR-20180611-180499	06/10/2018	
AIR-20180611-180500	06/10/2018	
AIR-20180611-180501	06/10/2018	
AIR-20180611-180502	06/10/2018	
AIR-20180611-180503	06/10/2018	
AIR-20180611-180504	06/10/2018	
AIR-20180611-180505	06/09/2018	
AIR-20180611-180506	06/09/2018	
AIR-20180919-181324	09/19/2018	
AIR-20180919-181325	09/19/2018	
AIR-20180919-181326	09/19/2018	
AIR-20180919-181327	09/19/2018	
AIR-20180919-181330	09/19/2018	
AIR-20180620-180557	06/20/2018	
AIR-20180620-180558	06/20/2018	
AIR-20180620-180559	06/20/2018	
AIR-20180523-180393	05/23/2018	
AIR-20180523-180394	05/23/2018	

ACHD Complaints System

Service Request # AIR-20181031-181564

AIR QUALITY - ODOR

Date Incident Occurred: 10/31/2018

Time Incident Occurred: 01:49 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: PITTSBURGH, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/31/2018

Compl.Time: 01:49 PM

Nature of Complaint : THICK HEAVY CLOUD COVERING ISLAND. WIND BLOWING DIRECTLY ACROSS RIVER TO HOUSE. SMELL IS HORRIBLE.

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED]

Complaint Against: *METALICO
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017

ACHD Complaints System

AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	

ACHD Complaints System

AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181031-181565

AIR QUALITY - ODOR

Date Incident Occurred: 10/31/2018

Time Incident Occurred: 01:45 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10/31/18

-METALICO RECYCLING, NEVILLE ISLAND

-8:02AM—LOTS OF CREAM COLORED SMOKE COMING FROM THE SHREDDER. IT HUNG IN THE AIR FOR A LONG TIME.

-ALL DAY—REALLY BAD ODOR OF BURNING PLASTIC COMING FROM THE SHREDDER THROUGHOUT THE DAY. I COULD SMELL IT WAY UP ON THE HILLS IN EMSWORTH WHEN I WAS WALKING TODAY.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 10/31/2018

Compl.Time: 01:45 PM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018

ACHD Complaints System

AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	

ACHD Complaints System

AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	

ACHD Complaints System

AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181101-181566

AIR QUALITY - ODOR

Date Incident Occurred: 11/01/2018

Time Incident Occurred: 11:47 AM

Complaint Property :

Apt/Unit#:

City: , PA 15201

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : THE AIR QUALITY IN LAWRENCEVILLE IS HORRIBLE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

15201 GENERAL AREA

, PA 15201

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170912-176428	09/07/2017	
AIR-20170912-176430	09/07/2017	
AIR-20170912-176442	09/08/2017	
AIR-20171207-178127	11/19/2017	
AIR-20171117-177684	09/28/2017	

ACHD Complaints System

Service Request # AIR-20181101-181567

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/01/2018

Time Incident Occurred: 01:25 PM

Complaint Property : **305 CHURCH RD**

Apt/Unit#:

City: **BETHEL PARK, PA 15102**

Municipality: **BETHEL PARK, MUNICIPALITY OF**

Census Tract: **55641**

Ward:

Nature of Complaint : ZAMBONI IS EXTREAMLY OUT OF DATE (MORE THAN 20 YEARS OLD) AND FILLS THE RINKS WITH HORRIBLE ODOR AND FUMES.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

SOUTH HILLS AMATEUR HOCKEY ASSOCIATION
305 CHURCH RD
BETHEL PARK, PA 15102

Phone(s):

412-8335600

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL (JAMES BOLLINGER FINISHED CALL)

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181101-181568

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/01/2018

Feedback : N

Time Incident Occurred: 03:05 PM

Comp Date: 11/01/2018

Complaint Property : **FERRY ST**

Compl.Time: 03:05 PM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : ODOR FROM THE UNDERGROUND FIRE IS BAD TODAY

Complainant:

██████████
██████████████████
██████████████████

Email:

Phone(s):

██████████

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	

ACHD Complaints System

AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181102-181569

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/01/2018

Time Incident Occurred: 05:15 PM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/01/2018

Compl.Time: 05:15 PM

Nature of Complaint :

FIRST NOTICED: FREQUENTLY OVER LAST MONTHS/YEARS CONTACTED SOMEONE

AUTHORITY: ALLEGHENY COUNTY HEALTH DEPT

11/01/2018 05:12 PM

MESSAGE: 3RD CALL-URGENT/ REQUESTING A CALL BACK WITH UPDATES
SMELLS LIKE A CHEMICAL- BURNING RUBBER OR PLASTIC- VERY UNPLEASANT CHEMICAL ODOR- LIVES NEAR SEVERAL PLANTS IN BRIDGEVILLE, CLOSE TO HER HOUSE, FEELS IT MAY BE COMING FROM THE BURNING AT ONE OF THOSE PLANTS.

Complainant:

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: ANSWERING SERVICE 11-02-2018 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180119-178913	01/18/2018
AIR-20171031-177261	10/31/2017
AIR-20180517-180352	05/16/2018
AIR-20181105-181586	11/05/2018
AIR-20190111-181940	01/11/2019

ACHD Complaints System

AIR-20190124-182040	01/23/2019	
AIR-20180618-180541	06/16/2018	
AIR-20190110-181936	01/10/2019	
AIR-20181128-181669	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181105-181579

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/02/2018

Time Incident Occurred: 05:47 PM

Complaint Property : **3340 SMALLMAN ST**

Apt/Unit#:

City: **LAWRENCEVILLE, 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : 11/02/2018 05:47 PM

MESSAGE: KITCHEN RAMA WAS SERVICED AIR QUALITY FINE LAST WEEK.
AND THERE IS AN ODOR AGAIN TODAY.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PITTSBURGH KITCHENRAMMA

3340 SMALLMAN ST

LAWRENCEVILLE, 15201

Phone(s): 412-6872308

WORK

Additional Comments: ANSWERING SERVICE 11-05-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181218-181757	12/17/2018
AIR-20190125-182054	01/25/2019

ACHD Complaints System

Service Request # AIR-20181105-181580

AIR QUALITY - ODOR

Date Incident Occurred: 11/03/2018

Time Incident Occurred: 06:30 PM

Complaint Property :

Apt/Unit#:

City: NEVILLE ISLAND, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint :

11/03/2018 07:28 PM

MESSAGE: SOMEONE IS BURNING RUBBER OR PLASTIC ON NEVILLE ISLAND.

CALLER CLAIMS IT IS BURNING HIS EYES WHEN HE GOES OUT SIDE. HAS BEEN HAPPENING FOR DAYS. (NEAR "SPEEDWAY").

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

15225 GENERAL AREA

NEVILLE ISLAND, PA 15225

Phone(s):

Additional Comments: ANSWERING SERVICE 11-05-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-178000	12/02/2017
AIR-20181003-181414	10/03/2018

ACHD Complaints System

Service Request # AIR-20181105-181581

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/03/2018

Feedback : N

Time Incident Occurred: 10:15 PM

Comp Date: 11/03/2018

Complaint Property : **11 BOGGS RD**

Compl.Time: 08:00 PM

Apt/Unit#:

City: IMPERIAL, PA 15126

Municipality: FINDLAY TOWNSHIP

Census Tract: 54520

Ward:

Nature of Complaint : FIRST NOTICED: 20:52

AUTHORITY: [REDACTED]

11/03/2018 10:15 PM

MESSAGE: ODER BY THE LAND FILL SMELL OF GAS.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): -

Complaint Against: *BFI IMPERIAL LANDFILL

11 BOGGS RD
IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: ANSWERING SERVICE 11-05-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
PDW-20100607-96220	06/07/2010
PDW-20101203-116140	12/03/2010
PDW-20100908-108680	09/08/2010
PDW-20100929-111280	09/29/2010
PDW-20110414-129781	04/14/2011
PDW-20120314-151053	03/14/2012
AIR-20180221-179495	02/20/2018
AIR-20180409-180019	04/07/2018
AIR-20180312-179841	03/09/2018

ACHD Complaints System

AIR-20180312-179842	03/11/2018	
AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	
AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181130-181675	11/30/2018	
AIR-20181220-181787	12/19/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20181105-181582

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/03/2018

Time Incident Occurred: 01:25 PM

Complaint Property : **1004 FOGGY HOLLOW RD**

Apt/Unit#:

City: **GIBSONIA, PA 15044**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

11/04/2018 01:25 PM

MESSAGE: CALLER COMPLAINED ABOUT ADMIRAL TREE SERVICE BURNING

SOMETHING.IT STARTS WITH BLUE SMOKE THEN TURNS BROWN.THE AIR QUALITY IS VERY POOR IN THIS AREA [REDACTED] HAS HEALTH PROBLEMS FROM THIS SMOKE. HAS BEEN REPORTED IN THE PAST.JIM VOLLINGER FROM ALLEGHENY COUNTY HEALTH DEPARTMENT HAS BEEN OUT TO SITE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/03/2018

Compl.Time: 01:25 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

ADMIRAL TREE SERVICE

1004 FOGGY HOLLOW RD

GIBSONIA, PA 15044

Phone(s):

724-9350999

WORK

Additional Comments:

ANSWERING SERVICE 11-05-2018 @ 08:30

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180111-178855	01/11/2018
AIR-20180116-178884	01/12/2018
AIR-20180201-178955	02/01/2018
AIR-20180212-179185	02/10/2018
AIR-20180212-179186	02/10/2018
AIR-20180212-179187	02/10/2018

ACHD Complaints System

AIR-20180212-179188	02/10/2018	
AIR-20180126-178937	01/26/2018	
AIR-20180306-179742	03/05/2018	
AIR-20180323-179935	03/23/2018	
AIR-20180315-179895	03/15/2018	
AIR-20180313-179865	03/13/2018	
AIR-20181210-181703	12/10/2018	
AIR-20181108-181604	11/08/2018	
AIR-20181113-181623	11/13/2018	
AIR-20181107-181600	11/07/2018	

ACHD Complaints System

Service Request # AIR-20181105-181583

AIR QUALITY - ODOR

Date Incident Occurred: 11/04/2018

Time Incident Occurred: 06:00 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/04/2018

Compl.Time: 05:27 PM

Nature of Complaint : 11/04/2018 05:27 PM

MESSAGE: HOME IS NEAR CLAIRTON COKE WORKS--STRONG CHEMICAL ODOR. CALLER HAS CALLED MANY TIMES. WOKE UP THIS MORNING WITH SHORTNESS OF BREATH. VERY IRATE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 11-05-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181105-181584

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/03/2018

Time Incident Occurred: 09:35 PM

Complaint Property : **STOLTZ RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

AREA: SOUTHPARK PA 15129
WHAT TIME WAS IT NOTICED? TODAY
RE: PERSON NEXT TO HER HAS A WOOD BURNER
AND NOW HE IS BURNING WOOD INSIDE
HIS HOME AGAIN AND THE SMOKE IS
REALLY BAD. THE SMOKE IS COMING OUT
BLACK. HER PONIES ARE GETTING A LOT
OF THE SMOKE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/05/2018

Compl.Time: 10:13 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **STOLTZ ROAD 15129**

STOLTZ RD
PITTSBURGH, PA 15129

Phone(s):

Additional Comments: REFERED FROM THE DEP - STEVEN HEPLER - 11-05-2018 @ 08:24 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180301-179652	03/01/2018
AIR-20180409-180021	04/09/2018
AIR-20180409-180024	04/09/2018
AIR-20181119-181642	11/19/2018
AIR-20181114-181625	11/07/2018
AIR-20190118-181994	01/17/2019

ACHD Complaints System

AIR-20190118-181995	11/05/2018	
AIR-20190102-181862	12/31/2018	

ACHD Complaints System

Service Request # AIR-20181105-181585

AIR QUALITY - ODOR

Date Incident Occurred: 11/04/2018

Time Incident Occurred: 08:40 AM

Complaint Property :

Apt/Unit#:

City: , PA 15212

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/04/2018

Compl.Time: 08:40 AM

Nature of Complaint :

AWAKENED DURING NIGHT MORE TIMES THAN NOT BECAUSE OF STENCH INFILTRATING MY HOME OR MY SLEEP IS AWAKENED BECAUSE OF COUGHING, CHEST PRESSURE, NOSE THROAT IRRITATION, PALPITATIONS. LAST NIGHT-IT OCCURRED BOTH WAYS: STENCH FIRST-SYMPTOMS SECOND THEN FEW HOURS LATER-SYMPTOMS FIRST-NOTICE OF STENCH AFTER SYMPTOM ONSET.

SMELLS: ACRID-DIRTY ODOR. UNKNOWN OTHER CHEMICAL ODORS PLUS DANK, WET SANDY ODOR & ROTTING WOOD ODOR.

THE WET DANK SAND & ROTTING WOOD ODOR BEGAN PENETRATING MY HOME ABOUT 8 MONTHS AGO-MONTHS BEFORE I KNEW MREI-THE FRACK SILICA OPERATION WAS ALMOST DIRECTLY ACROSS THE RIVER FROM MY HOME IN BRIGHTON HEIGHTS.

THE CHEMICAL ODORS ARE DIFFICULT TO DESCRIBE. OCCASIONAL RESEMBLANCE TO THE FOUL ODORS THAT SPEWED FROM SHENANGO. MY LIFE IS NOT SPENT MOSTLY INDOORS DUE TO THE FOUL AIR & OBVIOUS SPIKES THAT ARE NEVER OR RARELY PICKED UP BY THE AVALON MONITOR!

KAREN-BASED ON MY EXPERIENCE WITH POLLUTION STENCH-I SEND A SMELL REPORT UP TO 1-3 REPORTS THROUGH OUT ALMOST EVERY MORNING, NOON & NIGHT HOURS.

PLEASE HELP ME KNOW HOW MY INFO CAN BEST BE UTILIZED BY YOU & YOUR STAFF. THE QUALITY OF MY LIFE IS PLUMMETING BECAUSE OF THIS AIR QUALITY SITUATION.

SADLY, I KNOW THERE ARE MANY OTHERS AFFECTED MORE SEVERELY & WE SHOULD BE OUTRAGED & MAKE A CONCERTED EFFORT TO ENHANCE OUR COMMUNITIES HEALTH-NOT PERMIT INDUSTRY TO ROB US OF IT!

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

15212 GENERAL AREA

ACHD Complaints System

, PA 15212

Phone(s):

Additional Comments: EMAIL TO KAREN M SAGEL 11-05-2018 @10:31 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176979	09/15/2017	
AIR-20171023-177102	09/17/2017	
AIR-20170922-176744	09/15/2017	
AIR-20180502-180248	05/02/2018	
AIR-20190122-182019	01/22/2019	
AIR-20180608-180490	06/07/2018	

ACHD Complaints System

Service Request # AIR-20181105-181586

AIR QUALITY - ODOR

Date Incident Occurred: 11/03/2018

Time Incident Occurred: 06:40 PM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/05/2018

Compl.Time: 10:36 AM

Nature of Complaint :

WE ARE LOCATED ON BROOKFIELD ROAD IN SCOTT TWP. 15243. AT APPROXIMATELY 6:00PM ON NOV. 3RD WE SMELLED A CHEMICAL SMELL IN THE AIR THAT BURNED THE NOSTRILS. THIS SMELL OCCURS SEVERAL TIMES A MONTH. A NEIGHBOR SHARED THIS LINK TO REPORT THE CONCERN AS CARPENTER POWDER PRODUCTS & UNIVERSAL STAINLESS AND ALLOY ARE LOCATED VERY CLOSE TO OUR NEIGHBORHOOD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

Complaint Against: 15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: WEBSITE 11-03-2018

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180119-178913	01/18/2018
AIR-20171031-177261	10/31/2017
AIR-20180517-180352	05/16/2018
AIR-20190111-181940	01/11/2019
AIR-20181102-181569	11/01/2018
AIR-20190124-182040	01/23/2019

ACHD Complaints System

AIR-20180618-180541	06/16/2018	
AIR-20190110-181936	01/10/2019	
AIR-20181128-181669	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181105-181587

AIR QUALITY - ODOR

Date Incident Occurred: 11/03/2018

Time Incident Occurred: 12:02 AM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/03/2018

Compl.Time: 12:02 AM

Nature of Complaint :

POSTED EARLIER IN THE SUMMER ABOUT AIR QUALITY CONCERNS NEAR OUR NEIGHBORHOOD. I CONTINUE TO SMELL CHEMICAL ODORS AT LEAST A COUPLE OF TIMES A MONTH, AND I AM GROWING INCREASINGLY CONCERNED. THIS REPORT DETAILS ALLEGHENY COUNTY'S TOP 10 POLLUTERS, 2 OF WHICH ARE DIRECTLY NEXT TO OUR NEIGHBORHOOD: CARPENTER POWDER PRODUCTS & UNIVERSAL STAINLESS AND ALLOY: [HTTPS://PENNVIRONMENT.ORG/REPORTS/PAE/TOXIC-TEN](https://pennenvironment.org/reports/pae/toxic-ten)

Complainant:

Anonymous, [REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: WEBSITE 11-03-2018 @ 12:02 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180110-178824	01/10/2018
AIR-20190117-181985	01/17/2019

ACHD Complaints System

AIR-20180607-180480	06/06/2018	
AIR-20190204-182140	02/04/2019	
AIR-20190115-181967	01/15/2019	
AIR-20180531-180446	05/31/2018	
AIR-20180702-180619	07/02/2018	
AIR-20190205-182161	02/05/2019	

ACHD Complaints System

Service Request # AIR-20181107-181599

AIR QUALITY - ODOR

Date Incident Occurred: 11/06/2018

Time Incident Occurred: 12:55 PM

Complaint Property : **100 RIVER RD**

Apt/Unit#:

City: **BRACKENRIDGE, PA 15014**

Municipality: **BRACKENRIDGE BOROUGH**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : "A STINK BLOWING FROM ATI" WHICH IS CAUSING A BURNING IN HER THROAT AND EYES.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

RESIDENCE

Complaint Against:

***ALLEGHENY LUDLUM CORPORATION**
100 RIVER RD
BRACKENRIDGE, PA 15014

Phone(s):

724-2241000

WORK

724-2241000

OTHER

724-2265292

FAX

Additional Comments:

CALL INTO ACHD - CARL DETTLINGER

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20090210-36460	02/10/2009
AIR-20090901-67200	09/01/2009
AIR-20131015-156024	10/15/2013
AIR-20131015-156025	10/15/2013
AIR-20171117-177699	11/17/2017
AIR-20170928-176843	09/20/2017
AIR-20180404-179979	04/04/2018
AIR-20181004-181419	10/03/2018
AIR-20180531-180447	05/29/2018

ACHD Complaints System

AIR-20180820-181062	08/18/2018	
AIR-20180516-180351	05/15/2018	
AIR-20180726-180790	07/26/2018	

ACHD Complaints System

Service Request # AIR-20181107-181600

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/07/2018

Time Incident Occurred: 09:29 AM

Complaint Property : **1004 FOGGY HOLLOW RD**

Apt/Unit#:

City: **GIBSONIA, PA 15044**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HEAVY SMOKE COMING FROM BUILDING

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/07/2018

Compl.Time: 09:30 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **ADMIRAL TREE SERVICE**

1004 FOGGY HOLLOW RD

GIBSONIA, PA 15044

Phone(s): 724-9350999 WORK

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180111-178855	01/11/2018	
AIR-20180116-178884	01/12/2018	
AIR-20180201-178955	02/01/2018	
AIR-20180212-179185	02/10/2018	
AIR-20180212-179186	02/10/2018	
AIR-20180212-179187	02/10/2018	
AIR-20180212-179188	02/10/2018	
AIR-20180126-178937	01/26/2018	
AIR-20180306-179742	03/05/2018	
AIR-20180323-179935	03/23/2018	
AIR-20180315-179895	03/15/2018	
AIR-20180313-179865	03/13/2018	

ACHD Complaints System

AIR-20181105-181582	11/03/2018	
AIR-20181210-181703	12/10/2018	
AIR-20181108-181604	11/08/2018	
AIR-20181113-181623	11/13/2018	

ACHD Complaints System

Service Request # AIR-20181107-181601

AIR QUALITY - ODOR

Date Incident Occurred: 11/06/2018

Time Incident Occurred: 07:58 AM

Complaint Property :

Apt/Unit#:

City: , PA 15232

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

AIR POLLUTION FROM 5260 CENTRE AVE HEATING SMOKESTACK BLOWING INTO MY APARTMENT. HAPPENED AT 3:00 AM IN MORNING, SUNDAY, NOV 4 AND YESTERDAY, MONDAY. THIS HAS NEVER HAPPENED BEFORE. I'VE LIVED IN THIS APARTMENT THE PAST 8 YEARS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/06/2018

Compl.Time: 07:58 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15232 GENERAL AREA

, PA 15232

Phone(s):

Additional Comments: WEBSITE 11-06-2018 07:58 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171120-177734	09/30/2017
AIR-20181001-181405	10/01/2018
AIR-20190205-182167	02/05/2019

ACHD Complaints System

Service Request # AIR-20181107-181602

AIR QUALITY - ODOR

Date Incident Occurred: 11/07/2018

Time Incident Occurred: 11:58 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **SMELL OF BURNT PLASTIC**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/07/2018

Compl.Time: 12:21 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181108-181603

AIR QUALITY - ODOR

Date Incident Occurred: 11/08/2018

Time Incident Occurred: 08:53 AM

Complaint Property : **21 MARGARET ST**

Apt/Unit#:

City: **IMPERIAL, PA 15126**

Municipality:

Census Tract: **54520**

Ward:

Nature of Complaint : [REDACTED] CALLED IN A STRONG ODOR COMPLAINT FROM THE IMPERIAL LANDFILL MAT 8 AM THIS MORNING. THEY SAID IT CAME FROM [REDACTED]. THE CONTACT PERSON AT THE [REDACTED]

Complainant:

[REDACTED]

Email:

Phone(s): [REDACTED] MAIN

Complaint Against: ***BFI IMPERIAL LANDFILL**

11 BOGGS RD

IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: CALL INTO THE ACDH - MARIE KELLY (PHONE CALL WENT TO HER BY ACCIDENT)

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181108-181604

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/08/2018

Time Incident Occurred: 10:39 AM

Complaint Property : **1004 FOGGY HOLLOW RD**

Apt/Unit#:

City: GIBSONIA, PA 15044

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/08/2018

Compl.Time: 10:40 AM

Nature of Complaint : TREE SERVICE IS BURNING AGAIN AND FILLING THE NEIGHBORHOOD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ADMIRAL TREE SERVICE

1004 FOGGY HOLLOW RD

GIBSONIA, PA 15044

Phone(s): 724-9350999 WORK

Additional Comments: CALL INTO THE ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180111-178855	01/11/2018
AIR-20180116-178884	01/12/2018
AIR-20180201-178955	02/01/2018
AIR-20180212-179185	02/10/2018
AIR-20180212-179186	02/10/2018
AIR-20180212-179187	02/10/2018
AIR-20180212-179188	02/10/2018
AIR-20180126-178937	01/26/2018
AIR-20180306-179742	03/05/2018
AIR-20180323-179935	03/23/2018
AIR-20180315-179895	03/15/2018
AIR-20180313-179865	03/13/2018

ACHD Complaints System

AIR-20181105-181582	11/03/2018	
AIR-20181210-181703	12/10/2018	
AIR-20181113-181623	11/13/2018	
AIR-20181107-181600	11/07/2018	

ACHD Complaints System

Service Request # AIR-20181108-181605

AIR QUALITY - ODOR

Date Incident Occurred: 11/06/2018

Time Incident Occurred: 04:28 PM

Complaint Property : **4400 FIFTH AV**

Apt/Unit#:

City: **NORTH OAKLAND, PA 15213**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/06/2018

Compl.Time: 04:28 PM

Nature of Complaint :

EVERYDAY THIS RESEARCH BUILDING VENTS NOXIOUS FUMES OUT FROM IT ROOF TOP VENTILATION SYSTEM , SEEM TO BE MORE IN THE EVENINGS AND ON THE WEEKENDS , FRIDAY AND SAT ,AND SUNDAY , I WORKED IN ALL KINDS OF PLACES BUT NEVER SMELLED THIS , IT GETS ME SICK WHEN I GET STUCK AT THE LIGHT THERE AND HAVE TO WAIT , YOU NEED TO ASK THE PEOPLE THAT LIVE ACROSS THE STREET HOW IT HAS EFFECTED THEM AT THE WEBSTER HALL APARTMENTS , AT LEAST I GET TO DRIVE AWAY AFTER A FEW MINUTES

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

MELLON INSTITUTE

4400 FIFTH AV

NORTH OAKLAND, PA 15213

Phone(s):

Additional Comments: EMAIL FROM PA.GOV 11-08-2018

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180727-180798	07/24/2018

ACHD Complaints System

Service Request # AIR-20181109-181606

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/08/2018

Time Incident Occurred: 04:30 PM

Complaint Property : **WILLET RD**

Apt/Unit#:

City: **NORTH BALDWIN, PA 15227**

Municipality: **BALDWIN BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 11/08/2018 04:30 PM

MESSAGE: BURNING THINGS OTHER THAN DRY WOOD- PAPER & STICKS-
OPEN FLAME

Complainant: **Anonymous** [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: **WILLET ROAD 15227**

WILLET RD
NORTH BALDWIN, PA 15227

Phone(s):
Additional Comments: ANSWERING SERVICE 11-09-2018 @ 08:30 AM

Supervisor:
Created By: Sagel, Karen

Actions:	
Previous Complaints on Complaint Property:	
SR Num	Date Complained

ACHD Complaints System

Service Request # AIR-20181109-181607

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/09/2018

Feedback : N

Time Incident Occurred: 10:08 PM

Comp Date: 11/09/2018

Complaint Property : **BROADHEAD RD**

Compl.Time: 10:14 AM

Apt/Unit#:

City: **CRAFTON, PA 15205**

Municipality: **CRAFTON BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 10-8-2018

[REDACTED] RESIDENTS COMPLAINED OF STRONG ODOR COMING FROM THE PROPERTY AT PARCEL 69-M-248 THE SERVICE KING COLLISION REPAIR CENTER. I COULD SMELL IT AS WELL. THEY S SAY THEY CAN SMELL IT IN THEIR HOME AND THAT IN THE SUMMER IT IS UNBEARABLE AS IT S SITS IN THE AIR. IT SMELLS LIKE NAIL POLISH. RESIDENT IS ALREADY SUFFERING FROM CANCER. PLEASE CHECK THIS PLACE OUT.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: **BROADHEAD ROAD CRAFTON 15205**

BROADHEAD RD
CRAFTON, PA 15205

Phone(s):
Additional Comments: WEBSITE 11-09-2018 @ 10:08 AM

Supervisor:
Created By: Sagel, Karen

Actions:	
Previous Complaints on Complaint Property:	
SR Num	Date Complained

ACHD Complaints System

Service Request # AIR-20181113-181619

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/11/2018

Time Incident Occurred: 12:00 PM

Complaint Property : **MAPLEDALE DR**

Apt/Unit#:

City: **NEW HOMESTEAD, PA 15120**

Municipality: **HOMESTEAD BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 12NOON TILL DUSK. 11/11/18

4662 MAPLEDALE DR PGH PA 15120 (31ST WARD.)

OPEN BURNING LEAVES IN BACKYARD.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/11/2018

Compl.Time: 05:28 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: **MAPLEDALE DRIVE 15120**

MAPLEDALE DR

NEW HOMESTEAD, PA 15120

Phone(s):

Additional Comments: WEBSITE 11-11-2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181113-181622	11/12/2018

ACHD Complaints System

Service Request # AIR-20181113-181620

AIR QUALITY - ODOR

Date Incident Occurred: 11/12/2018

Time Incident Occurred: 07:01 AM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : 6 AM - 11/12/18 - WEST MIFFLIN - THICK INDUSTRIAL SMELL - 15122

Complainant: *Website,Anonymous

Email: [REDACTED]

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: WEBSITE 11-12-2018 @ 07:01 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171017-176976	10/17/2017
AIR-20171017-176984	09/15/2017
AIR-20171109-177462	09/23/2017
AIR-20171117-177696	09/29/2017
AIR-20171128-177846	11/28/2017
AIR-20171204-177998	12/04/2017
AIR-20171017-177008	09/16/2017
AIR-20170922-176749	09/15/2017
AIR-20181220-181790	12/20/2018
AIR-20190103-181877	01/03/2019
AIR-20181214-181730	12/13/2018
AIR-20181214-181731	12/13/2018

ACHD Complaints System

AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181113-181621

AIR QUALITY - ODOR

Date Incident Occurred: 11/12/2018

Time Incident Occurred: 03:00 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/12/18

-3:00PM TO 4:00PM

-METALICO RECYCLING, NEVILLE ISLAND

-A LOT OF BURNING/TORCHING GOING ON IN THE BUILDING LEFT OF THE SHREDDER. SMOKE HAS BEEN POURING OUT OF THE TOP OF THE BUILDING AND IT SMELLS STRONGLY OF BURNING PLASTIC.

-GAVE ME A WICKED HEADACHE AS I WAS RAKING THE LEAVES.

<PICTURE AND VIDEO IN FILE>

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018

ACHD Complaints System

AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	

ACHD Complaints System

AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	

ACHD Complaints System

AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181113-181622

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/12/2018

Time Incident Occurred: 04:51 PM

Complaint Property : **MAPLEDALE DR**

Apt/Unit#:

City: **NEW HOMESTEAD, PA 15120**

Municipality: **HOMESTEAD BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 10AM-12NOON

2PM-4PM

4662 MAPLEDALE DR PGH PA 15120 (31ST WARD)

BURNING LEAVES 2 DAYS IN A ROW.

THE BURNING STOPPED WITH THE START OF RAIN.

2ND COMPLAINT PLEASE STOP THIS HAZARD TO OUR HEALTH.

Complainant:



Email:



Phone(s):

Complaint Against: **MAPLEDALE DRIVE 15120**

MAPLEDALE DR

NEW HOMESTEAD, PA 15120

Phone(s):

Additional Comments: WEBSITE 11-12-2018 @ 04:51 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181113-181619	11/11/2018

ACHD Complaints System

Service Request # AIR-20181113-181623
AIR QUALITY - OPEN BURNING

Compl Status : OPEN
Emergency : NOT AN EMERGENCY
Feedback : N
Comp Date: 11/13/2018
Compl.Time: 10:50 AM

Date Incident Occurred: 11/12/2018
Time Incident Occurred: 04:00 PM
Complaint Property : **1004 FOGGY HOLLOW RD**

Apt/Unit#:
City: GIBSONIA, PA 15044
Municipality: PITTSBURGH CITY
Census Tract: 99999
Ward:

Nature of Complaint : BURNING TREES INSIDE AGAIN FILLING NEIGHBORHOOD UP WITH SMOKE CALLED POLICE AS PER JAMES BOLLINGER. POLICE SAID REPORT WAS FILED. RESIDENT SAID POLICE CAME BUT DID NOTHING ABOUT THE BURNING. ALSO CALLED ZONING OFFICER WHO SHOULD BE GETTING BACK THEM THIS WEEK.

Complainant: [REDACTED]
 [REDACTED]
 [REDACTED]

Email:

Phone(s): [REDACTED]

Complaint Against: **ADMIRAL TREE SERVICE**
 1004 FOGGY HOLLOW RD
 GIBSONIA, PA 15044

Phone(s): 724-9350999 WORK
Additional Comments: CALL INTO THE ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:
Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180111-178855	01/11/2018
AIR-20180116-178884	01/12/2018
AIR-20180201-178955	02/01/2018
AIR-20180212-179185	02/10/2018
AIR-20180212-179186	02/10/2018
AIR-20180212-179187	02/10/2018
AIR-20180212-179188	02/10/2018
AIR-20180126-178937	01/26/2018
AIR-20180306-179742	03/05/2018

ACHD Complaints System

AIR-20180323-179935	03/23/2018	
AIR-20180315-179895	03/15/2018	
AIR-20180313-179865	03/13/2018	
AIR-20181105-181582	11/03/2018	
AIR-20181210-181703	12/10/2018	
AIR-20181108-181604	11/08/2018	
AIR-20181107-181600	11/07/2018	

ACHD Complaints System

Service Request # AIR-20181114-181624

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/14/2018

Time Incident Occurred: 10:30 AM

Complaint Property : **PERINA DR**

Apt/Unit#:

City: **SCOTT TOWNSHIP, PA 15243**

Municipality: **SCOTT TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : METALIC SMELL ALMOST LIKE BURNING BREAKS THE ODOR IS FILLING THE NEIGHBORHOOD

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PIERINA DRIVE 15243**

PERINA DR

SCOTT TOWNSHIP, PA 15243

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180712-180704	07/11/2018

ACHD Complaints System

Service Request # AIR-20181114-181625

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/07/2018

Time Incident Occurred: 11:37 AM

Complaint Property : **STOLTZ RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/07/2018

Compl.Time: 11:37 AM

Nature of Complaint : COMPLAINANT STATES NEIGHBOR IS BURNING ILLEGAL MATERIAL IN HIS WOOD BURNER AND CAUSING BLACK SMOKE TO FLOOD THEIR PROPERTY AND DISTURB THE HORSES IN THE BARN. COMPLAINANT IS REQUESTING INSPECTOR CONTACT THEM PRIOR TO INVESTIGATION TO ALLOW THEM TO SHARE EVIDENCE OF THE BURNING/SMOKE.

Complainant:

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **STOLTZ ROAD 15129**

STOLTZ RD

PITTSBURGH, PA 15129

Phone(s):

Additional Comments: RECIEVED FROM THE DEP - 11-14-2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180301-179652	03/01/2018
AIR-20180409-180021	04/09/2018
AIR-20180409-180024	04/09/2018
AIR-20181105-181584	11/05/2018
AIR-20181119-181642	11/19/2018
AIR-20190118-181994	01/17/2019
AIR-20190118-181995	11/05/2018
AIR-20190102-181862	12/31/2018

ACHD Complaints System

Service Request # AIR-20181115-181626

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/15/2018

Feedback : N

Time Incident Occurred: 11:44 AM

Comp Date: 11/15/2018

Complaint Property : **FERRY ST**

Compl.Time: 11:44 AM

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMELL FROM THE FIRE IS VERY BAD TODAY. THE RAIN IS MAKING IT WORSE AND THE WIND IS BLOWING DIRECTELY AT THIER HOUSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO THE ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181116-181627

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/16/2018

Feedback : N

Time Incident Occurred: 08:43 AM

Comp Date: 11/16/2018

Complaint Property : **RIVERSIDE DR**

Compl.Time: 08:43 AM

Apt/Unit#:

City: **VERONA, PA 15147**

Municipality: **VERONA BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint :

HI, I LIVE IN VERONA AT [REDACTED], I HAVE A NEIGHBOR WHO MUST HAVE A FIREPLACE OR WOOD BURNING STOVE BECAUSE EVERY COLD SEASON FOR 12 YEARS THE STREET IS FILLED WITH THEIR SMOKE. IT DOESN'T HAPPEN ALL THE TIME, AFTER IT GETS STARTED YOU CAN SEE THE SMOKE CLEAR UP FROM THE CHIMNEY. EITHER THE WOOD IS NOT DRIED PROPERLY OR THE BURNER DOES NOT RUN EFFICIENTLY. ALSO I HAVE SEEN THEM STACK LEFTOVER LUMBER IN THE SAME WOODPILE. I CAN SEND VIDEOS. IT'S EVERYDAY. THANK YOU FOR YOUR HELP

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: **RIVERSIDE DRIVE 15147**

RIVERSIDE DR

VERONA, PA 15147

Phone(s):

Additional Comments: WEBSITE 11-16-2018 @ 08:43 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181116-181628

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/16/2018

Time Incident Occurred: 01:26 PM

Complaint Property :

Apt/Unit#:

City: PORT VUE, PA 15133

Municipality: PORT VUE BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : WOOD BURNING IS CAUSING BLACK DUST INSIDE BASEMENT OF HOUSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] HOME

Complaint Against: GENERAL AREA 15133

PORT VUE, PA 15133

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/16/2018

Compl. Time: 01:25 PM

ACHD Complaints System

Service Request # AIR-20181119-181639

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/19/2018

Time Incident Occurred: 11:15 AM

Complaint Property : **564 FORBES AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15219**

Municipality: **PITTSBURGH CITY**

Census Tract: **30201**

Ward: **02**

Nature of Complaint : THE BURGER KING SMELL IS BACK WITH A VENGEANCE!
WE WERE WONDERING IF MAYBE THEY NEEDED TO REPLACE OR CLEAN
THEIR FILTERS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/19/2018

Compl.Time: 11:15 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **BURGER KING MANOR BUILDING**

564 FORBES AV

PITTSBURGH, PA 15219

Phone(s):

Additional Comments: EMAIL TO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180221-179533	02/21/2018
AIR-20180221-179534	02/21/2018
AIR-20180221-179535	02/21/2018
AIR-20180221-179536	02/21/2018
AIR-20180221-179537	02/21/2018
AIR-20180222-179554	02/22/2018
AIR-20180222-179556	02/22/2018
AIR-20180222-179557	02/22/2018
AIR-20180309-179813	03/08/2018
AIR-20180309-179814	03/08/2018

ACHD Complaints System

AIR-20180309-179816	03/08/2018	
AIR-20180413-180061	04/12/2018	
AIR-20180413-180064	04/12/2018	
AIR-20180413-180065	04/12/2018	
AIR-20180413-180066	04/12/2018	
AIR-20180509-180306	05/09/2018	
AIR-20180509-180307	05/08/2018	
AIR-20180312-179855	03/09/2018	
AIR-20180416-180085	04/16/2018	
AIR-20180411-180044	04/11/2018	
AIR-20180411-180045	04/11/2018	
AIR-20181119-181641	11/19/2018	
AIR-20181129-181674	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181119-181641

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/19/2018

Time Incident Occurred: 11:35 AM

Complaint Property : **564 FORBES AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15219**

Municipality: **PITTSBURGH CITY**

Census Tract: **30201**

Ward: **02**

Nature of Complaint : SMOKE FROM THE BURGER KING FILLING OFFICE BUILDING

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/19/2018

Compl.Time: 11:35 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **BURGER KING MANOR BUILDING**

564 FORBES AV

PITTSBURGH, PA 15219

Phone(s):

Additional Comments: EMAIL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180221-179533	02/21/2018
AIR-20180221-179534	02/21/2018
AIR-20180221-179535	02/21/2018
AIR-20180221-179536	02/21/2018
AIR-20180221-179537	02/21/2018
AIR-20180222-179554	02/22/2018
AIR-20180222-179556	02/22/2018
AIR-20180222-179557	02/22/2018
AIR-20180309-179813	03/08/2018
AIR-20180309-179814	03/08/2018
AIR-20180309-179816	03/08/2018
AIR-20180413-180061	04/12/2018

ACHD Complaints System

AIR-20180413-180064	04/12/2018	
AIR-20180413-180065	04/12/2018	
AIR-20180413-180066	04/12/2018	
AIR-20180509-180306	05/09/2018	
AIR-20180509-180307	05/08/2018	
AIR-20180312-179855	03/09/2018	
AIR-20180416-180085	04/16/2018	
AIR-20180411-180044	04/11/2018	
AIR-20180411-180045	04/11/2018	
AIR-20181119-181639	11/19/2018	
AIR-20181129-181674	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181119-181642

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/19/2018

Time Incident Occurred: 11:48 AM

Complaint Property : **STOLTZ RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : CARL SWINDELL IS AT IT AGAIN. SMOKING THE BARN OUT.

Complainant:

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **STOLTZ ROAD 15129**

STOLTZ RD

PITTSBURGH, PA 15129

Phone(s):

Additional Comments: EMAIL TO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180301-179652	03/01/2018	
AIR-20180409-180021	04/09/2018	
AIR-20180409-180024	04/09/2018	
AIR-20181105-181584	11/05/2018	
AIR-20181114-181625	11/07/2018	
AIR-20190118-181994	01/17/2019	
AIR-20190118-181995	11/05/2018	
AIR-20190102-181862	12/31/2018	

ACHD Complaints System

Service Request # AIR-20181120-181648

AIR QUALITY - ODOR

Date Incident Occurred: 11/20/2018

Time Incident Occurred: 01:12 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/20/18

-1:08PM

-METALICO RECYCLING, NEVILLE ISLAND

-LARGE EXPLOSION AT THE SHREDDER ACCOMPANIED WITH THICK, CREAM-COLORED SMOKE. IT SHOOK THE ENTIRE HOUSE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/20/2018

Compl.Time: 01:14 PM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	

ACHD Complaints System

AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181126-181659

AIR QUALITY - ODOR

Date Incident Occurred: 11/26/2018

Time Incident Occurred: 09:02 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMOKE IS SO BAD IT IS FILLING HOUSE. HAD FAMILY IN FOR THANKSGIVING AND THEY LEFT EARLY BECAUSE THE SMOKE WAS SO BAD IN THE HOUSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Action Type:

CLOSED

Action Date:

11/27/2018

Action Name:

UPDATE

Created By:

BOLLINGER

Comments:

PGW is an ongoing environmental hot spot located near the neighborhood of the complainants. Monday morning 11/26/18 between 09:30 - 10:15hrs I followed-up with the complainant and explained to him that I witnessed no smoke or odor during my investigation. It was raining when I arrived and it had rained all night causing a steam / water vapor (fog) in the area which was caused by the hot spots located on the grounds of PGW. I found no smoke or odor around the complaints home nor was there steam or fog in the neighborhood surrounding the complainants home.

ACHD Complaints System

Previous Complaints on Complaint Property:		
SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	

ACHD Complaints System

AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181126-181661

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/26/2018

Time Incident Occurred: 09:41 AM

Complaint Property : **14 FORT COUCH RD**

Apt/Unit#:

City: **BETHEL PARK, PA 15241**

Municipality: **BETHEL PARK, MUNICIPALITY OF**

Census Tract: **99999**

Ward:

Nature of Complaint : MALFUNCTIONING GAS PUMP GETGO. THE PUMP DID NOT SHUT OFF RESULTING IN A GAS SPILL. CUSTOMER CALLED IN

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **GETGO FORT COUCH ROAD**

14 FORT COUCH RD

BETHEL PARK, PA 15241

Phone(s): 412-8336370

Additional Comments: CALL INTO ACHD - DANIEL MORGAN

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181127-181662

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/26/2018

Time Incident Occurred: 07:47 PM

Complaint Property : **MEADOWCREST DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15241**

Municipality: **UPPER ST CLAIR TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT TERRIBLE SMOKE/ODOR FROM WOOD FIRED BOILER MESSAGE SMOKE & ODOR FROM MY NEIGHBOR'S OUTDOOR WOOD FIRED BOILER HAS BEEN TERRIBLE AGAIN THIS YEAR. TONIGHT, IT IS BAD ENOUGH THAT IT IS NOTICEABLE FROM INSIDE MY HOUSE WITH THE DOORS/WINDOWS CLOSED. THE OWNER'S ADDRESS IS: 1763 MEADOWCREST DR,PITTSBURGH, PA 15241

ACCORDING TO THE COUNTY, "ARTICLE XXI §2104.04 IS ACHD'S ODOR NUISANCE REGULATION. IF YOUR OWB CREATES A STRONG, UNPLEASANT ODOR THAT TRAVELS ACROSS YOUR PROPERTY LINES AND AFFECTS NEIGHBORS, THEY CAN REPORT YOU TO ACHD."

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

MEADOWCREST DRIVE 15241

MEADOWCREST DR

PITTSBURGH, PA 15241

Phone(s):

Additional Comments: WEBSITE 11-26-2018 @ 07:47 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

AIR-20171226-178617	12/23/2017
---------------------	------------

ACHD Complaints System

AIR-20171218-178404	12/16/2017	
AIR-20180214-179284	02/13/2018	
AIR-20181210-181709	12/08/2018	
AIR-20190204-182131	02/03/2019	
AIR-20190116-181969	01/15/2019	

ACHD Complaints System

Service Request # AIR-20181127-181663

AIR QUALITY - ODOR

Date Incident Occurred: 11/27/2018

Time Incident Occurred: 09:31 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/27/18

-9:31AM

-METALICO RECYCLING, NEVILLE ISLAND

-LARGE EXPLOSION AT THE SHREDDER THAT SHOOK THE ENTIRE HOUSE.

A LOT OF CREAM COLORED SMOKE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/27/2018

Compl.Time: 09:35 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181127-181665

AIR QUALITY - ODOR

Date Incident Occurred: 11/27/2018

Time Incident Occurred: 02:23 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/27/18

-2:23PM

-METALICO RECYCLING, NEVILLE ISLAND

-2ND, EVEN LARGER EXPLOSION AT THE SHREDDER AT METALICO. IT SHOOK THE ENTIRE HOUSE. A LOT OF CREAM COLORED SMOKE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/27/2018

Compl.Time: 02:28 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181127-181666

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/27/2018

Feedback : N

Time Incident Occurred: 02:25 PM

Comp Date: 11/27/2018

Complaint Property : **3100 GRAND AV**

Compl.Time: 02:30 PM

Apt/Unit#:

City: PITTSBURGH, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint :

-11/27/18

-2:25PM

-METALICO RECYCLING, NEVILLE ISLAND

-3RD. LARGE EXPLOSION AT THE SHREDDER AT METALICO. A LONG STREAM OF CREAM-COLORED SMOKE COMING FROM THE SHREDDER.

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181127-181667

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/27/2018

Time Incident Occurred: 02:28 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : LARGE EXPLOSION

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/27/2018

Compl.Time: 02:28 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181128-181668

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/25/2018

Time Incident Occurred: 08:00 PM

Complaint Property : **13 CHESTNUT ST**

Apt/Unit#:

City: **NATRONA HIEGHTS, PA 15065**

Municipality: **HARRISON TOWNSHIP**

Census Tract: **54012**

Ward:

Nature of Complaint :

PROPERTY OWNER MICHAEL ZEMANN OF 13 CHESTNUT ST. NATRONA HEIGHTS, PA WAS BURNING GARBAGE AND ELECTRONICS ON SUNDAY 11/25/2018 AROUND 8:00PM. THE SMOKE GENERATED FROM THIS FIRE WAS SO THICK AND ACRID THAT THE LOCAL POLICE AND FIRE DEPARTMENT WERE DISPATCHED FOLLOWING MULTIPLE RESIDENT 911 CALLS. THERE WERE ALSO SEVERAL REPORTS OF THE SMOKE SUBMITTED VIA THE SMELLPGH APP. MR. ZEMANN WILL RECEIVE A MUNICIPAL ORDINANCE CITATION FOR DISORDERLY PRACTICES BUT WE ARE REQUESTING THAT ACHD ALSO PURSUE ENFORCEMENT ACTION OF ARTICLE 21. POLICE AND FIRE DEPARTMENT REPORTS OF THE INCIDENT ARE AVAILABLE. THANK YOU.

[REDACTED]

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

ZEMANN MICHAEL

13 CHESTNUT ST

NATRONA HIEGHTS, PA 15065

Phone(s):

Additional Comments: WEBSITE 11-27-2018 @ 04:38 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

ACHD Complaints System

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181128-181669

AIR QUALITY - ODOR

Date Incident Occurred: 11/27/2018

Time Incident Occurred: 07:41 AM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/28/2018

Compl.Time: 12:40 AM

Nature of Complaint :

THERE IS A CHEMICAL SMELL THAT IS CONTINUALLY OCCURRING AT VARIOUS TIMES DURING THE WEEK. IT BURNS THE NOSTRILS AND IS VERY PUNGENT. CARPENTER POWDER PRODUCTS & UNIVERSAL STAINLESS AND ALLOY ARE LOCATED VERY CLOSE TO OUR NEIGHBORHOOD, SO IT IS ALARMING THAT THESE SMELLS ARE FREQUENTLY OCCURRING IN THE CASE THEY ARE TOXIC OR ARE CREATING UNHEALTHY AIR CONDITIONS.

LOCATION BROOKFIELD ROAD, SCOTT TWP. 15243

9/26 @ 9:30 PM

9/27@3-7:00PM

Complainant:

[REDACTED]

Email:

Phone(s):

Complaint Against: 15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: WEBSITE COMPLAINT 11-28-2016 @ 12:40 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180119-178913	01/18/2018
AIR-20171031-177261	10/31/2017
AIR-20180517-180352	05/16/2018

ACHD Complaints System

AIR-20181105-181586	11/05/2018	
AIR-20190111-181940	01/11/2019	
AIR-20181102-181569	11/01/2018	
AIR-20190124-182040	01/23/2019	
AIR-20180618-180541	06/16/2018	
AIR-20190110-181936	01/10/2019	

ACHD Complaints System

Service Request # AIR-20181128-181670

AIR QUALITY - ODOR

Date Incident Occurred: 11/28/2018

Time Incident Occurred: 11:17 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : EXPLOSION SHOOK THE HOUSE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/28/2018

Compl. Time: 11:18 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181128-181671

AIR QUALITY - ODOR

Date Incident Occurred: 11/28/2018

Time Incident Occurred: 11:15 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : TWO EXPLOSIONS IN THE PAST FIVE MINUTES.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/28/2018

Compl.Time: 11:21 AM

Complainant:

██████████
 ██████████
 ██████████

Email:

Phone(s):

██████████ HOME

Complaint Against:

***METALICO**
 3100 GRAND AV
 PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

CALL IN TO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181128-181672

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/27/2018

Time Incident Occurred: 02:16 PM

Complaint Property : **HENRY ST**

Apt/Unit#:

City: **OAKLAND, PA 15213**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT SKUNK-LIKE ODOR MESSAGE EVERY DAY FOR THE PAST SEVERAL MONTHS. DUQUESNE LIGHT SUBSTATION, HENRY STREET, OAKLAND, PITTSBURGH. A SKUNK-LIKE SMELL HAS BEEN COMING FROM THE DL SUBSTATION EVERY DAY NOW FOR MONTHS. YOU CAN SMELL IT ON THE STREET, IN THE SURROUNDING PARKING GARAGE AND SURROUNDING BUILDINGS DEPENDING ON FRESH AIR IN-TAKE. DL HAS BEEN CONDUCTING WORK AT THIS FACILITY FOR MANY MONTHS AND THE SMELL STARTED WHEN THEIR WORK BEGAN.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: **HENRY STREET 15213**

HENRY ST

OAKLAND, PA 15213

Phone(s):

Additional Comments: WEBSITE 11-28-2018 @ 02:16 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181129-181673

AIR QUALITY - ODOR

Date Incident Occurred: 11/29/2018

Time Incident Occurred: 08:45 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/29/18

-8:45AM

-METALICO RECYCLING, NEVILLE ISLAND

-A LOT OF THICK CREAM COLORED SMOKE COMING OUT OF THE SHREDDER AND MAKING A THICK HAZE OVER THE AREA. THERE'S A BAD ODOR OF BURNING PLASTIC/BURNING RUBBER IN THE AIR.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/29/2018

Compl.Time: 09:09 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017

ACHD Complaints System

AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	

ACHD Complaints System

AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20181129-181674

AIR POLLUTION - GENERAL

Date Incident Occurred: 11/28/2018

Time Incident Occurred: 10:45 AM

Complaint Property : **564 FORBES AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15219**

Municipality: **PITTSBURGH CITY**

Census Tract: **30201**

Ward: **02**

Nature of Complaint : **JAMES – WE ARE HAVING ONION RINGS THIS MORNING!**

THE BURGER KING FILTER CLEANING DOES NOT APPEAR TO HAVE HELPED.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/28/2018

Compl.Time: 10:45 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **BURGER KING MANOR BUILDING**

564 FORBES AV

PITTSBURGH, PA 15219

Phone(s):

Additional Comments: EMAIL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180221-179533	02/21/2018
AIR-20180221-179534	02/21/2018
AIR-20180221-179535	02/21/2018
AIR-20180221-179536	02/21/2018
AIR-20180221-179537	02/21/2018
AIR-20180222-179554	02/22/2018
AIR-20180222-179556	02/22/2018
AIR-20180222-179557	02/22/2018
AIR-20180309-179813	03/08/2018

ACHD Complaints System

AIR-20180309-179814	03/08/2018	
AIR-20180309-179816	03/08/2018	
AIR-20180413-180061	04/12/2018	
AIR-20180413-180064	04/12/2018	
AIR-20180413-180065	04/12/2018	
AIR-20180413-180066	04/12/2018	
AIR-20180509-180306	05/09/2018	
AIR-20180509-180307	05/08/2018	
AIR-20180312-179855	03/09/2018	
AIR-20180416-180085	04/16/2018	
AIR-20180411-180044	04/11/2018	
AIR-20180411-180045	04/11/2018	
AIR-20181119-181639	11/19/2018	
AIR-20181119-181641	11/19/2018	

ACHD Complaints System

Service Request # AIR-20181130-181675

Compl Status : CLOSED

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/30/2018

Feedback : N

Time Incident Occurred: 09:45 AM

Comp Date: 11/30/2018

Complaint Property : 11 BOGGS RD

Compl.Time: 09:45 AM

Apt/Unit#:

City: IMPERIAL, PA 15126

Municipality: FINDLAY TOWNSHIP

Census Tract: 54520

Ward:

Nature of Complaint : [REDACTED] CALLED IN A STRONG ODOR COMPLAINT FROM THE IMPERIAL LANDFILL THIS MORNING. [REDACTED] CALLED THEM.

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] MAIN

Complaint Against: *BFI IMPERIAL LANDFILL
11 BOGGS RD
IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:

Action Type:	CLOSED	Action Date:	11/30/2018
Action Name:	UPDATE		
Created By:	CAITO		
Comments:	Spoke with Imperial Landfill representative. A tear was found in the odor liner while relocating an earthen road. The tear was repaired and recovered with dirt.		

Previous Complaints on Complaint Property:

SR Num	Date Complained
PDW-20100607-96220	06/07/2010
PDW-20101203-116140	12/03/2010
PDW-20100908-108680	09/08/2010
PDW-20100929-111280	09/29/2010
PDW-20110414-129781	04/14/2011

ACHD Complaints System

PDW-20120314-151053	03/14/2012	
AIR-20180221-179495	02/20/2018	
AIR-20180409-180019	04/07/2018	
AIR-20180312-179841	03/09/2018	
AIR-20180312-179842	03/11/2018	
AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	
AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181220-181787	12/19/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20181130-181676

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 11/30/2018

Feedback : N

Time Incident Occurred: 12:55 PM

Comp Date: 11/30/2018

Complaint Property : **FERRY ST**

Compl.Time: 12:58 PM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : HEAVY SMOKE FROM UNDERGROUND FIRE TODAY

Complainant:



Email:

Phone(s):



Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP
 FERRY ST
 CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
 724-2266654 OTHER
 724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018
AIR-20190129-182074	01/28/2019

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	

ACHD Complaints System

AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190116-181968

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/16/2019

Feedback : N

Time Incident Occurred: 08:08 AM

Comp Date: 01/16/2019

Complaint Property : **3100 GRAND AV**

Compl.Time: 08:10 AM

Apt/Unit#:

City: PITTSBURGH, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : VERY LOUD EXPLOSION

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190116-181969

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/15/2019

Time Incident Occurred: 08:31 PM

Complaint Property : **MEADOWCREST DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15241**

Municipality: **UPPER ST CLAIR TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT SMOKE/ODOR FROM WOOD BURNING
MESSAGE TUESDAY, 1/15/19 @ 5:30 SMOKE AND NOXIOUS ODOR COMING
FROM WOOD FIRED BOILER AT THE RESIDENCE OF 1763
MEADOWCREST DR. PGH PA 15241.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/15/2019

Compl.Time: 08:31 PM

Complainant:

Email:

Phone(s):

Complaint Against: **MEADOWCREST DRIVE 15241**

MEADOWCREST DR

PITTSBURGH, PA 15241

Phone(s):

Additional Comments: WEBSITE 01-15-2019 @ 08:31 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171226-178617	12/23/2017
AIR-20171218-178404	12/16/2017
AIR-20180214-179284	02/13/2018
AIR-20181210-181709	12/08/2018
AIR-20190204-182131	02/03/2019
AIR-20181127-181662	11/26/2018
AIR-20190311-182312	02/12/2019

ACHD Complaints System

Service Request # AIR-20190116-181970

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/04/2019

Feedback : N

Time Incident Occurred: 03:56 AM

Comp Date: 01/04/2019

Complaint Property : **202 BUCKEYE ST**

Compl.Time: 03:56 PM

Apt/Unit#:

City: **CANONSBURGH, 15317**

Municipality: **NOT APPLICABLE**

Census Tract: **99999**

Ward:

Nature of Complaint : DUST FROM LANDSCAPING COMPANY FILTERS INTO HOUSE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

FEDEROUCH LANDSCAPE SUPPLY

202 BUCKEYE ST

CANONSBURGH, 15317

Phone(s):

724-9416965

Additional Comments:

CALL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190116-181971

AIR QUALITY - ODOR

Date Incident Occurred: 01/16/2019

Time Incident Occurred: 11:02 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/16/2019

Compl.Time: 11:03 AM

Nature of Complaint : SULFUR SMELL IS SO BAD CANT LEAVE HOUSE. KNOWS THE SMELL OF COKING AND KNOWS THIS IS BEZENE FROM COKE OVEN GAS. SOMETHING NEEDS TO BE DONE TO STOP THIS PLEASE SHUT THIS PLANT DOWN UNTIL REPAIRS ARE MADE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181972

AIR QUALITY - ODOR

Date Incident Occurred: 01/16/2019

Time Incident Occurred: 06:57 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : ODOR IS COMING FROM CLAIRTON MILL, THERE WAS A FIRE THERE ON CHRISTMAS EVE HAS BEEN HAVING A HEADACH SINCE THE FIRE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-16-2019 @ 06:57 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181973

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 09:56 AM

Complaint Property : **719 WORTHINGTON ST**

Apt/Unit#:

City: **NORTH VERSAILES, PA 15132**

Municipality: **NORTH VERSAILLES TOWNSHIP**

Census Tract: **55010**

Ward:

Nature of Complaint : CANT BREATH OUTSIDE. CHEST CONGESTION. SORE THROAT. SICK FOR THE PAST SEVERAL WEEKS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190117-181974

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 09:15 AM

Comp Date: 01/17/2019

Complaint Property : **400 STATE ST**

Compl.Time: 09:15 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THOART BURNING, SNEEZING, MIGRAINS, CHEST IS ON FIRE FOR THE PAST TWO - THREE WEEKS.

Complainant:

██████████
 ██████████
 ████████████████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181975

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 08:48 AM

Complaint Property : **400 STATE ST / RT 837**

Apt/Unit#:

City: **CLAIRTON, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : WHOLE HOUSEHOLD HEADACHS, BREATHING ISSUES, CHEST PAIN, SORE THROAT. SHE HAD TO GET AN INHALER. THIS HAS BEEN GOING ON FOR A MONTH.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST / RT 837

CLAIRTON, PA 15025

Phone(s):

724-2391499 WORK

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20080506-5900	05/06/2008
AIR-20081128-29600	11/28/2008
AIR-20090428-45862	04/28/2009
AIR-20090309-39185	03/09/2009
AIR-20110708-141280	07/08/2011
AIR-20120314-151062	03/14/2012
AIR-20120312-151023	03/12/2012
AIR-20120827-152696	08/27/2012
AIR-20120917-152912	09/17/2012
AIR-20120911-152875	09/11/2012
AIR-20130718-155066	07/18/2013

ACHD Complaints System

AIR-20121022-153171	10/22/2012	
AIR-20130211-153862	02/11/2013	
AIR-20140218-156943	02/18/2014	
AIR-20140414-157409	04/14/2014	
AIR-20150420-162288	04/20/2015	
AIR-20150413-162190	04/13/2015	
AIR-20151228-166467	12/28/2015	
AIR-20151020-165443	10/20/2015	
AIR-20160210-167244	02/10/2016	
AIR-20151022-165496	10/22/2015	
AIR-20150917-164960	09/17/2015	

ACHD Complaints System

Service Request # AIR-20190117-181976

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 10:15 AM

Comp Date: 01/17/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:20 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : BREATHING ISSUES, SORE THROAT. EYES WATERING. FOR ABOUT THREE WEEKS NOW

Complainant:

██████████
 ██████████
 ████████████████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181977

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 07/16/2019

Feedback : N

Time Incident Occurred: 07:44 PM

Comp Date: 01/16/2019

Complaint Property : **400 STATE ST**

Compl.Time: 04:44 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HAVING BREATHING PROBLEMS SINCE THE FIRE ON CHRISTMAS EVE

Complainant:



Email:

Phone(s):



Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-16-2019 @ 07:44 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181978

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/16/2019

Feedback : N

Time Incident Occurred: 08:19 PM

Comp Date: 01/16/2019

Complaint Property : **400 STATE ST**

Compl.Time: 08:19 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : FOUL SMELL CAUSING ME TO VOMIT AND COUGH UNCONTROLLABLY

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-16-2019 @ 08:19 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181979

AIR QUALITY - ODOR

Date Incident Occurred: 01/16/2019

Time Incident Occurred: 08:57 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SEEN NEWS REPORTS,HAVING NASAL CONGESTION AND SINUS DRAINAGE AND COUGH HAS A 17 YR OLD ASTHMA HE EAR INFECTIONS, 2X ANTIBODICS <SIC>

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-16-2019 @ 08:57 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181980

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 10:13 AM

Comp Date: 01/17/2019

Complaint Property : **FISS ST**

Compl.Time: 10:13 AM

Apt/Unit#:

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT UNCONTAINED CONSTRUCTION CLOUDS AND DEBRIS MESSAGE FRI 1/11/19 APPROX. 1 TO 3P, BUT ALL DAY PERHAPS AS I WAS OUT IN THE MORNING. AND THURS 1/17/19 FROM 9:30 ON.

260 FISK BACKYARD, 15201

NO DUMPSTER, NO TUBES, OLD HOUSE DEBRIS DUMPED FROM ROOFTOPS AND WINDOWS. PILES OF BRICKS, PLASTER, ETC IN YARD. CLOUDS OF DUST FLOATING OVER NEIGHBORING YARDS. SPOKE TO CONTRACTOR FRI WHO TOLD ME "OH IT'S OKAY" IT IS?.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: FISK STREET, 15201

FISK ST

LAWRENCEVILLE, PA 15201

Phone(s):

Additional Comments: WEBSITE 01-17-2019 @ 10:13 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171017-177000	09/16/2017
AIR-20180830-181176	08/30/2018

ACHD Complaints System

Service Request # AIR-20190117-181981

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 11:39 AM

Complaint Property : **317 EUCLID AV**

Apt/Unit#:

City: **GLASS PORT, PA 15045**

Municipality: **GLASSPORT BOROUGH**

Census Tract: **54993**

Ward:

Nature of Complaint : HEADEACH AND SINUS INFECTION FROM CLAIRTON FIRE. HUSBAND HAS EMPHESEMA AND COPD IS HAVING BREATHING TROUBLE. DOG IS COMING IN WHEEZING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190117-181982

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 11:45 AM

Comp Date: 01/17/2019

Complaint Property : **400 STATE ST**

Compl.Time: 11:25 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HAD TO HAVE FIRE DEPARTMENT TO HOUSE ON CHRISTMAS EVE BECAUSE OF SULFUR SMELL IN HOUSE. CONSTANT SULFUR SMELL SINCE THEN. CANT BREATH

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190117-181983

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 09:00 AM

Complaint Property :

Apt/Unit#:

City: , PA 15206

Municipality:

Census Tract: 99999


Ward:

Nature of Complaint : SUBJECT INDUSTRIAL SMELL IN THE EAST END MESSAGE THURSDAY, JAN 16, BAKERY SQUARE (EAST END PITTSBURGH).

THE SMELL OUTSIDE THIS MORNING AROUND 9AM WAS VERY STRONG AND THIS IS A REGULAR OCCURRENCE. IT SMELLS OF INDUSTRIAL EXHAUST.

PLEASE HELP FIX OUR AIR QUALITY.

Complainant:



Email:



Phone(s):

Complaint Against: 15206 GENERAL AREA

, PA 15206

Phone(s):

Additional Comments: WEBSITE 01-17-2019 @ 01:35 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171025-177195	09/20/2017
AIR-20171221-178568	12/17/2017
AIR-20171212-178276	12/03/2017
AIR-20170928-176842	09/20/2017

ACHD Complaints System

AIR-20171106-177361	11/03/2017	
AIR-20171206-178037	11/30/2017	
AIR-20180227-179614	02/27/2018	
AIR-20170922-176757	09/20/2017	
AIR-20180504-180264	05/04/2018	
AIR-20190111-181941	01/11/2019	

ACHD Complaints System

Service Request # AIR-20190117-181984
AIR QUALITY - OPEN BURNING

Compl Status : OPEN

Date Incident Occurred: 01/17/2019

Emergency : NOT AN EMERGENCY

Time Incident Occurred: 03:36 PM

Feedback : N

Complaint Property :

Comp Date: 01/17/2019

Compl.Time: 03:36 PM

Apt/Unit#:

City: , PA 15131

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : MAKE A FORMAL COMPLAINT ABOUT A BURNING RUBBER SMELL IN WHITE OAK. SHE SAYS IT SMELLS LIKE SOMEONE SET FIRE TO TIRES.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

Complaint Against: 15131 GENERAL AREA

, PA 15131

Phone(s):

Additional Comments: CALL INTO ACHD - CLAUDIA DETTLINGER

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190117-181985

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 03:37 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/17/2019

Compl.Time: 3:27 PM

Nature of Complaint :

WOULD LIKE A STATUS UPDATE ON THE CLAIRTON COKE WORKS SITUATION. HE IS ALSO INTERESTED IN HOW AIR MONITORS ARE POSITIONED ABOUT THE CITY AND IF IT IS POSSIBLE TO REQUEST ONE NEAR HIS LOCATION.

ALSO, HE COMPLAINED ABOUT AN ODOR SIMILAR TO BURNING TIRES WHILE WALKING HIS DOG. WITH THE CURRENT STATE OF THE AIR QUALITY HE IS AFRAID TO LET HIS CHILDREN GO OUTSIDE.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: CALL INTO ACHD - CARL DETTLINGER

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180110-178824	01/10/2018
AIR-20181105-181587	11/03/2018
AIR-20180607-180480	06/06/2018
AIR-20190204-182140	02/04/2019
AIR-20190115-181967	01/15/2019

ACHD Complaints System

AIR-20180531-180446	05/31/2018	
AIR-20180702-180619	07/02/2018	
AIR-20190205-182161	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190117-181986

AIR QUALITY - ODOR

Date Incident Occurred: 01/16/2019

Time Incident Occurred: 03:30 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

TOXIC SMELL IN THE AREA OF GIANT EAGLE. NOTICED IT WHEN SHE CAME OUT OF THE STORE. PUNGENT. OVER POWERING. SMELLS LIKE A PAPER MILL.

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	
AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	

ACHD Complaints System

AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190118-181987

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 02:05 PM

Comp Date: 01/17/2019

Complaint Property : **400 STATE ST**

Compl.Time: 02:05 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : STARTED NOTICING A DULL HEADACHE ABOUT 2 TO 3 WEEKS AGO, DOESN'T SMELL ANYTHING, BUT IS SCHEEZING AND WAKES UP WITH A DULL HEADACHE AND GOES TO BED WITH IT.

Complainant:

██████████
 ██████████
 ████████████████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190118-181988

AIR QUALITY - ODOR

Date Incident Occurred: 01/18/2019

Time Incident Occurred: 09:23 AM

Complaint Property : **516 DELWAR RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15236**

Municipality: **WEST MIFFLIN BOROUGH**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : HEAVY ODOR OF BURNING RUBBER

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

TUBE CITY
516 DELWAR RD
PITTSBURGH, PA 15236

Phone(s):

412-8816884 WORK
412-8816884 OTHER
412-8811940 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20110901-149462	09/01/2011
AIR-20150916-164944	09/16/2015
AIR-20190110-181926	01/10/2019

ACHD Complaints System

Service Request # AIR-20190118-181989

AIR QUALITY - ODOR

Date Incident Occurred: 01/18/2018

Time Incident Occurred: 08:50 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : THERE'S BEEN A CONTINUOUS STREAM OF THICK, CREAM-COLORED SMOKE COMING FROM AN AREA NEAR? THE SHREDDER. (IT'S BEEN ONGOING FOR THE PAST 30 MIN.)

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017

ACHD Complaints System

AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	

ACHD Complaints System

AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190118-181990

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2018

Time Incident Occurred: 05:15 PM

Complaint Property : **LLOYD AV**

Apt/Unit#:

City: **PIITSBURGH, 15218**

Municipality: **SWISSVALE BOROUGH**

Census Tract: **55162**

Ward:

Nature of Complaint : SUBJECT FOUL PLUMAGE CARRING THROUGH NEIGHBORHOOD
MESSAGE 5:15PM JAN 17, 2019
115 LLOYD AVE. EDGEWOOD 15218

FOUL INDUSTRIAL PLUMAGE CARRYING THROUGH NEIGHBOURHOOD,
BUT NOT
SIMPLY SULFUR. CAN THIS BE THE RESULT OF BURNING BAD COKE
OVEN GAS IN
ET'S BLAST FURNACES? VERY UNPLEASANT ODOR THAT MAKES MY
NOSE TEND
TO RUN. HAD TO BE OUTSIDE TO CLEAN OFF SHARED DRIVEWAY.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **LLOYD AVENUE 15218**

LLOYD AV

PIITSBURGH, 15218

Phone(s):

Additional Comments: WEBSITE 01-17-2019 @ 05:35 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170906-176351	09/05/2017
AIR-20171218-178415	12/15/2017

ACHD Complaints System

AIR-20171218-178429	12/15/2017	
AIR-20171113-177531	09/25/2017	
AIR-20171113-177537	09/25/2017	
AIR-20180116-178899	01/10/2018	
AIR-20171109-177465	09/23/2017	
AIR-20171221-178583	12/17/2017	
AIR-20171117-177697	09/29/2017	
AIR-20171117-177702	09/29/2017	
AIR-20180111-178858	01/10/2018	
AIR-20180213-179252	01/11/2018	
AIR-20171127-177817	11/24/2017	
AIR-20171127-177833	11/24/2017	
AIR-20171128-177857	11/28/2017	
AIR-20171206-178027	11/30/2017	
AIR-20171128-177864	11/28/2017	
AIR-20171214-178344	12/04/2017	
AIR-20171214-178350	12/04/2017	
AIR-20171120-177723	11/17/2017	
AIR-20171120-177726	09/28/2017	
AIR-20171211-178235	12/03/2017	

ACHD Complaints System

Service Request # AIR-20190118-181991

AIR QUALITY - ODOR

Date Incident Occurred: 01/18/2019

Time Incident Occurred: 11:01 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/18/2019

Compl.Time: 11:02 AM

Nature of Complaint : VERY CONCERNED ABOUT THE EMISSIONS FROM CLAIRTON. LIVES VERY CLOSE HAS CHILDREN WITH AYSTHMA.

Complainant:

██████████
██████████
████████████████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190118-181992

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/16/2019

Feedback : N

Time Incident Occurred: 07:30 AM

Comp Date: 01/18/2019

Complaint Property : **400 STATE ST**

Compl.Time: 11:29 AM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : ALSO NOTIICED AT 4:00 PM ON THE HOMESTADE GRAYS BRIDGE. THEN YESTERDAY ABOUT 5:00 PM AT RESIDENCE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190118-181993

AIR QUALITY - ODOR

Date Incident Occurred: 01/08/2019

Time Incident Occurred: 08:09 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/08/2019

Compl.Time: 08:09 PM

Nature of Complaint :

MY DAUGHTER, MY GRANDSON (12 YEARS OLD) AND MYSELF WERE TRAVELING PAST THE NEVILLE CHEMICAL PLANT ON SUNDAY MORNING (1-6-19) AT APPROXIMATELY 10:30AM. AS SOON AS WE DROVE PAST THE MAIN ENTRANCE OF THE PLANT, THE 3 OF US SMELLED A HORRIBLE STRONG CHEMICAL SMELL. IT WAS DIFFICULT TO BREATHE. THE SMELL ONLY LASTED ABOUT 3-4 SECONDS WHILE WE PASSED THE PLANT. WE HAD TO TURN AROUND ABOUT 5 MINUTES LATER BECAUSE OF A ROAD CLOSURE SO WE HAD TO ONCE AGAIN DRIVE PAST THE NEVILLE CHEMICAL PLANT. ONCE AGAIN, WE WERE ASSAULTED BY THE AWFUL CHEMICAL SMELL. IT WAS SO STRONG, I DON'T KNOW HOW ANYONE WOULD BE ABLE TO STAND IN THAT AREA WITHOUT BEING OVERCOME. THE PLANT SEEMED TO BE CLOSED THAT MORNING BECAUSE I SAW NO CARS TRAVELING IN OR OUT OF THE PLANT NOR DID I NOTICE ANY CARS PARKED IN THAT AREA. I WANT TO STRESS THAT THIS WAS NOT JUST A FAINT SMELL. IT WAS EXTREMELY STRONG AND IT WAS DIFFICULT TO BREATHE.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

NEVILLE CHEMICAL COMPANY

2800 NEVILLE RD

PITTSBURGH, PA 15225

Phone(s):

412-3314200

WORK

412-3314200

OTHER

412-7710226

FAX

Additional Comments:

EMAIL FROM THE EPA TO JAYME GRAHAM TO ENFORCEMENT

Supervisor:

Created By:

Sagel, Karen

ACHD Complaints System

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
---------------	------------------------

ACHD Complaints System

Service Request # AIR-20190118-181994

AIR QUALITY - OPEN BURNING

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/17/2019

Feedback : N

Time Incident Occurred: 01:16 PM

Comp Date: 01/17/2019

Complaint Property : **STOLTZ RD**

Compl.Time: 01:16 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : SENT A SHORT VIDEO OF THE SMOKE BILLOWING OUT OF CARL SWINDELL'S PROPERTY.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **STOLTZ ROAD 15129**

STOLTZ RD

PITTSBURGH, PA 15129

Phone(s):

Additional Comments: EMAIL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180301-179652	03/01/2018
AIR-20180409-180021	04/09/2018
AIR-20180409-180024	04/09/2018
AIR-20181105-181584	11/05/2018
AIR-20181119-181642	11/19/2018
AIR-20181114-181625	11/07/2018
AIR-20190118-181995	11/05/2018
AIR-20190102-181862	12/31/2018

ACHD Complaints System

Service Request # AIR-20190118-181995

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 11/05/2018

Time Incident Occurred: 03:59 AM

Complaint Property : **STOLTZ RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 11/05/2018

Compl.Time: 03:59 PM

Nature of Complaint : IT SEEMS LIKE THIS CASE HAS DIED. WHY? YOU HAD PLENTY OF VIDEO OF HIS BLACK SMOKE GOING INTO EVERY PROPERTY AROUND HIM. HE IS NOW BURNING COAL, OR HE SAYS THAT IS WHAT HE IS BURNING. HE STILL PUMPS BLACK SMOKE OUT. IS THIS OK? ARE ALL OF US SUPPOSED TO BREATHE THIS SMOKE EVERY TIME WE GO OUTSIDE ALL WINTER?

WHAT CAN BE DONE?

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: STOLTZ ROAD 15129

STOLTZ RD

PITTSBURGH, PA 15129

Phone(s):

Additional Comments: EMAIL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180301-179652	03/01/2018
AIR-20180409-180021	04/09/2018
AIR-20180409-180024	04/09/2018
AIR-20181105-181584	11/05/2018
AIR-20181119-181642	11/19/2018
AIR-20181114-181625	11/07/2018

ACHD Complaints System

AIR-20190118-181994	01/17/2019	
AIR-20190102-181862	12/31/2018	

ACHD Complaints System

Service Request # AIR-20190118-181996

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/19/2019

Feedback : N

Time Incident Occurred: 02:00 PM

Comp Date: 01/18/2019

Complaint Property : **4734 BUTLER ST**

Compl.Time: 02:55 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SUBJECT DARK SMOKE COMING OUT OF ALLEGHENY CEMETERY
CREMATORIUM
MESSAGE 1/19/2019, 2:00PM
THERE IS DARK BLACK SMOKE WITH A STRONG BURNING SCENT
COMING OUT OF ALLEGHENY
CEMETERY CREMATORIUM.

Complainant: ***Website,Anonymous**

Email:

Phone(s):

Complaint Against: **ALLEGHENY CEMETERY**

4734 BUTLER ST

PITTSBURGH, PA 15201

Phone(s): 412-3638639 OTHER

412-6220655 FAX

412-6821624 WORK

Additional Comments:

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180622-180569	06/22/2018

ACHD Complaints System

Service Request # AIR-20190122-182012

AIR QUALITY - ODOR

Date Incident Occurred: 01/21/2019

Time Incident Occurred: 02:29 PM

Complaint Property :

Apt/Unit#:

City: , PA 15025

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : DESCRIPTION: NOT A NORMAL BURNING SMELL. CAN'T DESCRIBE IT.

LOCATION GIVEN AS US 1 INDUSTRIAL PARK

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15025 GENERAL AREA

, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-22-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176982	09/15/2017	
AIR-20171115-177619	09/26/2017	
AIR-20171109-177473	09/23/2017	
AIR-20170922-176747	09/15/2017	
AIR-20180423-180143	04/23/2018	
AIR-20180810-180967	08/09/2018	
AIR-20190115-181964	01/13/2019	
AIR-20190110-181932	01/09/2019	

ACHD Complaints System

Service Request # AIR-20190122-182013

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/21/2019

Feedback : N

Time Incident Occurred: 08:49 PM

Comp Date: 01/21/2019

Complaint Property : **400 STATE ST**

Compl.Time: 08:49 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HARD TO BREATH COUGHING GOING ON FOR A COUPLE OF DAYS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-22-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190122-182014

AIR QUALITY - ODOR

Date Incident Occurred: 01/22/2019

Time Incident Occurred: 10:27 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : WHOLE WEEKEND HEAVY ODOR FROM UNDERGROUND FIRE. SMELL ON DOG WHEN HE COMES BACK IN, CAN SMELL THROUGH WHOLE HOUSE. JUST HORRIBLE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INT ACHD KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	

ACHD Complaints System

AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190122-182015

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/20/2019

Feedback : N

Time Incident Occurred: 05:54 PM

Comp Date: 01/20/2019

Complaint Property : **400 STATE ST**

Compl.Time: 05:54 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT CLAIRTON WORKS ?
MESSAGE DURING THE DAY WHEN I AM IN THE WEST MIFFLIN WALMART
PARKING LOT I CAN SEE A HUGH TALL FLAME. AT NIGHT I CAN SEE A
BRIGHT ORANGE LIGHT IN THE SKY FROM MY HOUSE. I CALLED THE
WEST MIFFLIN PD LAST YEAR AND THEY SAID THEY ARE JUST BURNING
OFF GAS.

I WOULD LIKE TO KNOW IF THIS IS TRUE AND WORRY ABOUT THE AIR
QUALITY .

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-20-2019 @ 05:54 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017

ACHD Complaints System

AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	

ACHD Complaints System

AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	

ACHD Complaints System

AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	

ACHD Complaints System

AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190122-182016

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/19/2019

Time Incident Occurred: 07:09 PM

Complaint Property : **BEECHWOOD BO**

Apt/Unit#:

City: **PITTSBURGH, PA 15217**

Municipality: **DORMONT BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : DESCRIPTION OF THE ODOR:
A BURNNING SMELL. AND GAVE HER A SOAR
THROAT

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/19/2019

Compl.Time: 07:09 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **BEECHWOOD BOULEVARD 15217**

BEECHWOOD BO

PITTSBURGH, PA 15217

Phone(s):

Additional Comments: ANSWERING SERVICE 01-19-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180116-178895	01/10/2018
AIR-20180111-178859	01/10/2018
AIR-20180110-178840	01/10/2018

ACHD Complaints System

Service Request # AIR-20190122-182017

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/19/2019

Time Incident Occurred: 06:50 PM

Complaint Property : **BIGHAM ST**

Apt/Unit#:

City: **MOUNTH WASHINGTON, PA 15211**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : NEIGHBOR AT 447 BIGHAM STREET IS BURNING WOOD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

BIGHAM STREET 15211

BIGHAM ST

MOUNTH WASHINGTON, PA 15211

Phone(s):

Additional Comments: ANSWERING SERVICE 01-19-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190122-182018

AIR QUALITY - ODOR

Date Incident Occurred: 01/18/2019

Time Incident Occurred: 04:03 PM

Complaint Property :

Apt/Unit#:

City: , PA 15218

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/18/2019

Compl.Time: 04:03 PM

Nature of Complaint :

SUBJECT MON VALLEY AIR QUALITY MESSAGE I KNOW YOU ARE AWARE OF THE MON VALLEY AIR QUALITY ISSUES, BUT I WANTED TO BE SURE TO REGISTER A COMPLAINT FROM SWISSVALE. WE ARE NOT A LISTED COMMUNITY IN THE WARNING, BUT HAVE BEEN EXPERIENCING POOR AIR QUALITY SINCE NEW YEAR. MY WIFE AND I HAVE BOTH EXPERIENCED RESPIRATORY SYMPTOMS (COUGHING, MAINLY, AND SORE THROAT) THAT WE FEEL ARE EXACERBATED BY THE CLAIRTON WORKS POLLUTION, AS THESE SYMPTOMS ARE LESS SEVERE AWAY FROM HOME (AT 7930 ST. LAWRENCE AVENUE). WHILE WE ARE BOTH GETTING OVER COLDS, THE DURATION AND RE-EMERGENCE OF THESE SYMPTOMS (NOW 3+ WEEKS FROM ONSET) COINCIDES WITH THE POOR AIR QUALITY. PLEASE USE EVERY TOOL AND RESOURCE YOU HAVE TO FIGHT USS - WE MON VALLEY RESIDENTS LITERRALLY CANNOT LIVE LIKE THIS.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

15218 GENERAL AREA

, PA 15218

Phone(s):

Additional Comments: WEBSITE 01-18-2019 @ 04:03 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

ACHD Complaints System

SR Num	Date Complained	
AIR-20171115-177621	09/26/2017	
AIR-20180129-178942	01/26/2018	
AIR-20180213-179223	02/12/2018	
AIR-20180221-179503	02/20/2018	
AIR-20170922-176731	09/15/2017	
AIR-20190204-182145	02/03/2019	
AIR-20180621-180562	06/20/2018	
AIR-20190205-182165	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190122-182019

AIR QUALITY - ODOR

Date Incident Occurred: 01/22/2019

Time Incident Occurred: 10:30 AM

Complaint Property :

Apt/Unit#:

City: , PA 15212

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

WANTED TO SHARE THE WEEKLY RESULTS OF MONITORING DATA FOR LAST WEEK.

OF PARTICULAR CONCERN IS THE OUTDOOR DATA-ALL RED. THIS REPRESENTS VERY POOR AIR QUALITY OUTSIDE OF MY HOME & IS CONFIRMATION OF WHY I'M EXPERIENCING PHYSICAL SYMPTOMS FROM THESE POLLUTANTS.

I HOPE THIS CAN SERVE AS AN OFFICIAL COMPLAINT/CONCERN? PLEASE ADVISE.

PHYSICAL SYMPTOMS INCLUDE: COUGHING, CHEST PRESSURE, PALPITATIONS, NASTY HEADACHE-MIGRAINE LIKE IN MANY WAYS & FOR THE FIRST TIME EVER-A SENSE OF A HOT POKER BURNING THE LINING OF MY THROAT. THAT'S THE BEST WAY I CAN THINK TO DESCRIBE IT.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

15212 GENERAL AREA

, PA 15212

Phone(s):

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/22/2019

Compl.Time: 10:30 AM

ACHD Complaints System

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176979	09/15/2017	
AIR-20171023-177102	09/17/2017	
AIR-20170922-176744	09/15/2017	
AIR-20180502-180248	05/02/2018	
AIR-20181105-181585	11/04/2018	
AIR-20180608-180490	06/07/2018	

ACHD Complaints System

Service Request # AIR-20190122-182020

AIR QUALITY - ODOR

Date Incident Occurred: 01/22/2018

Time Incident Occurred: 01:15 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : DRIVING ON RIVER ROAD FROM ELIZABETH TO GLASSPORT DIRECTION
SMELL IS HORRIBLE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190123-182021

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 08:34 AM

Comp Date: 01/23/2019

Complaint Property : **3100 GRAND AV**

Compl.Time: 08:58 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-11/23/19

-8:34AM

-METALICO RECYCLING, NEVILLE ISLAND

-LARGE EXPLOSION AT THE SHREDDER ACCOMPANIED BY A LOT OF THICK, CREAM-COLORED SMOKE. IT SHOOK THE WINDOWS ION MY HOME.

<PICTURES IN FILE>

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017

ACHD Complaints System

AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	

ACHD Complaints System

AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	

ACHD Complaints System

AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190123-182022

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 09:08 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 09:10 AM

Nature of Complaint : HEADACH SINCE CHRISTMAS, NOSE IS RUNNING AND STUFFED UP. HAS A HEART CONDITION AND CANT BREATHE AND PALPATATIONS. HER CAT HAS BEEN HOARS CANT MEOW AND IS THROWING UP.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190123-182023

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/22/2019

Feedback : N

Time Incident Occurred: 06:57 PM

Comp Date: 01/22/2019

Complaint Property : **400 STATE ST**

Compl.Time: 06:57 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SMELLS LIKE SULFUR, HEADACHES, RUNNY NOSE, BURNING THROAT. OTHER PEOPLE NOT FROM THE AREA NOTICED IT ALSO. FIRST NOTICED IT A FEW WEEKS AGO.

Complainant: ***Answering Service,Anonymous**

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-23-2019 @ 08:30 AM
ONLY NAME GIVEN WAS [REDACTED] PHONE NUMBER [REDACTED]

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	

ACHD Complaints System

AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190123-182024

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 10:04 AM

Comp Date: 01/23/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:06 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SON, 9 YRS, HASNT HAD AN ASTHMA FLAIR UP IN 3 YEARS BUT HAS BEEN HAVING CHEST PAINS SINCE SATURDAY. SON, 10 YRS, HAS BEEN HAVING MIGRAINS FOR TWO WEEKS. HE HAS HAD MIGRAINS SINCE HE WAS 2 YRS OLD BUT HAS BEEN HAVING SEVER MIGRAINS FOR THE PAST TWO WEEKS. SHE HAS BEEN HAVING SEVER MIGRAINS FOR THE PAST TWO WEEKS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017

ACHD Complaints System

AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	

ACHD Complaints System

AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	

ACHD Complaints System

AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	

ACHD Complaints System

AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190123-182025

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 10:20 AM

Comp Date: 01/23/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:30 AM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : THOART IRRITATION, COUGHING, SINUS DRAINAGE, AND THROBING HEADACH.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190123-182026

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 10:22 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : EXPLOSION AT METALICO

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 10:22 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190123-182027

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 09:32 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : LARGE EXPLOSION

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 10:20 AM

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017
AIR-20171229-178696	12/28/2017
AIR-20171221-178561	12/20/2017
AIR-20171221-178592	12/21/2017

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190123-182028

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 10:26 AM

Comp Date: 01/23/2019

Complaint Property : **3100 GRAND AV**

Compl.Time: 10:30 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-10:26AM
 -METALICO RECYCLING, NEVILLE ISLAND
 -2ND. LARGE EXPLOSION AT THE SHREDDER ACCOMPANIED BY A LOT OF THICK, CREAM-COLORED SMOKE

Complainant:

[REDACTED]
 [REDACTED]
 [REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
 3100 GRAND AV
 PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017
AIR-20171226-178625	12/21/2017

ACHD Complaints System

AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	

ACHD Complaints System

AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	

ACHD Complaints System

AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190123-182029

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 10:54 AM

Comp Date: 01/23/2019

Complaint Property : **FERRY ST**

Compl.Time: 10:56 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : REQUESTS INSPECTOR TO COME SEE TODAY. HEAVY FOG, HORRIBLE SMELL, STILL BURNING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	

ACHD Complaints System

AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190123-182030

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 11:49 AM

Complaint Property : **308 PINE ST**

Apt/Unit#:

City: **MCKEESPORT, PA 15132**

Municipality: **MCKEESPORT CITY**

Census Tract: **55522**

Ward:

Nature of Complaint : SHORTHNESS OF BREATH SINCE THE BEGINING OF THE YEAR NASAL CONGESTION

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190123-182031

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 01:21 PM

Complaint Property : **326 RODI RD**

Apt/Unit#:

City: **PENN HILLS, PA 15235**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **55653**

Ward:

Nature of Complaint : PAINT FUMES COMING FROM COLLISIONS CENTER CAN BE SMELLED ALL THE WAY INTO THE SHOPPING CENTER AND GIVE AN INSTANT HEADACH.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **SERVICE KING COLLISION**

326 RODI RD

PENN HILLS, PA 15235

Phone(s): 412-2430558

Additional Comments: CALLED INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190123-182033

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 01:48 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-1/23/19

-1:27PM

-NEVILLE ISLAND: OVER METALICO, NEVILLE GALVANIZING, AND THE AREA WITH THE ROUND WHITE TANKS.

-THERE'S BEEN A HEAVY SMOG CLOUD OVER THIS AREA OF NEVILLE ISLAND. THICK SMOKE IS COMING FROM METALICO AND FROM THE BUSINESS WITH THE LARGE, WHITE, ROUND TANKS.

THERE'S A REALLY STRONG CHEMICAL-SMELL IN THE AIR (OVERLY SWEET SMELL?) MIXED WITH A BURNT PLASTIC SMELL. THE SMELL IS BURNING MY THROAT.

THE AIR ON MY SIDE OF THE RIVER IS CLEAR RIGHT NOW BUT IT'S FILLING UP WITH SMOKE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017

ACHD Complaints System

AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	

ACHD Complaints System

AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	

ACHD Complaints System

AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190123-182034

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 04:05 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SULFUR SMELL IS STILL VERY BAD ON KENNYWOOD BLVD

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 04:19 PM

Complainant:

██████████
 ██████████
 ██████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182035

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/24/2019

Feedback : N

Time Incident Occurred: 08:50 AM

Comp Date: 01/24/2019

Complaint Property : **400 STATE ST**

Compl.Time: 08:52 AM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : SINCE THE FIRE AT CLAIRTON SHE HAS HAD FOUR RESPRATORY INFECTIONS PLUS PNEUMONIA. IS CONCERNED BECAUSE THE DAY OF THE FIRE THE ENTIRE CITY OF MCKEESPORT WAS FILLED WITH SMOKE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182036

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2018

Time Incident Occurred: 04:46 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : RE: AIR PROBLEM STILL EXIST
(HIS LINE DISCONNECTED)

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 4:46 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: EMAIL FROM DEP - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182037

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 04:50 PM

Comp Date: 01/23/2019

Complaint Property : **400 STATE ST**

Compl.Time: 04:50 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THE AIR QUALITY IS WORSE THAN ITS EVER BEEN

Complainant:



Email:

Phone(s):



Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-24-2019 @ 8:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182038

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/24/2019

Feedback : N

Time Incident Occurred: 09:31 AM

Comp Date: 01/24/2019

Complaint Property : **400 STATE ST**

Compl.Time: 09:33 AM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : BECAUSE OF FOG THE DRIVING HOME FROM MCKEESPORT AT BORDER OF LIBERTY BOROUGH THE ODOR WAS SO HEAVY IT MADE HER NAUSIATED. THE SMELL WAS HEAVY ON HER CLOTHES EVEN THOUGH SHE WAS DRIVING IN A CAR WITH THE WINDOWS CLOSED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182039

AIR QUALITY - ODOR

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 10:02 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/24/2019

Compl.Time: 10:05 AM

Nature of Complaint : HEAVY ODOR LAST NIGHT WITH A HAZE. NOT A FOG BUT A HAZE. WORST IT HAS EVER BEEN IN 15 YEARS. NOSE AND THROAT BURNING CANT BREATH SMELL ON CLOTHES AND IN HOUSE. SINCE CHRISTMAS THIS HAS BEEN SO BAD.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182040

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 05:35 PM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : BURNING OIL OR CAR METAL SMELL. I'VE REPORTED A # OF TIMES

Complainant:

Email:

Phone(s):

Complaint Against: 15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: ANSWERING SERVICE 01-24-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180119-178913	01/18/2018	
AIR-20171031-177261	10/31/2017	
AIR-20180517-180352	05/16/2018	
AIR-20181105-181586	11/05/2018	
AIR-20190111-181940	01/11/2019	
AIR-20181102-181569	11/01/2018	
AIR-20180618-180541	06/16/2018	
AIR-20190110-181936	01/10/2019	
AIR-20181128-181669	11/28/2018	

ACHD Complaints System

Service Request # AIR-20190124-182041

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 05:38 PM

Comp Date: 01/23/2019

Complaint Property : **400 STATE ST**

Compl.Time: 05:38 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : AIR INVERSION

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 01-24-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182042

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/23/2019

Feedback : N

Time Incident Occurred: 11:01 PM

Comp Date: 01/23/2019

Complaint Property :

Compl.Time: 11:01 PM

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : DESCRIPTION OF COMPLAINT:
VERY FUMMING, SMELLS INDUSTRIAL, HARD TO EXSPLAIN. SHE SAID AS IF YOU WERE STANDING IN THE MIDDLE OF TRAFFIC <SIC>

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] HOME WORK

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):
Additional Comments: ANSWERING SERVICE 01-24-2019 @ 8:30 AM

Supervisor:
Created By: Sagel,Karen

Actions:
Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018

ACHD Complaints System

AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190124-182043

AIR QUALITY - ODOR

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 08:39 AM

Complaint Property : **25 MCMURRY RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15241**

Municipality: **UPPER ST CLAIR TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

OVER THE SUMMER THE BUSINESS NEXT DOOR-OUTBACK- WAS FLOODED AND CONDEMNED. THE NEIGHBORING BUILDINGS HAVE BEEN AFFECTED BY WAY OF AIR QUALITY AND MOLD. WHEN WE DISCUSSED IT WITH OUR LANDLORDS THEY RECOMMENDED WE GET A AIR PURIFIER THOUGH THEY ADMITTED OUR OFFICES DO NOT HAVE PROPER VENTILATION. THEY MADE NO FURTHER PLANS DESPITE MONTHS PASSING. NOW THE CONDEMNED BUILDING IS BEING TORN DOWN AND AIR QUALITY IS WORSE THAN EVER. A LOT OF PEOPLE ARE SICK WITH SIGNS OF MOLD EXPOSURE INCLUDING HEAVY COUGHS AND DIZZINESS. A COWORKER HAD TO GO TO THE ER AND THE DOCTOR SAID IT WAS SEVERE ALLERGIES. I MYSELF HAVE BEEN TOLD BY MY EYE DOCTOR THAT I'M DEVELOPING BUMPS ON MY EYES DUE TO POOR AIR QUALITY FILLED WITH ALLERGENS. CAN OUR BUILDING AND THE BUILDING BEHIND US BE INSPECTED FOR MOLD EXPOSURE AND AIR QUALITY PLEASE BEFORE HEALTH CONDITIONS CONTINUE TO WORSEN?

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **OUTBACK STEAK HOUSE**

25 MCMURRY RD

PITTSBURGH, PA 15241

Phone(s): 412-8334211

Additional Comments: EMAIL FROM THE DEP

Supervisor:

Created By: Sagel, Karen

Actions:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/24/2019

Compl.Time: 08:39 AM

ACHD Complaints System

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190124-182044

AIR QUALITY - ODOR

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 11:00 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/24/2019

Compl.Time: 08:26 AM

Nature of Complaint :

SUBJECT AIR SMELLS LIKE BURNING CHEMICALS MESSAGE JANUARY 23, 2019, 11 PM, CORNER OF SHADY AND WILKINS AVE., SQUIRREL HILL, PITTSBURGH. WE ARE OUTSIDE OUR HOUSE LAST NIGHT AND ALL 4 MEMBERS OF MY FAMILY SMELLED A STRONG BURNING CHEMICAL SMELL IN THE AIR. IT WAS STRONGER THAN I'VE SMELLED IN 6 MONTHS OR MORE. THE AIR WAS THICK WITH THE POLLUTION DUE TO THE FOG.

Complainant:

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 01-24-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018

ACHD Complaints System

AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190124-182045

AIR QUALITY - ODOR

Date Incident Occurred: 01/23/2019

Time Incident Occurred: 04:50 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/23/2019

Compl.Time: 04:50 PM

Nature of Complaint :

SUBJECT AIR POLLUTION - SMELL OF SO2
MESSAGE AROUND 3:30 PM ON JAN 23, 2019, THERE IS THICK SMOG IN THE MON RIVER VALLEY. VIEWING FROM SWISSVALE, IT LOOKS LIKE SAND STORM OVER THE RIVER. NOT JUST TODAY, SINCE I MOVED HERE 18 MONTHS AGO, MY HUSBAND AND I SMELL THE SULFUR ALMOST ALL THE TIME. WHEN WILL COUNTY TAKE CARE THE AIR POLLUTION HERE CREATED BY THE COKE PLANTS SUCH AS CLAIRTON, BRADDOCK? I THINK PITTSBURGH IS A REALLY NICE CITY TO LIVE IN EXCEPT THE AIR QUALITY IS STILL VERY BAD. I STARTED TO HAVE DIFFICULTIES BREATHING AND HAVE BURNING EYES. I CAN'T IMAGINE HOW MUCH THE ASTHMATIC CHILDREN ARE SUFFERING FROM SUCH AIR POLLUTION.PLEASE DO SOMETHING ABOUT IT.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-23-2019 @ 4:50 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017

ACHD Complaints System

AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	

ACHD Complaints System

AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	

ACHD Complaints System

AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	

ACHD Complaints System

AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190124-182046

AIR QUALITY - ODOR

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 06:30 PM

Complaint Property : **CAMP HOLLOW RD**

Apt/Unit#: **MAIL STOP 100**

City: **W. MIFFLIN, PA 15122**

Municipality: **WEST MIFFLIN BOROUGH**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : HEAVY ODOR FROM PEACHTREE FLAIR FILLING WHOLE VALLEY WITH A STENCH, BELOW AND EAST OF THE IRVIN WORKS. SOUND FROM FLAME IS DEAFINGING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***US STEEL IRVIN WORKS**

CAMP HOLLOW RD

W. MIFFLIN, PA 15122

Phone(s):

412-6757381

WORK

412-6752503

OTHER

412-6757822

FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/24/2019

Compl.Time: 01:21 PM

ACHD Complaints System

Service Request # AIR-20190124-182047

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 02:04 PM

Complaint Property : **901 KILLARNEY DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15234**

Municipality: **BETHEL PARK, MUNICIPALITY OF**

Census Tract: **54761**

Ward:

Nature of Complaint : BUSINESS CONTINUOUSLY BURNS UNKNOWN MATERIAL IN LOT BEHIND THE PLANT RELEASING NOXIOUS FUMES. LARGE, SMOKEY FIRE, MOST WEEK DAYS.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: **CARPENTER CONNECTION**

901 KILLARNEY DR

PITTSBURGH, PA 15234

Phone(s): 412-8813900

Additional Comments: EMAIL FROM DEP

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190124-182048

AIR QUALITY - ODOR

Date Incident Occurred: 01/24/2019

Time Incident Occurred: 03:54 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT MON VALLEY POLLUTION
MESSAGE JUNE 21, 2017 - JULY 31 2018, SQUIRREL HILL, FREQUENT
NASTY SMELLING SULPHUR IN THE AIR, WIFE HAS BURNING EYES AND
SHORTNESS OF BREATH SHE NEVER HAD BEFORE. DR. GIVES MEDICINE
FOR ASTHMA AND IRRITATED EYES.
JULY 31, 2018 TO PRESENT, SWISSVALE FREQUENT NASTY SMELLING
SULPHUR SMELL ESPECIALLY ALONG THE MON RIVER. WIFE MEDICAL
PROBLEMS CONTINUE. I HAVE CONSTANT EYE IRRITATION CHRISTMAS
EVE TO THE PRESENT, MUCH MORE SERIOUS SYMPTOMS OF LEAKING
SO2 FROM CLAIRTON COKE WORKS, EDGAR THOMAS FOUNDRY AND
IRWIN ROLLING MILL. NOTE: USS ADMITS TO THE RELEASES AND
FAILURE TO MEET EPA REGS AND ADMITS THAT MON VALLEY MILLS
BARELY PROFITABLE, HIRE FEW LOCAL WORKERS AND COST COUNTY
AND RESIDENTS BILLIONS OF DOLLARS IN HEALTH CARE EXPENSES, LOST
WAGES AND DENIGRATION OF THE PUBLIC INTEREST IN CLEAN AIR,
WATER AND LAND. PLANTS SHOULD BE CLOSED, COUNTY AND PEOPLE
COMPENSATED BY USS AND USS EXECUTIVES PUNISHED WITH
CRIMINAL SANCTIONS.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments:

WEBSITE 01-24-2019 @ 03:54 PM

Supervisor:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/24/2019

Compl.Time: 04:00 PM

ACHD Complaints System

Created By: Sagel, Karen

Actions:	
Previous Complaints on Complaint Property:	
SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017
AIR-20171218-178396	12/17/2017
AIR-20171226-178624	12/21/2017
AIR-20171115-177643	11/15/2017
AIR-20171208-178177	12/03/2017
AIR-20171226-178635	12/22/2017
AIR-20171204-177985	12/03/2017
AIR-20171207-178090	11/20/2017
AIR-20180111-178854	01/11/2018
AIR-20171025-177184	09/18/2017
AIR-20171115-177627	09/26/2017
AIR-20171208-178190	12/03/2017
AIR-20170926-176800	09/20/2017
AIR-20170927-176822	09/27/2017
AIR-20170927-176824	09/27/2017
AIR-20171102-177307	11/02/2017
AIR-20171025-177207	09/20/2017
AIR-20171212-178262	12/03/2017
AIR-20180129-178941	01/26/2018
AIR-20171208-178152	12/07/2017
AIR-20180206-179051	02/06/2018
AIR-20171212-178270	12/03/2017
AIR-20180206-179091	11/07/2017
AIR-20180212-179179	02/12/2018
AIR-20180212-179182	02/10/2018
AIR-20171127-177816	11/24/2017
AIR-20180111-178869	01/10/2018
AIR-20171127-177830	11/24/2017
AIR-20171003-176886	10/03/2017
AIR-20171127-177835	11/24/2017
AIR-20171127-177843	11/23/2017
AIR-20170928-176850	09/28/2017

ACHD Complaints System

AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	

ACHD Complaints System

AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	

ACHD Complaints System

AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190125-182049

AIR QUALITY - ODOR

Date Incident Occurred: 01/25/2019

Time Incident Occurred: 09:50 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : 5 MEMBERS OF A HOUSEHOLD ALL HAVE BEEN EXHIBING SYMPTOMS RUNNY NOSE, HEADACHES, CHEST PAIN, ASTHMA PROBLEMS. TWO WEEKS TIME FRAME.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190125-182050

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/25/2019

Feedback : N

Time Incident Occurred: 10:30 AM

Comp Date: 01/25/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:41 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THE SMELL FROM THE IRVIN WORKS IS HORRIBLE. PEOPLE IN MCKEESPORT CANT GET AWAY FROM THE AIR POLUTION BECAUSE DEPENDING ON WHICH WAY THE WIND IS BLOWING THE AIR POLLUTION FROM CLAIRTON, EDGAR THOMSON, AND IRIVIN ALL SETTLES IN MCKEESPORT. THE FLAME AT IRIVIN WORKS IS HIGHER THAN ITS EVER BEEN, THERE SEVERAL SMALLER FIRE JETS NOW, AND THE NOISE IS JUST HORRIBLE.

Complainant:

██████████
 ██████████
 ██████████

Email:

Phone(s):

██████████ HOME

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017

ACHD Complaints System

AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	

ACHD Complaints System

AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	

ACHD Complaints System

AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	

ACHD Complaints System

AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190125-182051

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/25/2019

Feedback : N

Time Incident Occurred: 09:13 AM

Comp Date: 01/25/2019

Complaint Property :

Compl.Time: 09:13 AM

Apt/Unit#:

City: , PA 15120

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT AIRQUALITY MESSAGE AT NIGHT IN MUNHALL PA WHERE I LIVE I CAN SMELL THE SULFUR IT IS VERY INTENSE ESPECIALLY AT NIGHT. I HAVE NOTICED SINCE I HAVE ALLERGIES THAT I AM MORE CONGESTED, EYES ARE WATERING AND HAVE BEEN HAVING HEADACHES. I HAVE BEEN SMELLING THIS SULFUR FOR A LONG TIME SINCE I HAVE LIVED IN THIS AREA. THE AIR QUALITY IS HORRIBLE IN THE MONVALLEY. I USED TO LIVE IN THE NORTH HILLS AND I NEVER HAVE SMELLED AN ODOR LIKE I DO HERE. I NOTICED A LOT MORE PEOPLE IN THIS AREA HAVE ASTHMA AND ALLERGIES.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15120 GENERAL AREA

, PA 15120

Phone(s):

Additional Comments: WEBSITE 01-25-2019 @ 09:13 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171017-176985	09/15/2017
AIR-20180129-178943	01/28/2018
AIR-20170922-176750	09/15/2017

ACHD Complaints System

AIR-20170922-176732	09/15/2017	

ACHD Complaints System

Service Request # AIR-20190125-182053

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/25/2019

Time Incident Occurred: 12:18 PM

Complaint Property : **875 GREENTREE RD**

Apt/Unit#:

City: **GREENTREE, PA 15220**

Municipality: **GREEN TREE BOROUGH**

Census Tract: **54690**

Ward:

Nature of Complaint :

CONSTRUCTION WORK BEING DONE IN OFFICE OF BUILDING. EMPLOYEES ON FLOORS ABOVE ARE GETTING SICK. WORKERS IN REMOLD ARE WEARING RESPIRATORS AND A SHOWER SYSTEM IS IN USE. VERY CONCERNED ABOUT ACTIVITIES IN REMODEL. AS SOON AS YOU WALK IN THE DOUBLE DOORS A NOTICEABLE ODOR IS PRESENT AND IF YOU LOOK TO THE RIGHT YOU WILL SEE AN OFFICE WITH A LOT OF BOXES THAT IS THE OFFICE IN QUESTION.

Complainant:

***Phone Call,Anonymous**

Email:



Phone(s):

Complaint Against:

PARKWAY CENTER BUILDING #2

875 GREENTREE RD

GREENTREE, PA 15220

Phone(s):

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL
(ITS THE PEOPLE AT DIAL AMERICA THAT ARE CALING)

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190125-182054

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/25/2019

Feedback : N

Time Incident Occurred: 12:52 PM

Comp Date: 01/25/2019

Complaint Property : **3340 SMALLMAN ST**

Compl.Time: 12:57 PM

Apt/Unit#:

City: **LAWRENCEVILLE, 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : CURRENTLY SANDING OUTSIDE. DUST IS COVERING EVERYTHING AROUND THEM.

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PITTSBURGH KITCHENRAMMA**

3340 SMALLMAN ST

LAWRENCEVILLE, 15201

Phone(s): 412-6872308 WORK

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181105-181579	11/02/2018
AIR-20181218-181757	12/17/2018

ACHD Complaints System

Service Request # AIR-20190125-182055

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/25/2019

Feedback : N

Time Incident Occurred: 01:32 PM

Comp Date: 01/25/2019

Complaint Property : **400 STATE ST**

Compl.Time: 01:35 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HORRIBLE AIR QAULITY, CANT WALK OUTSIDE. ASTHMA IS VERY BAD, HEADACH, SINUS, SORE THROAT.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190129-182072

AIR QUALITY - ODOR

Date Incident Occurred: 01/28/2019

Time Incident Occurred: 03:21 PM

Complaint Property :

Apt/Unit#:

City: , PA 15137

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : AIR QUALITY IS HORRIBLE. HEAVY SULFUR SMELL IN THE AIR. VERY OPPRESSIVE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] HOME

Complaint Against: 15137 GENERAL AREA

, PA 15137

Phone(s):

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171226-178639	12/23/2017
AIR-20180504-180266	05/04/2018

ACHD Complaints System

Service Request # AIR-20190129-182073

AIR QUALITY - ODOR

Date Incident Occurred: 01/28/2019

Time Incident Occurred: 12:13 PM

Complaint Property : **105 FERN WA**

Apt/Unit#:

City: **GLASSPORT, PA 15045**

Municipality: **GLASSPORT BOROUGH**

Census Tract: **54993**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/28/2019

Compl.Time: 12:13 PM

Nature of Complaint :

REF: ODOR IS TERRIBLE, DOWNWIND FROM CLAIRTON PLANT, SHE IS ASTHMATIC AND EXPERIENCING BREATHING PROBLEMS TO THE EXTENT OF USING HER RECUSE INHALER, HER HUSBAND IS ALSO HAVING DIFFICULTY BREATHING AND IS COUGHING, ALL OF THIS HAS BEEN SINCE THE DECEMBER FIRE AND WANTS TO KNOW WHEN THIS WILL END, WANTS INFORMATION

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments:

CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

ACHD Complaints System

Service Request # AIR-20190129-182074

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/28/2019

Feedback : N

Time Incident Occurred: 11:17 AM

Comp Date: 01/28/2019

Complaint Property : **FERRY ST**

Compl.Time: 11:17 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : THE FIRE SMELLS BAD TODAY

Complainant:

██████████
 ████████████████████
 ████████████████████

Email:

Phone(s):

██████████

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP
 FERRY ST
 CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
 724-2266654 OTHER
 724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018
AIR-20190207-182198	02/07/2019

ACHD Complaints System

AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	

ACHD Complaints System

AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190129-182075

AIR QUALITY - ODOR

Date Incident Occurred: 01/28/2019

Time Incident Occurred: 08:13 AM

Complaint Property :

Apt/Unit#:

City: , PA 15146

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

STRONG CHLORINE-LIKE ODOR IN THE AIR RECENTLY IN THE AREA NEAR JAMES STREET AND MONROEVILLE BLVD. NOT SURE IF IT'S RELATED TO THE RECENT INCIDENT AT USS CLAIRTON COKE WORKS OR NOT, BUT I THINK SOMEONE SHOULD CONSIDER TAKING AN AIR QUALITY TEST DUE TO MANY NEARBY AREAS BEING AFFECTED. IT'S VERY BOTHERSOME TO THE NASAL AND SINUS REGION.

Complainant:

██████████ **Anonymous,**

Email:

██████████

Phone(s):

Complaint Against: 15146 GENERAL AREA

, PA 15146

Phone(s):

Additional Comments: EMAIL FROM DEP - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190129-182076

AIR QUALITY - ODOR

Date Incident Occurred: 01/29/2019

Time Incident Occurred: 01:48 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-1/29/18

-1:44PM

-METALICO SHREDDER, NEVILLE ISLAND

-LARGE EXPLOSION AT THE SHREDDER. IT SHOOK THE WINDOWS IN MY HOUSE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/29/2019

Compl.Time: 01:48 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017
AIR-20171122-177790	11/21/2017

ACHD Complaints System

AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	

ACHD Complaints System

AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	

ACHD Complaints System

AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190130-182077

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/30/2019

Feedback : N

Time Incident Occurred: 09:14 AM

Comp Date: 01/30/2019

Complaint Property : **400 STATE ST**

Compl.Time: 09:14 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : WAS HOSPITALIZED WITH A RESPIRATORY VIRUS AND WANTED TO KNOW IF IT WAS RELATED TO THE EMISSIONS FROM CLAIRTON MILL

Complainant:

████████████████████
 ████████████████
 ██████████████████

Email:

Phone(s):

██████████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190130-182078

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/28/2019

Time Incident Occurred: 08:30 AM

Complaint Property :

Apt/Unit#:

City: , PA 15212

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

THERE IS A CAR GARAGE THAT IS ABOUT 100FT SOUTH OF THE CORNER OF LECKY AVE AND GURNEE STREET. AFTER REPEATEDLY ASKING THEY REFUSE TO QUIT BURNING WHAT CLEARLY SMELLS LIKE PLASTICS/RUBBERS/TRASH. THE FUMES ARE ENTERING HOMES NEARBY AND THE SMOKE FILLS THE STREETS. THEY HAVE CHIMNEY INDICATING THERE'S A STOVE INSIDE THE BUILDING. THIS HAS BEEN GOING ON FOR MONTHS AND THEY REFUSE TO STOP.

3141 LECKY AVE PGH PA 15212 COMMERCIAL GARAGE

BLACK SMOKE SEEN FROM CHIMNEY, NOXIOUS ODOR DETECTED ALL AROUND THE BLOCK.
REFERRED TO AIR QUALITY

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15212 GENERAL AREA

, PA 15212

Phone(s):

Additional Comments:

EMAIL FROM DEP - NICHOLAS CAITO 01-30-2019

Supervisor:

Created By:

Sagel,Karen

Actions:

Compl Status : CLOSED

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/30/2019

Compl.Time: 09:39 AM

ACHD Complaints System

Action Type:	INSPECTION	Action Date:	01/30/2019
Action Name:	UPDATE		
Created By:	KELLEY		
Comments:	Met with the owner who showed me the burner. The facility is equipped with an indoor wood burner fueled by clean dry wood. It is also a personal garage. No follow up needed.		

Action Type:	CLOSED	Action Date:	01/30/2019
Action Name:	UPDATE		
Created By:	KELLEY		
Comments:			

Previous Complaints on Complaint Property:	
SR Num	Date Complained

ACHD Complaints System

Service Request # AIR-20190130-182079

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/24/2019

Feedback : N

Time Incident Occurred: 11:22 AM

Comp Date: 01/30/2019

Complaint Property : **6120 NOBLESTOWN RD**

Compl.Time: 10:21 AM

Apt/Unit#:

City: **OAKDALE, PA 15071**

Municipality: **OAKDALE BOROUGH**

Census Tract: **54550**

Ward:

Nature of Complaint : I BELIEVE A PAINT BOOTH WAS INSTALLED. STRONG SMELL OF PAINT AT DIFFERENT TIMES OF THE DAY! STRONG SMELL OF BURNT RUBBER ESPECIALLY IN THE MORNING

Complainant: [REDACTED], Anonymous

Email: [REDACTED]

Phone(s):

Complaint Against: **IDENTITY CRISIS DESIGN**

6120 NOBLESTOWN RD

OAKDALE, PA 15071

Phone(s): 412-2964401

Additional Comments: EMAIL FROM THE EPA - NICHOLAS CAITO 01-30-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190131-182092

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/31/2019

Time Incident Occurred: 11:10 AM

Complaint Property : **1707 LOWRIE ST**

Apt/Unit#:

City: **TROY HILL, PA 15212**

Municipality: **PITTSBURGH CITY**

Census Tract: **32406**

Ward: **24**

Nature of Complaint : THE GAS STATION NEXT DOOR TO HIM HAS A WOOD BURNING STOVE IN THE BAYS. THE SMOKE POURS INTO HIS HOUSE AND HIS IS BEING SMOKED OUT. HE HAS ALREADY SPOKEN WITH THE CITY FIRE MARSHALL WHO TOLD HIM IT WAS ILEGAL.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

GULF GAS STATION LOWRIE STREET TROY HILL
1707 LOWRIE ST
TROY HILL, PA 15212

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190131-182093

AIR QUALITY - ODOR

Date Incident Occurred: 01/28/2019

Time Incident Occurred: 11:51 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/31/2019

Compl.Time: 12:05 PM

Nature of Complaint : ASKING FOR DETAILS RELATING TO WHEN THE AIR QUALITY CRISIS RESULTING FROM THE FIRE AT THE CLAIRTON COKE WORKS WILL BE RESOLVED. ALSO HOPING TO SPEAK WITH SOMEONE REGARDING THE HEALTH ISSUES THEY ARE EXPERIENCING RELATED TO THIS

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: EMAIL FROM DEP - KAREN M SAGEL 01-31-2019 @ 09:14 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017

ACHD Complaints System

AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	

ACHD Complaints System

AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	

ACHD Complaints System

AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	

ACHD Complaints System

AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190131-182094

Compl Status : OPEN

AIR POLLUTION - GENERAL

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 01/31/2019

Feedback : N

Time Incident Occurred: 01:05 PM

Comp Date: 01/31/2019

Complaint Property : **301 39TH ST**

Compl.Time: 01:05 PM

Apt/Unit#: **BUILDING 7**
City: **LAWRENCEVILLE, PA 15201**
Municipality: **PITTSBURGH CITY**
Census Tract: **30603**
Ward: **06**

Nature of Complaint : DR HACKER IS A PAWN TO US STEEL, THEY CONTRIBUTE NOTHING TO THE COMMUNITY. NO ONE WHO WORKS AT THE CLAIRTON PLANT LIVES IN CLAIRTON SO NOTHING GOES BACK TO THE COMMUNITY. THEY HAVE BEEN VIOLATING AIR STANDARDS SINCE THEY BUILD THE MILL AND DONT CARE ABOUT FINES. IF THE ACHD DOESNT SUCH THEM DOWN THEN THE ACHD SHOULD BE SHUT DOWN.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s):

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT
301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115
Additional Comments: ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019

ACHD Complaints System

AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182112

AIR QUALITY - ODOR

Date Incident Occurred: 02/01/2019

Time Incident Occurred: 07:25 PM

Complaint Property :

Apt/Unit#:

City: ALLEGHENY COUNTY, PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT STRONGLY PUNGENT FOUL ODORS MESSAGE EVERY EVENING FROM ABOUT 10:30 PM OFF AND ON THROUGH ABOUT 2:30 - 3:00 AM. ODORS VARY FROM CLOYINGLY SWEET, TO DEEPLY PUNGENT ALMOST HEAVY INDESCRIBABLE ODORS THAT CLING TO THE GRASS AND MY LINENS IN THE HOME WHEN WINDOWS ARE OPEN. THE ODORS WAKE ME, AND I MUST LAY LAYERS OF FABRIC OVER MY MOUTH TO FEEL SAFE. I'M FEARFUL THESE ODORS REPRESENT CHEMICALS FROM LOCAL FACTORIES THAT ARE HARMFUL TO MY HEALTH AND THE WELL-BEING OF MY PROPERTY. PLEASE LET ME KNOW WHAT CAN BE DONE TO CONFIRM MY SAFETY AND THAT OF MY PROPERTY.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

ALLEGHENY COUNTY GENERAL

ALLEGHENY COUNTY, PA

Phone(s):

Additional Comments: WEBSITE 02-01-2019 @ 07:25 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/01/2019

Compl.Time: 07:25 PM

ACHD Complaints System

AIR-20190204-182127	02/03/2019	
AIR-20180725-180782	07/23/2018	

ACHD Complaints System

Service Request # AIR-20190204-182113

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 06:42 AM

Complaint Property : **JACKSON ST**

Apt/Unit#:

City: **HIGHLAND PARK, PA 15206**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/02/2019

Compl.Time: 06:42 AM

Nature of Complaint : SUBJECT EXTREMELY FOUL SMELL IN HIGHLAN D PARK 5:30 AM 2/2/19 MESSAGE EVERY DOOR AND WINDOW IN MY HOME AT 6316 JACKSON ST. 15206 IS CLOSED BUT THE AIR POLLUTION SMELL FILLING MY HOME IS STRONGER THAN EVER BEFORE. PLEASE HELP. PLEASE. PLEASE MAKE IT STOP. MY HEAD HURTS AND IT'S HARD TO BREATHE BUT WHERE CAN I GO? IT WOKE ME AT 5:30 AM AND AT 6:40 AM THE SMELL IS JUST AS BAD.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: **JACKSON STREET 15206**

JACKSON ST

HIGHLAND PARK, PA 15206

Phone(s):

Additional Comments: WEBSITE 02-02-2019 @ 06:42 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171220-178535	12/17/2017

ACHD Complaints System

Service Request # AIR-20190204-182114

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 08:44 AM

Complaint Property : **301 39TH ST**

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/02/2019

Compl.Time: 08:44 AM

Nature of Complaint :

I AM ASKING OUR PUBLIC HEALTH OFFICIALS TO REQUEST/DEMAND OUR LARGEST INDUSTRY POLLUTERS REDUCE/HALT PRODUCTION ALONG WITH SLOW IDLE.

THE AQI IS OPPRESSIVE & INCOMPATIBLE WITH HUMAN HEALTH. THESE REPEATED ASSAULTS ALONG WITH THE OPPRESSIVE INVERSIONS, ETC. ARE TOTALLY UNACCEPTABLE.

MY EXPERIENCE IS THE SAME ONLY MORE INTENSE: PALPITATIONS, SHORTNESS OF BREATH, CHEST PRESSURE, NON PRODUCTIVE COUGH, HEADACHE, BURNING/TIGHTNESS IN MY THROAT, AGITATION ETC.

AFTER USING MY FLUTTER VALVE, TAKING MEDICATION, DIAPHRAGMATIC BREATHING EXERCISES, RELAXATION TECHNIQUES-I AM NO BETTER OFF.

ADD IN THAT I AM ANGRY THAT IT IS UNSAFE FOR ME TO WALK TO MY MAILBOX 3 BLOCKS AWAY-EVEN MASKED!

THE PURPLE AIR READS 124! THE AQI IS 120! I WILL NOT GO TO MY SIDE PORCH TO CHECK THE DYLOS.

MY OPTIONS FOR TODAY ARE TO DRIVE TO THE POST OFFICE-MASKED WITH THE AIR CONDITION ON TO TRY & CIRCULATE THE AIR. THESE OPTIONS ONLY ADD TO THE OUTDOOR AIR POLLUTION BURDEN THAT ALREADY EXISTS.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

ACHD Complaints System

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT
301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115
Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019
AIR-20190131-182094	01/31/2019
AIR-20190131-182095	01/29/2019
AIR-20190204-182147	02/04/2019
AIR-20190204-182152	02/04/2019
AIR-20190206-182193	02/06/2019
AIR-20190206-182195	02/06/2019
AIR-20190205-182157	02/05/2019
AIR-20190205-182176	02/05/2019

ACHD Complaints System

Service Request # AIR-20190204-182115

Compl Status : OPEN

AIR POLLUTION - GENERAL

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/02/2019

Feedback : N

Time Incident Occurred: 09:07 AM

Comp Date: 02/02/2019

Complaint Property : **301 39TH ST**

Compl.Time: 09:07 AM

Apt/Unit#: BUILDING 7
City: LAWRENCEVILLE, PA 15201
Municipality: PITTSBURGH CITY
Census Tract: 30603
Ward: 06

Nature of Complaint : SUBJECT SO2
MESSAGE EVERYDAY, SWISSVALE, AIR POLLUTION
THE SO2 IS DRIVING ME CRAZY AND KILLING MY FAMILY AND YOU DO
NOTHING AS IT LEAKS OUT OF THE USS FACTORIES OR IS FLARED IN
THE MON VALLEY. YOU ARE WORTHLESS. YOUR AIR POLLUTION
MONITORING STATIONS ARE BROKEN IF YOU CANT MEASURE WHAT WE
EXPERIENCE EVERYDAY OR YOUR AGENCY IS BOUGHT BY USS. WE ARE
ONTO YOU. I SAW THAT FOOL HACKER IN CLAIRTON, LOOKED LIKE SHE
WAS GOING TO DROP TO HER KNEES IN FRONT OF THE USS ALPHA
MALE.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s):

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT
301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115
Additional Comments: WEBSITE 02-02-2019 @ 09:07 AM

Supervisor:
Created By: Sagel,Karen

Actions:	
Previous Complaints on Complaint Property:	
SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019

ACHD Complaints System

AIR-20190204-182114	02/02/2019	
AIR-20190111-181939	01/11/2019	
AIR-20190204-182129	02/03/2019	
AIR-20190204-182141	02/04/2019	
AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182116

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 11:24 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/02/2019

Compl.Time: 11:24 PM

Nature of Complaint :

SUBJECT HORRIBLE SMELL AT NIGHT MESSAGE BOTH LAST NIGHT (2/1) AND TONIGHT (2/2) THE AIR IN OUR NEIGHBORHOOD (FOREST HILLS) HAS SMELLED LIKE BURNING HAIR. IT IS A TERRIBLE ODOR THAT GETS INTO OUR HOME. I'M CONCERNED ABOUT MY 1 YEAR OLD BREATHING IT IN ALL NIGHT.

Complainant:



Email:



Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBISTE 02-02-2019 @ 11:24 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017

ACHD Complaints System

AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182117

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 02:11 AM

Complaint Property :

Apt/Unit#:

City: , PA 15206

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/03/2019

Compl.Time: 02:11 AM

Nature of Complaint :

SUBJECT ROTTEN EGG/GARBAGE DUMP SMELL

MESSAGE 1:30 AM 2/3/19 6316

JACKSON ST. 15206 MY ENTIRE HOUSE IS FILLED WITH A STRONG UNPLEASANT SMELL LIKE ROTTEN EGGS OR GARBAGE. YESTERDAY THE SMELL AND AIR POLLUTION LASTED TILL AT LEAST MID AFTERNOON AND TODAY IT SMELLS EVEN WORSE. I AM GETTING POOR AIR QUALITY NOTICES ON MY CELL PHONE. WHAT IS HAPPENING? WHERE IS THIS POLLUTION COMING FROM? IS THIS AIR POLLUTION LEGAL? IF PLANTS ARE PRODUCING POLLUTION IN EXCESS OF A PERMIT WHY ARE THEY NOT SHUT DOWN? THIS IS VERY DISTRESSING.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

JACKSON STREET 15206

JACKSON ST

HIGHLAND PARK, PA 15206

Phone(s):

Additional Comments: WEBSITE 02-03-2019 @ 2:11AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180509-180301	05/09/2018

ACHD Complaints System

Service Request # AIR-20190204-182118

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 12:10 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/02/2019

Compl.Time: 09:08 AM

Nature of Complaint : DESCRIPTION OF COMPLAINT:
WOKE UP LIGHT HEADED, SHORTNESS OF
BREATH, AND SAYS YOU CAN'T BREATHE
OUTSIDE IT'S COVERED WITH BLUE SMOKE.
FIRST TIME NOTICED: THIS MORNING

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017

ACHD Complaints System

AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	

ACHD Complaints System

AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	

ACHD Complaints System

AIR-20181213-181723	12/13/2018	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	

ACHD Complaints System

AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182119

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/02/2019

Feedback : N

Time Incident Occurred: 07:35 AM

Comp Date: 02/02/2019

Complaint Property : **400 STATE ST**

Compl.Time: 09:09 AM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : SULFER IS VERY BAD WANTS SOMETHING TO BE DONE. TRIED CALLING US STEEL BUT THERE WAS NO ANSWER

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-03-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182120

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 09:45 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 09:54 AM

Nature of Complaint :

CALLING IN ABOUT POLLUTION FROM US STEEL PLANTS IN PITTSBURGH. ABSOLUTELY FURIOUS ABOUT THE STENCH FROM THESE MILLS. ACRID INDUSTRIAL SULFUROUS STENCH INSIDE PERMEATING HIS HOME FROM OUTSIDE SOURCES CAUSING HEADACHE AND CONGESTION. CALLING FOR US STEEL TO HOT IDLE CLAIRTON WHILE REPAIRS ARE MADE TO THE SULFUR HANDLING EQUIPMENT THAT WAS DAMAGED IN THE FIRE. THE HEALTH DEPARTMENT PREDICTED POTENTIAL POOR AIR QUALITY WHY DO THE NOT ASK THE POLLUTER TO REDUCE EMISSION RATHER THAN AS CITIZENS TO STAY IN THEIR HOUSE AND SUFFER FURIOUSLY.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017

ACHD Complaints System

AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	

ACHD Complaints System

AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	

ACHD Complaints System

AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	

ACHD Complaints System

AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182121

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 01:03 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

DESCRIPTION OF COMPLAINT:
SULFUR SMELL. ALSO HAD A POOR READING
UNHEALTHY AIR QUALTY READING ON HER AP

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: ANSWERING SERVICE 2-04-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182122

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 08:04 PM

Complaint Property : **MCCLURE AV**

Apt/Unit#:

City: **BRIGHTON HEIGHTS, PA 15212**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : A TOW TRUCH COMPANY IN THE BUILDING BEHIND 3410 MCCLURE AVE. DIDNT KNOW THE NAME OF THE COMPANY. INSIDE THEY ARE BURNING TRASH/DIBRIS THEY BRING THERE. FIRST NOTICED IT 6 WEEKS AGO

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **MCCLURE AVENUE 15212**

MCCLURE AV

BRIGHTON HEIGHTS, PA 15212

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182123

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/02/2019

Feedback : N

Time Incident Occurred: 03:01 PM

Comp Date: 02/02/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:05 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : FOUL ODOR FROM CLAIRTON COKE WORKS

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182124

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 10:32 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **REALLY BAD AIR QUALITY IT SMELL HORRIBLE TODAY.**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018
AIR-20190129-182074	01/28/2019

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	
AIR-20190206-182196	02/06/2019	

ACHD Complaints System

AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190204-182125

AIR QUALITY - ODOR

Date Incident Occurred: 02/02/2019

Time Incident Occurred: 10:36 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 10:37 AM

Nature of Complaint : HUSBAND IS HAVING EYE IRRITATION AND KEEPING CHILDREN INSIDE BECAUSE THE AIR QUALITY IS SO BAD.

Complainant:

██████████
 ██████████
 ██████████

Email:

Phone(s):

██████████

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
 400 STATE ST
 PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182126

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/02/2019

Feedback : N

Time Incident Occurred: 01:06 PM

Comp Date: 02/02/2019

Complaint Property : **400 STATE ST**

Compl.Time: 11:40 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HE MENTIONED HE WILL CALL CITY COUNCIL ABOUT IT. A SULFUR LIKE ODOR THAT ALSO SMELLS LIKE BURNING COAL, SMELLS SIMILAR TO A COKE PLANT

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019 @ 8:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182127

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 06:13 AM

Complaint Property :

Apt/Unit#:

City: ALLEGHENY COUNTY, PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SHE LIVES IN MOUNT LEBANON ON BORDER OF DORMONT. THRIED TO GET THROUGH TO CMU AP GAVE HER A MESSAGE OF BAD AIR QUALITY IN PITTSBURGH. IT'S TOO BAD FOR SENSITIVE GROUPS TO BE BREATHING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

ALLEGHENY COUNTY GENERAL

ALLEGHENY COUNTY, PA

Phone(s):

Additional Comments: ANSWERING SERVICE 02-03-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182112	02/01/2019
AIR-20180725-180782	07/23/2018

ACHD Complaints System

Service Request # AIR-20190204-182128

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 01:52 AM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : VERY NASTY CHEMICAL SMELL. IRVIN WORKS IS 7 MILES FROM HER HOME.

Complainant:



Email:



Phone(s):



Complaint Against: ***US STEEL IRVIN WORKS**

1 CAMP HOLLOW RD

DRAVOSBURG, PA 15034

Phone(s):

-

Additional Comments: ANSWERING SERVICE 02-04-2019 @ 07:14 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20120117-150564	01/17/2012
AIR-20171003-176888	10/03/2017
AIR-20170927-176825	09/27/2017
AIR-20171109-177486	09/24/2017
AIR-20171204-177982	12/04/2017
AIR-20180416-180082	04/14/2018
AIR-20190208-182212	02/08/2019
AIR-20181219-181785	12/19/2018
AIR-20190114-181958	01/13/2019
AIR-20190311-182318	02/15/2019
AIR-20190104-181884	01/03/2019

ACHD Complaints System

AIR-20190205-182168	02/05/2019	
AIR-20190205-182169	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182129

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/03/2019

Feedback : N

Time Incident Occurred: 01:32 PM

Comp Date: 02/03/2019

Complaint Property : **301 39TH ST**

Compl.Time: 01:32 PM

Apt/Unit#: BUILDING 7
City: LAWRENCEVILLE, PA 15201
Municipality: PITTSBURGH CITY
Census Tract: 30603
Ward: 06

Nature of Complaint : SUBJECT CONSISTENT DANGEROUS AIR MESSAGE STANTON HEIGHTS, FEBRUARY 2 AND 3, THE AQI ACCORDING TO SENSORS IN PITTSBURGH HAVE BEEN BETWEEN 100 AND 130 CONSISTENTLY. WE NEED QUICK RESPONSES FROM AHD TO LIMIT POLLUTION COMING FROM CLAIRTON COKEWORKS AND OTHER INDUSTRIAL POLLUTERS TO PROTECT THE HEALTH OF OUR RESIDENTS.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**
 301 39TH ST
 LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115
Additional Comments: WEBSITE 02-03-2019 @ 01:32 PM

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182141	02/04/2019

ACHD Complaints System

AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182130

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 02:01 PM

Complaint Property : **LANCASTER AV**

Apt/Unit#:

City: **REGENT SQUARE, PA 15218**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : 1301 LANCASTER AVE. PITTSBURGH, PA 15218. AIR QUALITY IS AWFUL HERE RIGHT NOW. I'VE MINIMIZED MY OUTDOOR TIME AND I'VE STILL WOKEN UP WITH AN IRRITATED THROAT AND HAD CONSISTENT HEADACHES OVER THE LAST FEW DAYS. IT SMELLS STRONGLY OF SULFUR, TOO. I'M CONCERNED ABOUT MY KIDS' HEALTH (2 YRS OLD AND 5 MO OLD). WHAT IS BEING DONE TO ADDRESS THIS?

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/03/2019

Compl.Time: 02:01 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: **LANCASTER AVENUE 15218**

LANCASTER AV

REGENT SQUARE, PA 15218

Phone(s):

Additional Comments: WEBSITE 02-03-2019 @ 02:01 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182131

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 02:00 PM

Complaint Property : **MEADOWCREST DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15241**

Municipality: **UPPER ST CLAIR TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT SMOKE/ODOR FROM WOOD FIRED BOILER
MESSAGE SUNDAY, 2/3/19 @ 2:00 PM
SMOKE AND NOXIOUS ODOR COMING FROM WOOD FIRED BOILER AT
THE RESIDENCE OF 1763
MEADOWCREST DR. PGH PA 15241.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/03/2019

Compl.Time: 02:22 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **MEADOWCREST DRIVE 15241**

MEADOWCREST DR

PITTSBURGH, PA 15241

Phone(s):

Additional Comments:

* PLEASE CONFIRM RECEIPT OF THIS COMPLAINT:

[REDACTED]

Supervisor:

Created By:

WEBSITE 02-03-2019 @ 02:22 PM

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171226-178617	12/23/2017
AIR-20171218-178404	12/16/2017
AIR-20180214-179284	02/13/2018

ACHD Complaints System

AIR-20181210-181709	12/08/2018	
AIR-20190116-181969	01/15/2019	
AIR-20181127-181662	11/26/2018	
AIR-20190311-182312	02/12/2019	

ACHD Complaints System

Service Request # AIR-20190204-182132

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 03:43 PM

Complaint Property : **WASHINGTON BO**

Apt/Unit#:

City: **GLASSPORT, PA 15045**

Municipality: **GLASSPORT BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 3:40 PM
2015 WASHINGTON BLVD
GLASSPORT PA 15045
CAN'T BELIEVE HOW BAD THE AIR
SMELLS IN MY HOUSE AND OUTSIDE.
WE NEED SOMETHING DONE! PLEASE
HELP US. I'M SICK ALL THE TIME. MY
NEIGHBORS ARE SICK OF THIS TOO.
PLEASE!

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/03/2019

Compl.Time: 03:43 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

Complaint Against: **WASHINGTON BOULEVARD 15045**

WASHINGTON BO

GLASSPORT, PA 15045

Phone(s):

Additional Comments: WEBSITE 02-03-2019 @ 03:43 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182133

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 10:00 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT TERRIBLE SMELL IN SURRELL HILL
MESSAGE WE HAD TERRIBLE SMELL OF SULFUR IN SQUIRREL HILL
TODAY FEBRUARY 3 2019 TWICE- IN THE
MORNING @ 10-00 AM AND AT NIGHT @ 9-00PM. IT IS UNACCEPTABLE.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/03/2019

Compl.Time: 10:01 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 02-03-2019 @ 10:01 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018

ACHD Complaints System

AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182134

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 10:30 PM

Complaint Property :

Apt/Unit#:

City: , PA 15207

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT AIR QUALITY
MESSAGE 10:27PM
HAZELWOOD

BAD ENOUGH THAT IT IS ENTERING MY HOME.

INDUSTRIAL, SULFUR. IT'S BURNING MY THROAT AND NOSE.
SMELL LIKE ROTTEN EGGS AND EXHAUST.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15207 GENERAL AREA

, PA 15207

Phone(s):

Additional Comments: WEBSITE 02-03-2019 @ 10:30 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171017-177009	09/16/2017
AIR-20180306-179739	03/05/2018

ACHD Complaints System

Service Request # AIR-20190204-182135

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 11:55 PM

Complaint Property :

Apt/Unit#:

City: NEVILLE ISLAND, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint :

-2/3/19

-10:00PM-11:30PM

-WIND WAS BLOWING IN FROM NEVILLE ISLAND DIRECTION.

-INCREDIBLY OVERPOWERING SMELL OF NATURAL GAS OUTSIDE. BOTH MY SISTER AND I SMELLED IT AND PHYSICALLY BECAME LIGHT-HEADED. WE IMMEDIATELY CALLED COLUMBIA GAS BECAUSE WE THOUGHT IT WAS A GAS LEAK. (IT SMELLED EXACTLY LIKE NATURAL GAS).

-AN EMERGENCY TECH CAME OUT BUT HE FOUND NO EVIDENCE OF A GAS LEAK NEAR MY HOME OR IN THE NEIGHBORHOOD. HE ALSO SMELLED THE ODOR AND INFORMED ME THAT HE COULD SMELL IT AS FAR BACK AS SEWICKLEY. (HE WAS DRIVING SOUTH ON RT. 65 TOWARDS MY HOME).

-THE SMELL HAS DISSIPATED BUT BOTH MY SISTER AND I HAVE A NASTY HEADACHE AND ARE EXTREMELY CONCERNED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

NEVILLE ISLAND GENERAL AREA 15225

NEVILLE ISLAND, PA 15225

Phone(s):

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

ACHD Complaints System

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182136

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 12:10 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT HYDROGEN SULFIDE
MESSAGE THERE IS A STRONG SMELL OF HYDROGEN SULFIDE GAS
IN SQUIRREL HILL (15217) 1/3/2019. THE SMELL HAS
BEEN STRONG FROM SINCE 8PM. PLEASE EMAIL ME
WITH ANY QUESTIONS.

THANKS

THANKS

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 12:10 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017

ACHD Complaints System

AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182137

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 12:10 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 12:10 AM

Nature of Complaint : SUBJECT TODAY'S AIR MESSAGE 1:30 PM SUNDAY I WENT TO THE GROCERY IN PITTSBURGH'S EAST END (STARTED OUT IN WILKINSBURG)& NOTICED THE TYPICAL SULPHURIC SMELL & OVERCAST SKIES & LATER CHECKED AGAIN & FOUND UNHEALTHY AIR QUALITY. THE COKE PLANT NEEDS TO GO TO HOT IDLE UNTIL THE POLLUTION CONTROL EQUIPMENT IS FIXED.

Complainant:



Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 12:10 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017

ACHD Complaints System

AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	

ACHD Complaints System

AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	

ACHD Complaints System

AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	

ACHD Complaints System

AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182138

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 09:30 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT SULFUR SMELL IN SQUIRREL HILL MESSAGE 9:30 PM, ALL ALONG SHADY AVENUE, FORWARD AVE, HOBART STREET, BARTLETT STREET, AND MURRAY AVENUE AND FORBES AVENUE, THE AIR QUALITY WAS POOR, SMELLING OF SULFUR.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 12:14 AM

Complainant: *Website,Anonymous

Email:

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 12:14 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018

ACHD Complaints System

AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182139

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 04:40 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : MESSAGE 4:37 A.M., SQUIRREL HILL, 15217, STRONG SULPHUR SMELL, DIFFICULTY BREATHING

Complainant:



Email:



Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 04:40 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Completed
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018
AIR-20171204-177994	12/02/2017

ACHD Complaints System

AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182140

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 07:39 AM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 07:39 AM

Nature of Complaint :

SUBJECT DREADFUL ODOR IN AIR MESSAGE ALL DAY YESTERDAY FEB,. 2 AND THIS MORNING THERE HAS BEEN A VERY DREADFUL SULFUR ODDER IN THE AIR. IT PERMEATES THE HOUSE. I KNOW ABOUT THE PROBLEM AT CLAIRTON. SOMETHING MUST DONE BEFORE MAY.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 07:39 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180110-178824	01/10/2018
AIR-20190117-181985	01/17/2019
AIR-20181105-181587	11/03/2018
AIR-20180607-180480	06/06/2018
AIR-20190115-181967	01/15/2019
AIR-20180531-180446	05/31/2018
AIR-20180702-180619	07/02/2018

ACHD Complaints System

AIR-20190205-182161	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182141

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 12:31 PM

Comp Date: 02/04/2019

Complaint Property : **301 39TH ST**

Compl.Time: 12:32 PM

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : WOULD LIKE THE AIR QUALITY DEPARTMENT TO DO MORE ABOUT THE AIR QUALITY OF ALLEGHENY COUNTY.

Complainant:

████████████████████
 ████████████████████
 ██████████████████████

Email:

Phone(s):

████████████████

Complaint Against:

***ALLEGHENY COUNTY HEALTH DEPARTMENT**
 301 39TH ST
 LAWRENCEVILLE, PA 15201

Phone(s):

412-5788115

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190131-182094	01/31/2019
AIR-20190131-182095	01/29/2019
AIR-20190204-182147	02/04/2019
AIR-20190204-182152	02/04/2019

ACHD Complaints System

AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182142

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 07:56 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 07:56 AM

Nature of Complaint :

SUBJECT TODAY'S AIR QUALITY IS UNACCEPTABLE! MESSAGE TODAY AND THE PAST SEVERAL DAYS, PITTSBURGH'S EAST END NEIGHBORHOODS AND THE MON VALLEY HAVE EXPERIENCED 'UNHEALTHY AIR QUALITY'. AIRNOW AQI LOOP SHOWS A CONSTANT CLOUD OF POOR AIR FROM THE MON VALLEY AREA AROUND THE CLAIRTON COKE WORKS. WHEN WILL ACHD STAND UP TO THE CLAIRTON COKE WORKS TO STOP THEIR TOXIC EMISSIONS ? PLEASE HELP IMPROVE THE QUALITY OF LIFE IN PITTSBURGH, SHUT DOWN CLAIRTON COKE WORKS!

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 07:56 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017

ACHD Complaints System

AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	

ACHD Complaints System

AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	

ACHD Complaints System

AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	

ACHD Complaints System

AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182143

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 09:41 AM

Complaint Property : **FORBES AV**

Apt/Unit#:

City: **OAKLAND, PA**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 09:41 AM

Nature of Complaint : DESCRIPTION OF COMPLAINT:
YESTERDAY WAS HAVING PROBLEMS BREATHING
IN THE AIR. AND THIS MORNING IT HAS A
POWER PLANT SMELL OF SOMETHING BURNING

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **15213 GENERAL AREA**

ALLEGHENY COUNTY, PA 15213

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182144

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 01:26 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 01:27 PM

Nature of Complaint : AIR IS VERY SMELLY SHE IS ASMATIC AND IS HAVING DIFFICULTY BREATHING. HUSBAND CAME TO HOUSE AFTER BEING OUTSIDE FOR 20 MINUTES AND REAKED OF SULFUR. CLAIRTON

Complainant: [REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):
Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182145

AIR QUALITY - ODOR

Date Incident Occurred: 02/03/2019

Time Incident Occurred: 10:33 AM

Complaint Property :

Apt/Unit#:

City: , PA 15218

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : DOESN'T SMEEL ANTHING, JUST SAW THAT THE AIR QUALITY IS POOR AND HER CHILD HAS BEEN WHEEZING

Complainant:

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15218 GENERAL AREA

, PA 15218

Phone(s):

Additional Comments: ANSWERING SERVICE 02-03-2019 @ 10:33 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171115-177621	09/26/2017	
AIR-20180129-178942	01/26/2018	
AIR-20180213-179223	02/12/2018	
AIR-20180221-179503	02/20/2018	
AIR-20170922-176731	09/15/2017	
AIR-20180621-180562	06/20/2018	
AIR-20190122-182018	01/18/2019	
AIR-20190205-182165	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182146

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/03/2019

Feedback : N

Time Incident Occurred: 09:22 PM

Comp Date: 02/03/2019

Complaint Property : **400 STATE ST**

Compl.Time: 09:56 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : I CALLED THE HEALTH DEPARTMENT EVERYDAY (THERE ARE NO RECORDS OF THIS NAME CONTACTING THE DEPARTMENT PREVIOUSLY) FOUL ODORS, SMELLS OF CHEMICALS.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):
Additional Comments: ANSWERING SERVICE 02-03-2019 @ 9:56 PM

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182147

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 02:54 PM

Comp Date: 02/04/2019

Complaint Property : **301 39TH ST**

Compl.Time: 02:55 PM

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : DISPLEASEED WITH HOW THE DEPARMENT HAS BEEN HANDING THE AIR QUALITY OF THE COUNTY AND THINKS THE DEPARTMENT SHOULD BE MORE AGGRASIVLY ADDRESSING THE ISSUES WITH US STEEL WHILE THE REPAIRS THE CLAIRTON MILL SHOULD BE PUT INTO HOT IDLE. EVEN WHEN THE PLANTS ARE FUNCTIONING PROPERLY THEY ARE STILL BAD FOR PUBLIC HEALTH. MORE SPECIFICALLY OVER THE WEEKEND THE AIR QUALITY WAS APAULING. FEELS COUNTY FACILITIES SUCH AS LOCAL PARKS ARE NOT BEING USED BECAUSE OF THE POOR AIR QUALITY.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019

ACHD Complaints System

AIR-20190204-182129	02/03/2019	
AIR-20190204-182141	02/04/2019	
AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182148

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 07:30 AM

Comp Date: 02/04/2019

Complaint Property : **400 STATE ST**

Compl.Time: 07:30 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : STRONG CHEMICAL ODOR OF ROTTEN EGGS, SULFUR, AND BLACK TOP DRIVEWAY SEAL - GIVING HIM A MIGRANE- VERY UPSET
FIRST TIME NOTICED: 2/3 AND 2/4 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-04-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182149

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 09:45 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT HORRIBLE AIR QUALITY - THIRD DAY IN A ROW!
MESSAGE DEAR ACHD,

I AM FURIOUS! WE HAVE SUFFERED THROUGH HORRIBLE, STINKY AIR FOR THREE DAYS IN A ROW WHILE CLAIRTON COKE WORKS CONTINUES TO OPERATE. HOW MANY COMPLAINTS DO YOU NEED TO RECEIVE BEFORE YOU TAKE MEANINGFUL ACTION TO PREVENT THE STENCH AND ALL OF THE POLLUTANTS THAT COME WITH IT! (LIKE BTEX COMPOUNDS AND PARTICLES AND VARIOUS SULFUR COMPOUNDS LIKE SO2 AND H2S.) I DEMAND THAT YOU PUT CLAIRTON COKE WORKS INTO A HOT IDLE STATE WHILE THEY WORK ON REPAIRS TO THEIR SYSTEM. THIS BAD AIR QUALITY IS ABSOLUTELY INTOLERABLE, AND THERE IS NO ESCAPE FROM IT! IT WAS LITERALLY LEAKING INTO MY HOUSE AS I WENT TO BED LAST NIGHT. CAUSED ME A HEADACHE AND CONGESTION. YOUR JOB IS TO PROTECT THE HEALTH OF RESIDENTS AND YOU ARE FAILING AT THAT TASK. PLEASE RE-ASSESS YOUR PRIORITIES AND FIX THIS PROBLEM ASAP.

FURIOUS,
[REDACTED]

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s): [REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 09:45 AM

ACHD Complaints System

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: P.S. PLEASE CALL ME TO ADDRESS THIS ISSUE: [REDACTED]

Supervisor:

WEBSITE 02-04-2019 @ 9:45 AM

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017
AIR-20171218-178396	12/17/2017
AIR-20171226-178624	12/21/2017
AIR-20171115-177643	11/15/2017
AIR-20171208-178177	12/03/2017
AIR-20171226-178635	12/22/2017
AIR-20171204-177985	12/03/2017
AIR-20171207-178090	11/20/2017
AIR-20180111-178854	01/11/2018
AIR-20171025-177184	09/18/2017
AIR-20171115-177627	09/26/2017
AIR-20171208-178190	12/03/2017
AIR-20170926-176800	09/20/2017
AIR-20170927-176822	09/27/2017
AIR-20170927-176824	09/27/2017
AIR-20171102-177307	11/02/2017
AIR-20171025-177207	09/20/2017
AIR-20171212-178262	12/03/2017
AIR-20180129-178941	01/26/2018
AIR-20171208-178152	12/07/2017
AIR-20180206-179051	02/06/2018
AIR-20171212-178270	12/03/2017
AIR-20180206-179091	11/07/2017

ACHD Complaints System

AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	

ACHD Complaints System

AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	

ACHD Complaints System

AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	

ACHD Complaints System

AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190204-182150

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 09:48 AM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : COMPLAINT ABOUT THE GENERAL AIR QUALITY OF THE CITY OF PITTSBURGH

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: CITY OF PITTSBURGH GENERAL AREA

PITTSBURGH, PA

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 09:48 AM

ACHD Complaints System

Service Request # AIR-20190204-182151

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 03:36 PM

Comp Date: 02/04/2019

Complaint Property :

Compl.Time: 03:36 PM

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

AIR QUALITY HAS ALWAYS BEEN POOR BUT PARTICULARLY IN THE PAST THREE DAYS DURING THE NIGHT AND EARLY MORNING HORRIBLE ROTTEN EGG SMELL OR SULFUR CAUSING BURING IN THROAT.

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: CALL INTO KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	
AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	

ACHD Complaints System

AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	
AIR-20190205-182171	02/04/2019	

ACHD Complaints System

Service Request # AIR-20190204-182152

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 11:16 AM

Complaint Property : **301 39TH ST**

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : SUBJECT HAZARDOUS AIR QUALITY IN SQ HILL, OAKLAND ON 4 FEB 2019
MESSAGE I LIVE AT [REDACTED]

[REDACTED] AT 3:30AM THIS MORNING (MON 4 FEB 2019), I WOKE UP AND SMELLED A NOXIOUS, SULFUROUS INDUSTRIAL CHEMICAL SMELL WHICH I HAVE PREVIOUSLY REPORTED, USUALLY DETECTED OUTSIDE MY HOUSE. I WAS INSIDE MY HOUSE, WINDOWS CLOSED. I HAD A BURNING SENSATION IN MY THROAT, FELT NAUSEATED, HAD A HEADACHE, AND HAD DIFFICULTY GETTING BACK TO SLEEP. WHEN I LEFT MY HOUSE AT ABOUT 7:50AM, THE SAME SMELL WAS OUTSIDE MY HOUSE AND WAS OVERPOWERING. I ALSO COULD SMELL IT WHEN I GOT OFF THE BUS AT 5TH AND THACKERAY IN OAKLAND AND AS I WALKED UP THACKERAY TOWARD O'HARA ST. WHAT IS IT GOING TO TAKE FOR ALLEGHENY COUNTY TO STOP THE POLLUTERS? WE ARE BEING POISONED IN OUR OWN HOUSES. I DON'T EVEN KNOW WHAT TO DO AT THIS POINT, WHEN THE

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 11:16 AM

ACHD Complaints System

POLLUTION IS COMING INTO MY BEDROOM WITH CLOSED WINDOWS IN THE MIDDLE OF THE NIGHT. HOW AM I SUPPOSED TO REDUCE MY EXPOSURE, WHEN I HAVE NO PLACE TO GO WHERE I CAN ESCAPE IT? MY WINDOWS AND STORM WINDOWS HAVE ALL BEEN REPLACED. PLEASE ADVISE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***ALLEGHENY COUNTY HEALTH DEPARTMENT**
301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s):

412-5788115

Additional Comments:

WEBSITE 02-04-2019 @11:16 AM

Supervisor:

Sagel, Karen

Created By:

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complied	
AIR-20190204-182155	02/04/2019	
AIR-20190208-182213	02/08/2019	
AIR-20190114-181957	01/13/2019	
AIR-20190204-182114	02/02/2019	
AIR-20190204-182115	02/02/2019	
AIR-20190111-181939	01/11/2019	
AIR-20190204-182129	02/03/2019	
AIR-20190204-182141	02/04/2019	
AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190204-182153

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 11:54 AM

Complaint Property :

Apt/Unit#:

City: , PA 15102

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT AIR QUALITY AT [REDACTED]
MESSAGE IT IS 11:44 AM AND THIS IS THE THIRD DAY OF UNHEALTHY AIR
QUALITY. THE CURRENT
READING IS 186, IT WAS 161 AT TIMES YESTERDAY, AND I HAVE RARELY
SEEN UNHEALTHY
READINGS HERE IN THE PAST. ON THURSDAY I CAME OUT OF LA
FITNESS WHERE I HAD BEEN
DOING SPRINTS AND SUDDENLY WAS OVERCOME WITH A LENGHLY
SPELL OF HARD GUT-
RENCHING COUGHING.
WHAT IS HAPPENING? I SUSPECT THAT THE CLAIRTON WORKS MAY
HAVE SOMETHING TO DO
WITH THIS AND LIKELY FRACKING AS WELL.
SOMETHING MUST BE DONE TO CLEAN OUR AIR ASAP.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15102 GENERAL AREA

, PA 15102

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 11:54 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190204-182154

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 03:50 PM

Complaint Property :

Apt/Unit#:

City: , PA 15209

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : GENERAL AIR QUALITY IS TOO HARD TO BREATH OUTSIDE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15209 GENERAL ODOR

, PA 15209

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171115-177616	09/26/2017

ACHD Complaints System

Service Request # AIR-20190204-182155

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 12:41 PM

Complaint Property : **301 39TH ST**

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint :

SUBJECT UNACCEPTABLE AIR POLLUTION!
MESSAGE I AM REGISTERING THIS FORMAL COMPLAINT FOR THE CURRENT AIR CONDITIONS AT MY PLACE OF WORK ON MONDAY, FEBRUARY 4TH. HOWEVER, THIS COMPLAINT EXTENDS MUCH FURTHER THAN TODAY. THIS ENTIRE PAST WEEKEND HAS BEEN OUTRAGEOUS, AS ARE SO MANY DAYS IN THIS REGION. EACH NIGHT, AS THE SULFUR SMELL FILLS THE AIR IN MY FOREST HILLS HOME, I AM WOKEN FROM MY SLEEP, CHOKING, AS THE SULFUR BURNS MY LUNGS AND NOSES, PAINS MY CHESTS AND MAKES ME UNABLE TO BREATHE. AS AN ASTHMATIC, I AM TERRIFIED TO LIVE AND WORK IN ALLEGHENY COUNTY. NOTHING SEEMS TO GET BETTER. WHILE RESIDENTS ARE TOLD TO CONSERVE WATER AND NOT MOW THE LAWN DURING PEAK HOURS, WE SEE NOTHING BEING DONE TO THE LARGE INDUSTRIES WHO OPERATE AND POLLUTE OUR AIR ILLEGALLY EACH AND EVERYDAY!

I CANNOT VISIT THE EMERGENCY ROOM EVERY DAY, NOR CAN I LIVE THERE AND HOPE THAT THE AIR INSIDE OF HOSPITALS IS ANY BETTER THAN WHAT IS IN MY HOME. I AM TRAPPED -- I CANNOT AFFORD TO GIVE UP MY JOB OR LEAVE MY HOME. EVEN IF I COULD, I CANNOT DO IT WITHIN HOURS, WHICH IS WHAT IS NEEDED TO ESCAPE THIS STENCH AND SICKNESS. BEING AT WORK OR SLEEPING IN YOUR OWN BED AND NOT BEING ABLE TO BREATHE IS TERRIFYING! WORRYING ABOUT YOUR HEALTH, YOUR FAMILIES HEALTH, AND BEING DEPRIVED THE NORMAL JOYS OF LIFE -- SLEEPING COMFORTABLY, RECREATING AND EXERCISING, ARE ALL STOLEN FROM ME TODAY AND EVERY DAY THAT THIS SICKENING POLLUTION IS ALLOWED TO EXIST. PITTSBURGH AND ALLEGHENY COUNTY ARE A DISGRACE AS LONG AS THIS IS ALLOWED TO CONTINUE. FIX. THIS. NOW!

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

ACHD Complaints System

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT
301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115
Additional Comments: WEBSITE 02-04-2019 @ 12:41 PM

Supervisor:
Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019
AIR-20190131-182094	01/31/2019
AIR-20190131-182095	01/29/2019
AIR-20190204-182147	02/04/2019
AIR-20190204-182152	02/04/2019
AIR-20190206-182193	02/06/2019
AIR-20190206-182195	02/06/2019
AIR-20190205-182157	02/05/2019
AIR-20190205-182176	02/05/2019

ACHD Complaints System

Service Request # AIR-20190204-182156

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 02:04 PM

Comp Date: 02/04/2019

Complaint Property : **3100 GRAND AV**

Compl.Time: 02: 04 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-2/4/19

-1:55PM

-METALICO RECYCLING, NEVILLE ISLAND

-A LOT OF OPAQUE SMOKE BLOWING ACROSS THE RIVER,(SEE LAST PHOTO), WITH AN ODOR OF BURNING PLASTIC COMING FROM THE SHREDDER. THIS HAS BEEN CONTINUOUS FOR THE PAST HOUR.

Complainant:

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s):

412-7717000

Additional Comments:

EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170825-176227	08/22/2017
AIR-20170601-175171	06/01/2017
AIR-20171226-178618	12/21/2017
AIR-20171218-178431	12/15/2017
AIR-20180215-179350	02/15/2018
AIR-20180215-179383	02/15/2018
AIR-20171220-178502	12/19/2017

ACHD Complaints System

AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	

ACHD Complaints System

AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20190207-182205	02/07/2019	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	

ACHD Complaints System

AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190205-182157

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/05/2019

Feedback : N

Time Incident Occurred: 08:45 AM

Comp Date: 02/05/2019

Complaint Property : **301 39TH ST**

Compl.Time: 09:01 AM

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : SPECIFICALLY BECAUSE EXTREMELY UPSET OVER THE STATEMENT ISSUED ON THE FACEBOOK PAGE BY JIM KELLY NEGATING THE CONCERNS OF THE RESIDENTS OF ALLEGHENY COUNTY REGARDING THE CURRENT AIR QUALITY SITUATION. AIR.GOV LISTED LIBERTY MONITOR AS THE WORST AIR IN THE COUNTRY AND MR. KELLY HAD A LACK OF URGENCY ABOUT THE SITUATION.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019

ACHD Complaints System

AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

AIR-20180501-180227	05/01/2018	
AIR-20180502-180241	05/02/2018	
AIR-20180430-180204	04/28/2018	
AIR-20180430-180221	04/30/2018	
AIR-20180829-181160	08/29/2018	
AIR-20180829-181162	08/29/2018	
AIR-20180810-180965	08/10/2018	
AIR-20181011-181455	10/11/2018	
AIR-20181011-181457	10/11/2018	
AIR-20180822-181084	08/21/2018	
AIR-20180919-181331	09/19/2018	
AIR-20180727-180795	07/27/2018	
AIR-20190103-181878	01/03/2019	
AIR-20180711-180697	07/11/2018	
AIR-20190311-182321	02/16/2019	
AIR-20180816-181034	08/16/2018	
AIR-20180726-180786	07/26/2018	
AIR-20180726-180787	07/26/2018	
AIR-20180726-180789	07/26/2018	
AIR-20180523-180391	05/22/2018	
AIR-20180523-180395	05/22/2018	
AIR-20190110-181933	01/09/2019	
AIR-20180816-181029	08/16/2018	

ACHD Complaints System

Service Request # AIR-20190205-182159

AIR QUALITY - ODOR

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 10:30 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/05/2019

Compl.Time: 10:40 AM

Nature of Complaint : **CROSSED OVER THE GLASSPORT BRIDGE AND THE SMOKE COMING FROM CLAIRTON WAS HORRIBLE THE SMELL IS UNBARABLE.**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182160

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 05:03 PM

Comp Date: 02/04/2019

Complaint Property : **400 STATE ST**

Compl.Time: 05:03 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : HAS BEEN SNEEZING A LOT, WAS TOLD THAT THERE WAS A LOT OF SULFUR IN THE AIR.

Complainant:



Email:

Phone(s):



Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-05-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182161

AIR QUALITY - ODOR

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 11:32 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : AIR QUALTY OF ALLEGHY COUNTY NEEDS TO BE IMPROVED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180110-178824	01/10/2018	
AIR-20190117-181985	01/17/2019	
AIR-20181105-181587	11/03/2018	
AIR-20180607-180480	06/06/2018	
AIR-20190204-182140	02/04/2019	
AIR-20190115-181967	01/15/2019	
AIR-20180531-180446	05/31/2018	
AIR-20180702-180619	07/02/2018	

ACHD Complaints System

Service Request # AIR-20190205-182163

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 07:06 PM

Comp Date: 02/04/2019

Complaint Property : **400 STATE ST**

Compl.Time: 07:06 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : IT MAY BE CLAIRTON. VERY BAD FOR THE LAST 3 DAYS BUT ONGOING ISSUE. CALLED HER COUNCILMAN THIS MORNING. SMELLS LIKE EXHAUST FROM A TAIL PIPE.

Complainant:



Email:



Phone(s):



Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-05-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182164

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 07:28 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : AIR IS SMELLY, DIFFICULT TO BREATHE

Complainant:

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 02-05-2019 @

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182165

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 10:09 PM

Complaint Property :

Apt/Unit#:

City: , PA 15218

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SMELL OF SULFUR, IT WAS FOGGY THIS MORNING UNSURE IF ITS RELATED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15218 GENERAL AREA

, PA 15218

Phone(s):

Additional Comments: ANSWERING SERVICE 02-05-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171115-177621	09/26/2017	
AIR-20180129-178942	01/26/2018	
AIR-20180213-179223	02/12/2018	
AIR-20180221-179503	02/20/2018	
AIR-20170922-176731	09/15/2017	
AIR-20190204-182145	02/03/2019	
AIR-20180621-180562	06/20/2018	
AIR-20190122-182018	01/18/2019	

ACHD Complaints System

Service Request # AIR-20190205-182166

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/05/2019

Feedback : N

Time Incident Occurred: 12:49 PM

Comp Date: 02/05/2019

Complaint Property : **400 STATE ST**

Compl.Time: 12:49 PM

Apt/Unit#:

City: PITTSBURGH, PA 15025

Municipality: CLAIRTON CITY

Census Tract: 99999

Ward:

Nature of Complaint : HORRIBLE ALLERGIES FROM WHATS COMING FROM CLAIRTON MILL
PLEASE CLOSE IT DOWN UNTIL THEY FIX IT.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGLE

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	

ACHD Complaints System

AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	

ACHD Complaints System

AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182167

AIR QUALITY - ODOR

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 01:14 PM

Complaint Property :

Apt/Unit#:

City: , PA 15232

Municipality:

Census Tract: 99999

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/05/2019

Compl.Time: 01:15 PM

Nature of Complaint :

COMPLAINING ABOUT AIR QUALITY OF ALLEGHENY COUNTY. FRIDAY NIGHT MIDNIGHT HIT WITH AN INTENSE ACRID SMELL INSIDE HOME. SMELL FROM OUTSIDE WAS CREEPING INTO HOUSE. MADE THEM VERY SICK, HEADACHE, NAUSIA, EYES ITCHING. HER 5 YR OLD SONS ROOM WAS A TOXIC SOUP OF SMELLS. COULDNT USE THE TOP TWO FLOORS OF HOUSE BECAUSE OF THE HORRIBLE SMELLS. THEY ACTUALLY GOT A HOTEL AT BEDFOR SPRINGS FOR THE WEEKEND.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15232 GENERAL AREA

, PA 15232

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171120-177734	09/30/2017
AIR-20181107-181601	11/06/2018
AIR-20181001-181405	10/01/2018

ACHD Complaints System

Service Request # AIR-20190205-182168

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 02:33 PM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/05/2019

Compl.Time: 01:34 PM

Nature of Complaint : NOISE FROM IRVIN WORKS. NOISE FROM THE FLAME SOUNDED LIKE SITTING BEHIND A 747. WHEN HE WOKE UP THIS MORNING THERE WAS A THICK ASH COVERING EVERYTHING. THERE WAS ALSO A HEAVY SULFUR SMELL. THE NOISE WAS SO LOUD THAT IT WOKE HIM UP AND AFTER THAT HE COULDN'T SLEEP. HE SAID IT SEEMS LIKE THEY ARE ONLY DOING THIS OVER THE WEEKENDS AND IN THE EVENINGS WHEN THEY KNOW WE ARE NOT AVAILABLE TO DO ANYTHING ABOUT IT. THERE WAS A HEAVY COATING OF GRIT COVERING EVERYTHING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against:

***US STEEL IRVIN WORKS**

1 CAMP HOLLOW RD
DRAVOSBURG, PA 15034

Phone(s):

-

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20120117-150564	01/17/2012
AIR-20171003-176888	10/03/2017
AIR-20170927-176825	09/27/2017
AIR-20171109-177486	09/24/2017
AIR-20171204-177982	12/04/2017
AIR-20180416-180082	04/14/2018

ACHD Complaints System

AIR-20190208-182212	02/08/2019	
AIR-20181219-181785	12/19/2018	
AIR-20190114-181958	01/13/2019	
AIR-20190204-182128	02/03/2019	
AIR-20190311-182318	02/15/2019	
AIR-20190104-181884	01/03/2019	
AIR-20190205-182169	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190205-182169

AIR QUALITY - ODOR

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 02:58 PM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : **FLAME FROM IRVIN LOOKS LIKE A WILD FIRE BURNING IN THE WOODS.**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL IRVIN WORKS**

1 CAMP HOLLOW RD

DRAVOSBURG, PA 15034

Phone(s):

-

Additional Comments: **CALL INTO ACHD - KAREN M SAGEL**

Supervisor:

Created By: **Sagel,Karen**

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20120117-150564	01/17/2012
AIR-20171003-176888	10/03/2017
AIR-20170927-176825	09/27/2017
AIR-20171109-177486	09/24/2017
AIR-20171204-177982	12/04/2017
AIR-20180416-180082	04/14/2018
AIR-20190208-182212	02/08/2019
AIR-20181219-181785	12/19/2018
AIR-20190114-181958	01/13/2019
AIR-20190204-182128	02/03/2019
AIR-20190311-182318	02/15/2019
AIR-20190104-181884	01/03/2019

ACHD Complaints System

AIR-20190205-182168	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190205-182170

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 03:27 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT HORRIBLE AIR QUALITY
MESSAGE FEBRUARY 4TH, 2019, LAWRENCEVILLE, NORTHSIDE
SMOGGY SMELLY AIR THROUGHOUT THE EAST END AND NORTHSIDE
TODAY-- MY AQI ALERTS
SHOW THAT THE AIR QUALITY IS POOR, YOU CAN ALSO SEE THE HAZE
AND SMELL CHEMICALS
AND BURNING. I CYCLED TO WORK AND MY THROAT HURT AS I
BREADED AIR ALONG THE RIVER.
AS A PARENT I AM TERRIFIED ABOUT WHAT THIS IS DOING TO MY
CHILDREN AND AS A CITIZEN I
AM OUTRAGED THAT COMPANIES ARE POLLUTING OUR AIR WITHOUT
CONSEQUENCE-- WHY ON
EARTH HAS THE CLAIRTON COKE WORKS NOT BEEN SHUT DOWN? THIS
IS A CRIME AGAINST
OUR COMMUNITY. I AM DESPERATE FOR ANSWERS AND WATCHING OUR
AIR GET WORSE AND
WORSE. PLEASE HELP!!!!

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

*ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 03:27 PM

Supervisor:

Created By:

Sagel, Karen

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 03:27 PM

ACHD Complaints System

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
---------------	------------------------

ACHD Complaints System

Service Request # AIR-20190205-182171

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 04:05 PM

Comp Date: 02/04/2019

Complaint Property :

Compl.Time: 04:05 PM

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : VERY CONCERNED ABOUT THE AIR QUALITY AND WOULD LIKE TO KNOW WHAT IS BEING DONE AND WHAT SHE CAN DO TO HELP CHANGE THIS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018
AIR-20171204-177994	12/02/2017
AIR-20171204-177997	12/03/2017
AIR-20180110-178845	01/10/2018

ACHD Complaints System

AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20190204-182116	02/02/2019	
AIR-20190204-182133	02/03/2019	
AIR-20190204-182136	02/04/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20190204-182138	02/04/2019	
AIR-20190204-182139	02/04/2019	
AIR-20181023-181527	10/19/2018	
AIR-20190204-182151	02/04/2019	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20190124-182042	01/23/2019	
AIR-20190124-182044	01/24/2019	
AIR-20190211-182239	02/11/2019	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20190205-182172

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 10:00 AM

Complaint Property : **PHILIPS LA**

Apt/Unit#:

City: **MCKEES ROCKS, PA 15136**

Municipality: **ROBINSON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : NEIGHBOR AT 18 PHILLIP LANE IS A HOUSE THAT HAS BEEN GUTTED AND THE OWNER COMES OVER ON THE WEEKENDS TO DO RENOVATIONS. HE IS USING THE DEBRIS FROM THE REMODELING TO BURN IN A BARRELL OUTSIDE. HE IS ONLY THERE ON THE WEEKENDS BUT ALL THE TRASH AND DEBRIS IS THERE FORM THE WEEKEND.

Complainant: *Phone Call,Anonymous

Email:

Phone(s):

Complaint Against: **PHILLIPS LANE 15136**

PHILIPS LA

MCKEES ROCKS, PA 15136

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL 02-04-2019 @ 10:00 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20170920-176677	09/20/2017

ACHD Complaints System

Service Request # AIR-20190205-182173

AIR QUALITY - ODOR

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 05:24 PM

Complaint Property : **GRAHAM BO**

Apt/Unit#:

City: **PITTSBURGH, PA 15235**

Municipality: **WILKINSBURG BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint :

SUBJECT OPPRESSIVE SULFUROUS AIR IN EASTERN SUBURBS THIS WEEKEND

MESSAGE TIME / DATE: 2/2/2019 @ APPROX 3:30PM

LOCATION: [REDACTED] (AND VICINITY)

THIS COMPLAINT IS A REPORT OF SIGNIFICANT SULFUROUS ODORS AND AN OPPRESSIVE HEAVINESS IN THE AIR WHILE MY WIFE AND I WERE WALKING BETWEEN OUR RESIDENCE AND OUR NEARBY COMMERCIAL OFFICES ON PENN AVENUE (BRITTANY APARTMENTS) ON SATURDAY AFTERNOON.

BOTH MY WIFE AND I EXPERIENCED A REDUCTION IN OUR ABILITY TO BREATHE COMFORTABLY AND FREELY, ESPECIALLY WHILE WALKING UP HILLS. NEITHER OF US HAVE BEEN DIAGNOSED WITH ASTHMA, NOR ARE WE TREATED FOR ANY TYPE OF BREATHING DIFFICULTY. WE ARE BOTH RELATIVELY HEALTHY ADULTS WHO ENGAGE IN REGULAR OUTDOOR EXERCISE.

AFTER THIS WALK, I FIND MYSELF WITH AN EXCESSIVE AMOUNT OF PHEM AND MUCOUS CLEARING ACTIVITY FROM MY SINUSES AND LUNGS THAT IS GOING ON FOR 2 DAYS NOW. I AM COUGHING MORE OFTEN THAN USUAL AS WELL. MY WIFE DOES NOT SEEM TO HAVE THE SAME SYMPTOMS, BUT SHE IS 48 AND I AM 50.

THIS HEAVINESS / SMELL CONTINUED ON SUNDAY, BUT WE REMAINED INDOORS AND KEPT WINDOWS AND DOORS SHUT TO HELP AVOID THE COUGHING AND NASAL DISCHARGES.

Complainant: [REDACTED]

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 05:25 PM

ACHD Complaints System

Email:

Phone(s):



Complaint Against:

GRAHAM BLVD 15235

GRAHAM BO

PITTSBURGH, PA 15235

Phone(s):

Additional Comments:

WEBSITE 02-04-2019 @ 05:24 PM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177425	09/22/2017

ACHD Complaints System

Service Request # AIR-20190205-182174

AIR POLLUTION - GENERAL

Date Incident Occurred: 02/04/2019

Time Incident Occurred: 06:48 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT BURNT SNAKES
MESSAGE SATURDAY 2/2/19 4PM
REGENT SQUARE
AIR SMELLS LIKE BURNT SNAKES

Compl Status : OPEN


Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/04/2019

Compl.Time: 06:48 PM

Complainant:



Email:



Phone(s):

Complaint Against: 15218 GENERAL AREA

, PA

Phone(s):

Additional Comments: WEBSITE 02-04-2019 @ 06:48 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180213-179245	01/11/2018

ACHD Complaints System

Service Request # AIR-20190205-182175

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 09:24 AM

Complaint Property : **CHRISTONIA RD**

Apt/Unit#:

City: **GIBSONIA, PA 15044**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : WEST DEER TOWNSHIP, 30 CHRISTONIA ROAD GIBSONIA PA. WATCHED A NEIGHBOR DUMP 5 DUMPSTERS FULL OF CONTRACTOR AND HOUSEHOLD GARBAGE BEHIND HIS POND ON FEB 4, 2019 (1:38 PM, 1:45 PM, 1:54 PM, 2:10 PM, 2:30 PM) THIS MORNING TUES FEB 5TH, 2019 AT 9:00 THIS NEIGHBOR STARTED BURNING HIS PILE. THE FLAMES ARE 20 FT HIGH AND THICK BLACK SMOKE IS ALL THROUGH OUR NEIGHBORHOOD. MYSELF AND MY 2 YOUNG CHILDREN SUFFER FROM ASTHMA AND THIS NEIGHBOR MAKES IT VERY UNPLEASANT FOR ME AND MY FAMILY TO MOVE IN AND OUT OF MY HOME WITH HIS BURNING. WE CANNOT ENJOY THE WARM WEATHER NOW BECAUSE OF HIS ACTIVITY. I HAVE COMPLAINED NUMEROUS TIMES TO THE TOWNSHIP AND TO THE COUNTY ABOUT THIS ILLEGAL ACTIVITY. I WILL BE PLACING A CALL TO MY TOWNSHIP YET AGAIN TO SEE WHAT CAN BE DONE ABOUT THIS SHORT OF HAVING TO CALL THE FIRE DEPARTMENT.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/05/2019

Compl.Time: 09:24 AM

Complainant: *Website,Anonymous

Email:

Phone(s):

Complaint Against: **CHRISTONIA ROAD 15044**

CHRISTONIA RD

GIBSONIA, PA 15044

Phone(s):

Additional Comments: WEBSITE 02-05-2019 @ 09:24 AM

Supervisor:

Created By: Sagel,Karen

Actions:

ACHD Complaints System

Previous Complaints on Complaint Property:		
SR Num	Date Complained	
AIR-20180306-179741	03/05/2018	
AIR-20180807-180875	08/06/2018	

ACHD Complaints System

Service Request # AIR-20190205-182176

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/05/2019

Feedback : N

Time Incident Occurred: 02:10 PM

Comp Date: 02/05/2019

Complaint Property : **301 39TH ST**

Compl.Time: 02:10 PM

Apt/Unit#: **BUILDING 7**
City: **LAWRENCEVILLE, PA 15201**
Municipality: **PITTSBURGH CITY**
Census Tract: **30603**
Ward: **06**

Nature of Complaint : SUBJECT AIR QUALITY
MESSAGE EARLY THE 4TH OF FEB 19. IN HOMESTEAD. ARE YOU KIDDING ME. THE SMELL OF THE AIR IS THE SAME AS IT WAS IN THE EARLY 70'S. TOXIC, FRIGGIN CODE ORANGE. THIS IS TERRIBLE. ARE YOU GONNA GET IN THERE AND SAY SOMETHING ABOUT THIS TO THEM RICH. WTH..ITS TERRIBLE. OR, ARE YOU GONNA SIT BACK, AND JUST LET IT HAPPEN. BC THEY'LL TAKE ADVANTAGE OF YOUR ASS. AND TRY TO KEEP YOU IGNORANT. SPEAK UP, GET DOWN TO THOSE STEEL MAKING OFFICES. OR, WHEREEVER THIS BS, IS COMING FROM. AND PUT SOME LEGISLATIVE PRESSURE ON THEM. BEFORE YOUR SNARED, AND THEY OWN YOU.

Complainant: [REDACTED]

Email: [REDACTED]

Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST
LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: WEBSITE 02-05-2019 @ 02:10 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019

ACHD Complaints System

AIR-20190114-181957	01/13/2019	
AIR-20190204-182114	02/02/2019	
AIR-20190204-182115	02/02/2019	
AIR-20190111-181939	01/11/2019	
AIR-20190204-182129	02/03/2019	
AIR-20190204-182141	02/04/2019	
AIR-20190131-182094	01/31/2019	
AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182193	02/06/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190205-182177

AIR QUALITY - ODOR

Date Incident Occurred: 02/05/2019

Time Incident Occurred: 03:26 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT AIR QUALITY COMPLAINT
MESSAGE DAILY MORE RECENTLY -
GREENFIELD NEAR MAGEE
REC CENTER - SULFUR
SMELL IN THE AIR DAILY,
NOT TOO BAD DURING THE
DAY BUT DEFINITELY
NOTICEABLE, EVEN WORSE
AT NIGHT

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/05/2019

Compl.Time: 03:26 PM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15213 GENERAL AREA

ALLEGHENY COUNTY, PA 15213

Phone(s):

Additional Comments: WEBSITE 02-05-2019 @ 03:26 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190205-182178

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 10:30 AM

Comp Date: 02/04/2019

Complaint Property : **400 STATE ST**

Compl.Time: 10:30 AM

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint :

THIS PAST WEEKEND THE AIR QUALITY WAS HORRIBLE. THE HEAVY SULFUR SMELL IN GREENFIELD WAS HORRIBLE. IT IS SEEPING INTO THE HOUSE. YOU CANT SLEEP BECAUSE THE SMELL IS JUST EVERYWHERE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**
400 STATE ST
PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190207-182201	02/07/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	

ACHD Complaints System

AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	

ACHD Complaints System

AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	
AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190205-182179

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/20/2019

Time Incident Occurred: 04:30 PM

Complaint Property : **8TH ST**

Apt/Unit#:

City: **OAKMONT, PA 15139**

Municipality: **OAKMONT BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint :

TODAY MY HUSBAND AND I WENT TO MEET WITH OUR CHIEF OF POLICE IN OAKMONT ABOUT ANOTHER OPEN BURNING INCIDENT THAT HAPPENED IN JANUARY. I'M COPYING KAREN ON THIS E-MAIL SO SHE'S IN THE LOOP ON THIS.

ON SUNDAY, JANUARY 20, OUR NEIGHBORS STARTED A FIRE ABOUT 4:30 PM DURING THE PLAYOFF GAMES, WERE OUTSIDE FOR ABOUT AN HOUR, STACKED WOOD UP IN THE FIRE PIT, THEN WENT INSIDE TO WATCH THE GAME, LEAVING THE FIRE BURN ITSELF OUT, UNATTENDED, UNTIL ABOUT 9:30 PM.

I CALLED THE POLICE CHIEF AND SCHEDULED A MEETING WITH HIM TO TELL HIM THE STEPS THAT WE'VE TAKEN: MEETING PERSONALLY WITH THE NEIGHBORS TO TELL THEM ABOUT THE SMOKE COMING INTO OUR HOUSE; THEN YOUR THREE VISITS TO THEIR PROPERTY, THE LITERATURE YOU GAVE THEM, THE EXPLANATION OF WHY THEY WERE NOT WITHIN COUNTY GUIDELINES, ETC.

I ALSO GAVE HIM A COPY OF THE PHOTOS YOU AND KAREN HAVE, PLUS THE DATES OF YOUR VISITS AND WE SHOWED HIM PHOTOS OF THE JAN. 20TH INCIDENT..

HE IS GOING TO TALK TO HIS ASSISTANT POLICE CHIEF AND THE FIRE CHIEF IN OAKMONT. HE ALSO ASKED ME FOR A COPY OF YOUR BUSINESS CARD AND SAID HE MAY CALL YOU.

HIS NAME IS CHIEF MICHAEL FORD. I WANTED TO LET BOTH OF YOU KNOW THAT HE MAY BE CALLING.

I THOUGHT THAT YOUR LAST VISIT WOULD HAVE BEEN THE END OF THIS. ANYWAY, HOPE ALL IS

ACHD Complaints System

WELL WITH BOTH OF YOU. AND AS ALWAYS, THANK YOU SO MUCH FOR YOUR HELP.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

8TH STREET 15139

8TH ST

OAKMONT, PA 15139

Phone(s):

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180904-181203	09/01/2018	
AIR-20180827-181125	08/24/2018	
AIR-20180823-181099	08/23/2018	

ACHD Complaints System

Service Request # AIR-20190205-182180

AIR QUALITY - ODOR

Date Incident Occurred: 01/17/2019

Time Incident Occurred: 10:53 AM

Complaint Property : **112 ROSS WA**

Apt/Unit#:

City: **LEETSDALE, PA 15056**

Municipality: **LEET TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : BURNED RUBBER.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **ABTREX INDUSTRIES INC**

112 ROSS WA

LEETSDALE, PA 15056

Phone(s):

Additional Comments: EMAIL FROM THE DEP 01-30-2019 @ 01:10 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/17/2019

Compl.Time: 10:53 AM

ACHD Complaints System

Service Request # AIR-20190206-182192

AIR QUALITY - ODOR

Date Incident Occurred: 02/06/2018

Time Incident Occurred: 10:47 AM

Complaint Property :

Apt/Unit#:

City: , PA 15202

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

PAST TWO DAYS HEAVY SULFUR SMELL. AFFECTING HER SINUSES CAUSING HER TO TAKE MEDICATION. GIVING THROBING HEADACH REMINDING HER OF SHENANGO.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15202 GENERAL AREA

, PA 15202

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190207-182204	02/07/2019

ACHD Complaints System

Service Request # AIR-20190206-182193

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/06/2019

Feedback : N

Time Incident Occurred: 11:39 AM

Comp Date: 02/06/2019

Complaint Property : **301 39TH ST**

Compl.Time: 11:40 AM

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : CONCERN ABOUT LONG TERM AFFECT OF THE AIR POLLUTION COMING FROM THE CLAIRTION MILL AND THE LACK OF RESPONSE FROM THE HEALTH DEPARTMENT TO THE LONG TERM AFFECTS AND SPECIFICALLY SHE IS REQUESTING CLAIRTON MILL BE PUT ON HOT IDLE UNTIL THE AIR POLITION CONTROL SYSTEM IS REPAIRED.

Complainant:

██████████
 ██████████
 ██████████

Email:

Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019
AIR-20190131-182094	01/31/2019

ACHD Complaints System

AIR-20190131-182095	01/29/2019	
AIR-20190204-182147	02/04/2019	
AIR-20190204-182152	02/04/2019	
AIR-20190206-182195	02/06/2019	
AIR-20190205-182157	02/05/2019	
AIR-20190205-182176	02/05/2019	

ACHD Complaints System

Service Request # AIR-20190206-182194

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/06/2019

Feedback : N

Time Incident Occurred: 11:47 AM

Comp Date: 02/06/2019

Complaint Property : **FERRY ST**

Compl.Time: 11:47 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : SMELLS REALLY BAD TODAY

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP
FERRY ST
CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018
AIR-20190129-182074	01/28/2019

ACHD Complaints System

AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182196	02/06/2019	

ACHD Complaints System

AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190206-182195

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/04/2019

Feedback : N

Time Incident Occurred: 12:17 PM

Comp Date: 02/06/2019

Complaint Property : **301 39TH ST**

Compl.Time: 12:17 PM

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint :

I WORK IN OAKLAND. EVEN THOUGH MY OFFICE IS WITHIN A LARGE BUILDING, I AM ABLE TO SMELL THE AWFUL TOXIC AIR THAT IS SURROUNDING THE AREA TODAY. THIS IS NOT THE FIRST DAY; THIS IS A COMMON OCCURRENCE AND WITHIN THE PAST FEW WEEKS THIS EVENT HAS BECOME SO INTENSE AND SO UNCOMMON THAT I AM AT MY WITS END. THE SULFUR SMELL IS TOXIC. AS AN ASTHMATIC, I AM EASILY TROUBLED BY THIS SMELL. IT LEAVES ME BREATHELESS, AS IF AN ELEPHANT IS SITTING ON MY CHEST. I CANNOT WALK, I CANNOT REST, I CANNOT SLEEP AT NIGHT WHEN THIS SMELL SURROUNDS MY HOME (WHICH IS ALMOST NIGHTLY). MY CHEST, NOSE, AND THROAT BURN TO THE POINT THAT I GAG. THE COUGHING AND DEEP FEAR THAT COMES FROM NOT BEING ABLE TO BREATHE IS TERRIFYING. I AM AFRAID FOR MY HEALTH, FOR MY FUTURE. I FEEL THAT I CANNOT STAY IN MY HOME. I CANNOT COME TO WORK. IF I CAN DO NEITHER OF THOSE THINGS I WILL BE HOMELESS, A NOMAD. THIS IS A TERRIFYING THOUGHT! ALL BECAUSE WE ARE UNABLE TO ENFORCE ANY TYPE OF SAFETY REGULATION AGAINST THE MAJOR POLLUTERS OF OUR REGION. THEY SHOULD NOT BE ALLOWED TO POISON PEOPLE! I HAVE DONE NOTHING TO DESERVE THIS. I WANT TO WORK AND LIVE IN THIS REGION, WHERE I CALL HOME. WHY SHOULD I BE POISONED TO DEATH BECAUSE OF THIS??? PLEASE, PLEASE, PLEASE DO YOUR JOB AND MAKE THIS STOP! PLEASE STOP BLAMING IT ON THE WEATHER! IF THE POLLUTION WAS NOT SO BAD TO BEGIN WITH THE WEATHER PATTERNS WOULD NOT MATTER. PLEASE HELP ME TO BREATHE!!!

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

***ALLEGHENY COUNTY HEALTH DEPARTMENT**
301 39TH ST

ACHD Complaints System

Phone(s): 412-5788115
LAWRENCEVILLE, PA 15201
Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:
Created By: Sagel,Karen

Actions:	
Previous Complaints on Complaint Property:	
SR Num	Date Complained
AIR-20190204-182155	02/04/2019
AIR-20190208-182213	02/08/2019
AIR-20190114-181957	01/13/2019
AIR-20190204-182114	02/02/2019
AIR-20190204-182115	02/02/2019
AIR-20190111-181939	01/11/2019
AIR-20190204-182129	02/03/2019
AIR-20190204-182141	02/04/2019
AIR-20190131-182094	01/31/2019
AIR-20190131-182095	01/29/2019
AIR-20190204-182147	02/04/2019
AIR-20190204-182152	02/04/2019
AIR-20190206-182193	02/06/2019
AIR-20190205-182157	02/05/2019
AIR-20190205-182176	02/05/2019

ACHD Complaints System

Service Request # AIR-20190206-182196

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/06/2019

Feedback : N

Time Incident Occurred: 12:19 PM

Comp Date: 02/06/2019

Complaint Property : **FERRY ST**

Compl.Time: 12:20 PM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : THE SMOKE IS HORRIBLE. VERY CONCERNED IF THIS IS CAUSING THE CANCER IN THE AREA.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALLED IN ACHD - KAREN M SAGEL

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	

ACHD Complaints System

AIR-20190206-182194	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190207-182198

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 08:45 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : THE SMELL IS HORRIBLE TODAY, THE FOG SMELLS LIKE BURNING COAL. HE HAS LUNG PROBLEMS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190207-182199

AIR QUALITY - ODOR

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/07/2019

Feedback : N

Time Incident Occurred: 08:58 AM

Comp Date: 02/07/2019

Complaint Property : **FERRY ST**

Compl.Time: 08:59 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : SMELL IS HORRIBLE FOG IS THICK STRONG SMELL OF COAL WHAT EVER IS BURNING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182200	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190207-182200

Compl Status : OPEN

AIR QUALITY - ODOR

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/07/2019

Feedback : N

Time Incident Occurred: 09:10 AM

Comp Date: 02/07/2019

Complaint Property : **FERRY ST**

Compl.Time: 09:15 AM

Apt/Unit#:

City: CREIGHTON, PA 15030

Municipality: EAST DEER TOWNSHIP

Census Tract: UNKNOWN

Ward:

Nature of Complaint : SHE SAID THAT THE SMELL IS SO STRONG AND THICK AND IS SEEPING INTO HER HOUSE MAKING IT HARD TO BREATHE AND SLEEP.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments:

CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20190129-182074	01/28/2019	
AIR-20190207-182198	02/07/2019	
AIR-20190207-182199	02/07/2019	
AIR-20190208-182215	02/08/2019	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20190208-182216	02/08/2019	
AIR-20190208-182217	02/08/2019	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20190204-182124	02/04/2019	
AIR-20181011-181458	10/11/2018	
AIR-20190122-182014	01/22/2019	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20190206-182194	02/06/2019	

ACHD Complaints System

AIR-20190206-182196	02/06/2019	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20190123-182029	01/23/2019	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190207-182201

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 09:30 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SMELLS VERY BAD THE STENCH IS OVER WHOLE NEIGHBORHOOD

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/07/2019

Compl.Time: 09:31 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017
AIR-20171115-177638	09/26/2017

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20190204-182142	02/04/2019	
AIR-20190204-182144	02/04/2019	
AIR-20190208-182210	02/07/2019	
AIR-20190208-182211	02/08/2019	
AIR-20190208-182214	02/08/2019	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20190204-182118	02/02/2019	
AIR-20190204-182119	02/02/2019	
AIR-20190204-182120	02/04/2019	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20190204-182123	02/02/2019	
AIR-20190204-182125	02/04/2019	
AIR-20190204-182126	02/02/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20190122-182013	01/21/2019	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20190122-182015	01/20/2019	
AIR-20180629-180600	06/29/2018	
AIR-20190204-182137	02/04/2019	
AIR-20180925-181369	09/24/2018	
AIR-20190122-182020	01/22/2019	
AIR-20190130-182077	01/30/2019	
AIR-20190131-182093	01/31/2019	
AIR-20190115-181966	01/15/2019	
AIR-20190204-182146	02/03/2019	
AIR-20190204-182148	02/04/2019	
AIR-20190204-182149	02/04/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20190124-182035	01/24/2019	
AIR-20190124-182036	01/23/2019	
AIR-20190124-182037	01/23/2019	
AIR-20190124-182038	01/24/2019	
AIR-20190124-182039	01/24/2019	
AIR-20190124-182041	01/23/2019	
AIR-20190124-182045	01/23/2019	
AIR-20190124-182048	01/24/2019	
AIR-20181009-181444	10/09/2018	
AIR-20190125-182055	01/25/2019	
AIR-20190311-182319	02/15/2019	
AIR-20190311-182320	02/15/2019	

ACHD Complaints System

AIR-20190311-182324	02/17/2019	
AIR-20190311-182327	02/18/2019	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190205-182159	02/05/2019	
AIR-20190205-182160	02/04/2019	
AIR-20190205-182163	02/04/2019	
AIR-20190205-182164	02/04/2019	
AIR-20190205-182166	02/05/2019	
AIR-20190125-182049	01/25/2019	
AIR-20190125-182050	01/25/2019	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20190205-182178	02/04/2019	
AIR-20190123-182022	01/23/2019	
AIR-20190123-182023	01/22/2019	
AIR-20190123-182024	01/23/2019	
AIR-20190123-182025	01/23/2019	
AIR-20190123-182034	01/23/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190207-182202

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/06/2019

Feedback : N

Time Incident Occurred: 09:35 PM

Comp Date: 02/06/2019

Complaint Property : **600 THOMAS ST**

Compl.Time: 09:35 PM

Apt/Unit#:

City: **MONROEVILLE, PA 15146**

Municipality: **MONROEVILLE, MUNICIPALITY OF**

Census Tract: **55717**

Ward:

Nature of Complaint :

SUBJECT METHANE GAS SMELL
MESSAGE WEDNESDAY, FEBRUARY 6TH AT 5:30PM
WOOD STREET/KENNEY AVENUE AREA
PITCAIRN, PA
WE HAVE BEEN EXPERIENCING A REALLY AWFUL
METHANE GAS SMELL FROM THE WASTE
MANAGEMENT FACILITY IN MONROEVILLE FOR
SOME TIME NOW. THE SMELL GETS REALLY BAD
DURING CODER AND WET NIGHTS TO THE POINT
WHERE IT SOMETIMES BURNS MY EYES. I GET
HEADACHES FROM IT. TALKED TO WASTE
MANAGEMENT IN LATE DECEMBER AND WAS
TOLD IT WOULD BE RESOLVED IN A MONTH. IT HAS
NOT. PLEASE INVESTIGATE TO MAKE SURE
THEY'RE VENTING PROPERLY.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against:

***WASTE MANAGEMENT - MONROEVILLE LANDFILL**
600 THOMAS ST
MONROEVILLE, PA 15146

Phone(s):

866-9094458

Additional Comments:

WEBSITE COMPLAINT 02-06-2019 @ 09:35 PM

Supervisor:

Created By:

Sagel, Karen

Actions:

ACHD Complaints System

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20190311-182314	02/11/2019	
AIR-20190311-182325	02/18/2019	
AIR-20190211-182241	02/09/2019	
AIR-20190211-182242	02/08/2019	

ACHD Complaints System

Service Request # AIR-20190207-182203

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 09:48 AM

Complaint Property :

Apt/Unit#:

City: PLEASANT HILLS, PA 15236

Municipality: PLEASANT HILLS BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT RE: SO2 ODOR 15236
MESSAGE WOKE UP TO HEAVY SO2 SMELL AROUND 8:30AM, ONGOING IN
PLEASANT HILLS 15236 NEAR
CLAIRTON COKE & IRVIN WORKS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/07/2019

Compl.Time: 09:48 AM

Complainant: *Website,Anonymous

Email:

Phone(s):

Complaint Against: 15236 GENERAL AREA

PLEASANT HILLS, PA 15236

Phone(s):

Additional Comments: WEBSITE 02-07-2019 @ 09:48 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180620-180555	06/20/2018
AIR-20181214-181729	12/14/2018
AIR-20190211-182240	02/10/2019
AIR-20180618-180540	06/18/2018
AIR-20180612-180512	06/12/2018

ACHD Complaints System

Service Request # AIR-20190207-182204

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 08:51 AM

Complaint Property :

Apt/Unit#:

City: , PA 15202

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT AIR QUALITY COMPLAINT
MESSAGE BELLEVUE AND THE SURROUNDING AREAS SMELL LIKE
CHEMICALS.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/07/2019

Compl.Time: 08:51 AM

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

Complaint Against: 15202 GENERAL AREA

, PA 15202

Phone(s):

Additional Comments: WEBSITE 02-07-2019

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Completed
AIR-20190206-182192	02/06/2019

ACHD Complaints System

Service Request # AIR-20190207-182205

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 01:09 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **LARGE EXPLOSION THAT SHOOK THE HOUSE**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/07/2019

Compl.Time: 01:12 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

HOME

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20190129-182076	01/29/2019	
AIR-20190204-182156	02/04/2019	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	

ACHD Complaints System

AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	
AIR-20190211-182232	02/11/2019	
AIR-20190123-182021	01/23/2019	
AIR-20190123-182026	01/23/2019	
AIR-20190123-182027	01/23/2019	
AIR-20190123-182028	01/23/2019	
AIR-20190123-182033	01/23/2019	

ACHD Complaints System

Service Request # AIR-20190207-182206

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 01:15 PM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : EXPOLSION SHOOK HOUSE SO HARD HE THOUGHT HIS ROOF WAS COMING OFF.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

*NEVILLE ISLAND

PITTSBURGH, PA 15225

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20151112-165846	11/12/2015
AIR-20180220-179447	02/18/2018
AIR-20181023-181526	10/19/2018

ACHD Complaints System

Service Request # AIR-20190207-182207

AIR QUALITY - ODOR

Date Incident Occurred: 02/07/2019

Time Incident Occurred: 01:35 PM

Complaint Property : **189 GREENWOOD AV**

Apt/Unit#:

City: **EMSWORTH, PA 15202**

Municipality: **EMSWORTH BOROUGH**

Census Tract: **54350**

Ward:

Nature of Complaint : LARGE EXPLOSION

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***NEVILLE ISLAND**

PITTSBURGH, PA 15225

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 02/07/2019

Compl.Time: 01:36 PM

ACHD Complaints System

Service Request # AIR-20190207-182208

AIR POLLUTION - GENERAL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Date Incident Occurred: 02/07/2019

Feedback : N

Time Incident Occurred: 02:39 PM

Comp Date: 02/07/2019

Complaint Property : **4924 BAUM BO**

Compl.Time: 02:29 PM

Apt/Unit#:

City: **PITTSBURGH, PA 15213**

Municipality: **PITTSBURGH CITY**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint :

GETGO LOCATED AT 4924 BAUM BOULEVARD - FEELS THERE IS A POTENTIAL DESASTER. AT THAT GETGO SEVERAL OF THOSE PUMPS ARE IN DISREPAIR AND ARE CLOSED BUT ONE OF THE PUMPS NOT ONLY HAS THE HANDLE BUT A LINE LAYING ON THE GROUND AND ITS DETACHED BUT THE PUMP IS NOT CLOSED. IT IS STILL OPERATIONAL. HE WAS ABLE TO GO INSIDE AND PURCHASE FULE FROM THAT PUMP. HE WENT BACK INSIDE AND TOLD THE PERSON IN THE STORE WHO SEEMED SURPRISED THAT THE PUMP WAS DISABLED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***GETGO #3064**
4924 BAUM BO
PITTSBURGH, PA 15213

Phone(s):

412-6811883 WORK

Additional Comments:

CALL INTO THE ACHD - DANIAL C MORGAN

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------